







Page 1/1

ORIGINAL

CISS GROUP UKRAINE LLC
member of CISS GROUP Pte.Ltd. (Singapore)
5. Odessa Blv. Ovidiopol district

 Odessa Blv., Ovidiopol district, Lymanka village, Odessa region, 65037 inspection@ciss-group.com

CERTIFICATE No.: UA02006

CERTIFICATE OF QUALITY

In pursuance of an order received from our principal, requesting us to carry out inspection we hereby confirm as follows:

Shipper: "CRYSTAL ALLIANCE TRADE" LLC

68600, UKRAINE, ODESA REGION, IZMAIL,

ST. VERBYTSKYI MYKHAILO 11

Consignee: TO ORDER

Description of goods: RAPESEED OIL IN BULK

Shore tank: Land Tank 3

Place of loading: IZMAIL, UKRAINE / "UPSS IZMAIL" LLC

SAMPLING AND QUALITY ANALYSIS RESULTS:

SAMPLING: Samples were taken in accordance with ISO 5555 methods. Samples were retained in airtight containers until delivery to laboratory. Date of sampling on 20.09.2025. Place of sampling - IZMAIL, UKRAINE / "UPSS IZMAIL" LLC.

ANALYSIS: Samples were analyzed according to FOSFA methods in FOSFA approved chemical laboratory.

Nº	The name of the indicator	Normative document on test methods	Units of measurement	Test results	
1	Moisture and volatile matter content	ISO 662:2016, p.8	%	0.07	
2	Insoluble impurities content	ISO 663:2017	%	0.02	
3	Acid value	ISO 660:2020, p.9.1	mg KOH/g	1.02	
4	Peroxide value	ISO 3960:2017	1/2 O mmol/kg	4.68	
5	Mass fraction of phosphorus-containing compounds expressed as stearooleolecithin	DSTU 7082:2009, p.6	%	0.397	
6	Flashpoint	ISO 15267:1998	°C	no flash at 121 °C	
7	Color number	DSTU 4568:2006	I ₂ in 100 cm ³	40	
8	Mass fraction of soap	DSTU 6048:2008	%	No soap detected	
9	Taste			Characteri stic of rapeseed oil, free from off- flavor and bitterness The smell is characteris tic of rapeseed oil, without extraneous odor Transpare nt, with slight sediment	
10	Smell	DSTU 8842:2019			
11	Clarity				

Nº	The name of the indicator	Normative document on test methods	Units of measurement	Test results	LOQ
12	Erucic acid C22:1n9	ISO 12966-4	%	0.1	0.05 %

LOQ (Limit of quantification) - is the lowest amount or concentration of analyte in a sample, which can be reliably quantified with an acceptable level of precision and accuracy.

The results of inspection are valid for the time and place of inspection only.

This certificate is electronically signed and stamped.

DATED: 20th of SEPTEMBER, 2025
For and on behalf of CISS GROUP Ukraine LLC
Registered Superintendent and Surveyor Member of FOSFA



