



Commodities International
Shipping and Survey



Page 1/12

CISS GROUP UKRAINE LLC
member of CISS GROUP Pte.Ltd. (Singapore)
5, Odessa Blv., Ovidiopol district,
Lymanka village, Odessa region, 65037
inspection@ciiss-group.com

CERTIFICATE No.: UA02038

ORIGINAL

ORIGINAL ANALYSIS CERTIFICATE

In pursuance of an order received from our principal, requesting us to carry out inspection we hereby confirm as follows:

Description of goods: UKRAINIAN ORIGIN SUNFLOWER MEAL IN PELLETS, CROP 2025
Vessel: MV ALICE
Quantity: 5788,940 MT
BL No. & Date: NO. 1, 2 AND 3 DD 12.11.2025
Shipper: «IZMAILSKA TORGOVA COMPANIA» LLC
Ukraine, 68610, Odesa region, Izmail district, Izmail city,
Aerodromne shose, building 2-Zh
ON BEHALF OF SANTA BAY GROUP LLC
ON BEHALF OF D.A.M TRADE GROUP LLC
"CRYSTAL ALLIANCE TRADE" LLC
Ukraine, 65074, Odesa region, Odesa, st. Kosovska 47, office 204
ON BEHALF OF SANTA BAY GROUP LLC
ON BEHALF OF D.A.M TRADE GROUP LLC
Consignee: TO ORDER
Notify Address: BOULIAS S.A.
INDUSTRIAL AREA SINDOS A' DISTRICT
OT 61, P.C. 57022
THESSALONIKI, GREECE
VAT. EL 801077248
Port of loading: IZMAIL, UKRAINE
Port of discharge: EC GREECE OR CRETE
Vessel Holds Nos.: 1, 2, 3, 4

SAMPLING AND QUALITY ANALYSIS RESULTS:

The sampling was performed according to the GAFTA 124 rules at the time of loading. A composite sample of the total consignment proportionally mixed was submitted for analysis to GAFTA accredited reputable and independent laboratories. The following results were obtained:

Test Description	Method	LOQ*	Units	Results
Total aflatoxins (B1, B2, G1, G2)	CISS 02:2025 (IFA Bio-Shield Total ES)	0,6	ppb	1.05
Aflatoxin B1	CISS 07:2025 (IFA Bio-Shield B1 E7)	0,5	ppb	<0.5

Test Description	Method	LOQ*	Units	Results
Vomitoxin (DON)	CISS 01:2025 (IFA Bio-Shield Don ME)	0.10	ppm	0.428
Ochratoxin	CISS 03:2025 (IFA Bio-Shield Ochratoxin)	1.5	ppb	3.32
Zearalenone	CISS 05:2025 (IFA Bio-Shield ZON)*	15	ppb	< 15
Fumonisin	CISS 06:2025 (IFA Bio-Shield Fumonisin)*	0.12	ppm	<0.12
T-2/HT-2	CISS 04:2025 (IFA Bio-Shield T-2/HT- 2)*	10	ppb	< 20





Commodities International
Shipping and Survey



Page 2/12

CISS GROUP UKRAINE LLC
member of CISS GROUP Pte.Ltd. (Singapore)
5, Odessa Blv., Ovidiopol district,
Lymanka village, Odessa region, 65037
inspection@ciiss-group.com

CERTIFICATE No.: UA02038

ORIGINAL

Parameter	Method	Result	LOD**
Salmonella	ISO 20838	Not detected	5 CFU/g

Test	Method	Units	Results
Poisonous seeds	visual check	number/kg	0

Parameter	Method	Result	LOQ
Arsenic (As), ppm (mg/kg)	AGM-17 (ICP-OES)	< 0.05***	0.05 ppm
Cadmium (Cd), ppm (mg/kg)	AGM-17 (ICP-OES)	0.389	0.01 ppm
Mercury (Hg), ppm (mg/kg)	AGM-17 (ICP-OES)	< 0.01***	0.01 ppm
Lead (Pb), ppm (mg/kg)	AGM-17 (ICP-OES)	< 0.05***	0.05 ppm

Test Description	Method****	Units*****	Results
Sum of dioxins (WHO-PCDD/Fs-TEQ)	EN 16215:2020	pg/g	<0,75
Sum of dioxins and dioxin-like PCBs (WHO-PCDD/Fs-PCB-TEQ)	EN 16215:2020	pg/g	<1,25
Sum of PCBs non-dioxin-like	EN 16215:2020	ng/g	<10
2,3,7,8-TCDD	EN 16215:2020	pg/g	<0,02
1,2,3,7,8-PeCDD	EN 16215:2020	pg/g	<0,02
1,2,3,4,7,8-HxCDD	EN 16215:2020	pg/g	<0,005
1,2,3,6,7,8-HxCDD	EN 16215:2020	pg/g	<0,005
1,2,3,7,8,9-HxCDD	EN 16215:2020	pg/g	<0,005
1,2,3,4,6,7,8-HpCDD	EN 16215:2020	pg/g	<0,0005
OCDD	EN 16215:2020	pg/g	<0,00003
2,3,7,8-TCDF	EN 16215:2020	pg/g	<0,002
1,2,3,7,8-PeCDF	EN 16215:2020	pg/g	<0,0006
2,3,4,7,8-PeCDF	EN 16215:2020	pg/g	<0,006
1,2,3,4,7,8-HxCDF	EN 16215:2020	pg/g	<0,005
1,2,3,6,7,8-HxCDF	EN 16215:2020	pg/g	<0,005
2,3,4,6,7,8-HxCDF	EN 16215:2020	pg/g	<0,005
1,2,3,7,8,9-HxCDF	EN 16215:2020	pg/g	<0,005
1,2,3,4,6,7,8-HpCDF	EN 16215:2020	pg/g	<0,0005
1,2,3,4,7,8,9-HpCDF	EN 16215:2020	pg/g	<0,0005
OCDF	EN 16215:2020	pg/g	<0,00003
dioxin-like PCB 77	EN 16215:2020	pg/g	0,0006
dioxin-like PCB 81	EN 16215:2020	pg/g	<0,000075





**Commodities International
Shipping and Survey**



Page 3/12

CISS GROUP UKRAINE LLC
member of CISS GROUP Pte.Ltd. (Singapore)
5, Odessa Blv., Ovidiopol district,
Lymanka village, Odessa region, 65037
inspection@ciiss-group.com

CERTIFICATE No.: UA02038

ORIGINAL

dioxin-like PCB 126	EN 16215:2020	pg/g	<0,025
dioxin-like PCB 169	EN 16215:2020	pg/g	<0,0075
dioxin-like PCB 105	EN 16215:2020	pg/g	<0,00015
dioxin-like PCB 114	EN 16215:2020	pg/g	<0,00015
dioxin-like PCB 118	EN 16215:2020	pg/g	<0,00015
dioxin-like PCB 123	EN 16215:2020	pg/g	<0,00015
dioxin-like PCB 156	EN 16215:2020	pg/g	<0,00015
dioxin-like PCB 157	EN 16215:2020	pg/g	<0,00015
dioxin-like PCB 167	EN 16215:2020	pg/g	<0,00015
dioxin-like PCB 189	EN 16215:2020	pg/g	<0,00015
non-dioxin-like PCB 28	EN 16215:2020	ng/g	<0,05
non-dioxin-like PCB 52	EN 16215:2020	ng/g	<0,05
non-dioxin-like PCB 101	EN 16215:2020	ng/g	<0,05
non-dioxin-like PCB 138	EN 16215:2020	ng/g	<0,05
non-dioxin-like PCB 153	EN 16215:2020	ng/g	<0,05
non-dioxin-like PCB 180	EN 16215:2020	ng/g	<0,05
TEQ (WHO) for PCDD/Fs including LOQ for non-quantified congener, 12% moisture	EN 16215:2020	pg/g	0,085
TEQ (WHO) for dioxin-like PCBs including LOQ for non-quantified congener, 12% moisture	EN 16215:2020	pg/g	0,034
TEQ (WHO) for PCDD/Fs + dioxin- like PCBs including LOQ for non- quantified congener, 12% moisture	EN 16215:2020	pg/g	0,119
Non-dioxin-like PCBs, 12% moisture	EN 16215:2020	ng/g	0,299

Pesticides	Method	Results	Limit of quantification
2,3,5,6-Tetrachloroaniline	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
2,4'-DDD	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
2,4'-DDE	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
2,4'-DDT	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
2,4'-Methoxychlor	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
2,6-Dichlorobenzonitrile	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
2-Phenylphenol	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
3,4-Dichloroaniline	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
4,4'-DDD	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
4,4'-DDE	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
4,4'-DDT	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*



This certificate is issued to any job or services carried out within the GENERAL TERMS AND CONDITION OF BUSINESS printed overleaf. This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations. The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.



**Commodities International
Shipping and Survey**



**FOSFA
INTERNATIONAL**

Page 4/12

CISS GROUP UKRAINE LLC
member of CISS GROUP Pte.Ltd. (Singapore)
5, Odessa Blv., Ovidiopol district,
Lymanka village, Odessa region, 65037
inspection@ciiss-group.com

CERTIFICATE No.: UA02038

ORIGINAL

4,4'-Dichlorobenzophenone	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
4,4'-Methoxychlor olefin	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Acequinocyl	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Acetochlor	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Acrinathrin	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Alachlor	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Aldrin	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Allidochlor	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
alpha-Hexachlorocyclohexane	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Anthraquinone	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Atrazine	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Azinphos ethyl	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Azinphos methyl	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Benfluralin	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
beta-Hexachlorocyclohexane	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Bifenthrin	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Bioallethrin	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Biphenyl	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Bromfenvinfos-methyl	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Bromfenvinphos	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Bromophos ethyl	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Bromophos methyl	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Bromopropylate	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Captafol	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Captan	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Carbophenothion	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Carfentrazone ethyl	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Chlorbenside	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Chlorfenapyr	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Chlorfenson	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Chlorfenvinphos	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Chlorobenzilate	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Chloroneb	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Chlorothalonil	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Chlorpropham	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Chlorpyrifos	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Chlorpyrifos methyl	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Chlorthiophos	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
cis-Chlordane	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
cis-Nonachlor	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
cis-Permethrin	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Clomazone	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Coumaphos	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*



This certificate is issued to any job or services carried out within the GENERAL TERMS AND CONDITION OF BUSINESS printed overleaf. This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations. The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.



**Commodities International
Shipping and Survey**



**FOSFA
INTERNATIONAL**

Page 5/12

CISS GROUP UKRAINE LLC
member of CISS GROUP Pte.Ltd. (Singapore)
5, Odessa Blv., Ovidiopol district,
Lymanka village, Odessa region, 65037
inspection@ciiss-group.com

CERTIFICATE No.: UA02038

ORIGINAL

Cycloate	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Cyfluthrin	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Cypermethrin	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Cyprodinil	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
DCPA methyl ester	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
delta-Hexachlorocyclohexane	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Deltamethrin	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Demeton-S-Methyl	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Diallate (cis & trans)	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Diazinon	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Dichlofluanid	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Dichloran	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Dichlorvos	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Dieldrin	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Dimethachlor	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Diphenamid	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Diphenylamine	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Disulfoton	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Edifenphos	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Endosulfan ether	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Endosulfan I	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Endosulfan II	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Endosulfan sulfate	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Endrin	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Endrin aldehyde	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Endrin ketone	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
EPN	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Ethalfuralin	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Ethion	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Ethylan	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Etofenprox	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Etridiazole	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Fenamiphos	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Fenarimol	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Fenchlorphos	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Fenitrothion	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Fenpropathrin	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Fenson	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Fenthion	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Fenvalerate	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Fluazifop-p-butyl	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Fluchloralin	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Flucythrinate	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*



This certificate is issued to any job or services carried out within the GENERAL TERMS AND CONDITION OF BUSINESS printed overleaf. This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations. The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.



**Commodities International
Shipping and Survey**



**FOSFA
INTERNATIONAL**

Page 6/12

CISS GROUP UKRAINE LLC
member of CISS GROUP Pte.Ltd. (Singapore)
5, Odessa Blv., Ovidiopol district,
Lymanka village, Odessa region, 65037
inspection@ciiss-group.com

CERTIFICATE No.: UA02038

ORIGINAL

Fluquinconazole	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Fluridone	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Flutolanil	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Folpet	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Fonofos	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
gamma-Hexachlorocyclohexane	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Heptachlor	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Heptachlor epoxide (isomer B)	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Hexachlorobenzene	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Hexazinone	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Iodofenphos	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Iprodione	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Isazophos	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Isodrin	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Isopropalin	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
lambda-Cyhalothrin	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Lenacil	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Leptophos	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Malathion	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Metazachlor	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Methacrifos	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Methidathion	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Methoxychlor	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Methyl parathion	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Metolachlor	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Mevinphos	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
MGK-264	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Mirex	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
N-(2,4-Dimethylphenyl)formamide	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Nitralin	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Nitrofen	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Norflurazon	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Oxadiazon	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Oxyfluorfen	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Parathion	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Pebulate	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Pendimethalin	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Pentachloroaniline	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Pentachloroanisole	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Pentachlorobenzene	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Pentachlorobenzonitrile	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Pentachloronitrobenzene	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Pentachlorothioanisole	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Phenothrin (cis & trans)	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*



This certificate is issued to any job or services carried out within the GENERAL TERMS AND CONDITION OF BUSINESS printed overleaf. This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations. The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.



**Commodities International
Shipping and Survey**



Page 7/12

CISS GROUP UKRAINE LLC
member of CISS GROUP Pte.Ltd. (Singapore)
5, Odessa Blv., Ovidiopol district,
Lymanka village, Odessa region, 65037
inspection@ciiss-group.com

CERTIFICATE No.: UA02038

ORIGINAL

Phorate	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Phosalone	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Phosmet	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Phosphamidon	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Pirimiphos ethyl	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Pirimiphos methyl	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Pretilachlor	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Procymidone	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Prodiamine	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Profenofos	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Profluralin	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Propachlor	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Propanil	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Propisochlor	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Propyzamide	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Prothiofos	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Pyraclofos	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Pyrazophos	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Pyridaphenthion	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Quinalphos	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Resmethrin	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Sulfotepp	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Sulprofos	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
tau-Fluvalinate	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Terbacil	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Terbufos	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Terbutylazine	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Tetrachloronitrobenzene	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Tetrachlorvinphos	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Tetradifon	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Tetramethrin	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
THPI	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Tolclofos-methyl	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Tolyfluanid	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
trans-Chlordane	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Transfluthrin	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
trans-Nonachlor	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
trans-Permethrin	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Triallate	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Triazophos	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Trifluralin	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Vinclozolin	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Chlozolate	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*



This certificate is issued to any job or services carried out within the GENERAL TERMS AND CONDITION OF BUSINESS printed overleaf. This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations. The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.



**Commodities International
Shipping and Survey**



**FOSFA
INTERNATIONAL**

Page 8/12

CISS GROUP UKRAINE LLC
member of CISS GROUP Pte.Ltd. (Singapore)
5, Odessa Blv., Ovidiopol district,
Lymanka village, Odessa region, 65037
inspection@ciiss-group.com

CERTIFICATE No.: UA02038

ORIGINAL

Tefluthrin	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
2,4-D	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
3-Hydroxycarbofuran	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Abamectin	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Acephate	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Acetamiprid	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Acibenzolar-S-methyl	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Alanycarb	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Aldicarb	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Aldicarb sulfone	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Aldicarb sulfoxide	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Ametryn	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Aminocarb	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Amitraz	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Azoxystrobin	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Baycor	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Benalaxyl	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Bendiocarb	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Benfuracarb	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Bentazone	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Benzoximate	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Bifenazate	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Boscalid	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Bromuconazole	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Bupirimate	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Buprofezin	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Butafenacil	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Butocarboxim	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Butoxycarboxim	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Carbaryl	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Carbendazim	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Carbetamide	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Carbofuran	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Carboxin	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Chlorantraniliprole	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Chlorfluazuron	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Chloroxuron	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Chlortoluron	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Clethodim	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Clofentezine	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Clothianidin	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Cyazofamid	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Cycluron	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*



This certificate is issued to any job or services carried out within the GENERAL TERMS AND CONDITION OF BUSINESS printed overleaf. This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations. The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.



Commodities International
Shipping and Survey



Page 9/12

CISS GROUP UKRAINE LLC
member of CISS GROUP Pte.Ltd. (Singapore)
5, Odessa Blv., Ovidiopol district,
Lymanka village, Odessa region, 65037
inspection@ciiss-group.com

CERTIFICATE No.: UA02038

ORIGINAL

Cymoxanil	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Cyproconazole	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Cyromazine	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Desmedipham	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Diclobutrazol	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Diclotophos	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Diethofencarb	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Difenoconazole	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Diflubenzuron	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Dimethoate	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Dimethomorph	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Dimoxystrobin	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Diniconazole	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Dinotefuran	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Dioxacarb	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Diuron	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
DNOC	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Doramectin	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Emamectin-benzoate	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Epoxiconazole	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Eprinomectin	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Etaconazole	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Ethiofencarb	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Ethiprole	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Ethirimol	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Ethofumesate	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Etoazole	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Famoxadone	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Fenamidone	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Fenazaquin	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Fenbuconazole	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Fenhexamid	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Fenobucarb	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Fenoxycarb	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Fenpropimorph	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Fenpyroximate	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Fenuron	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Fipronil	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Flonicamid	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Fluazinam	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Flubendiamide	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Fludioxonil	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Flufenacet	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*





**Commodities International
Shipping and Survey**



**FOSFA
INTERNATIONAL**

Page 10/12

CISS GROUP UKRAINE LLC
member of CISS GROUP Pte.Ltd. (Singapore)
5, Odessa Blv., Ovidiopol district,
Lymanka village, Odessa region, 65037
inspection@ciiss-group.com

CERTIFICATE No.: UA02038

ORIGINAL

Flufenoxuron	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Fluometuron	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Fluoxastrobin	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Fluroxypyr	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Flusilazole	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Flutriafol	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Forchlorfenuron	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Formetanate HCL	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Fuberidazole	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Furalaxyl	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Furathiocarb	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Halofenozide	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Hexaconazole	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Hexaflumuron	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Hexythiazox	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Hydramethylnon	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Imazalil	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Imidacloprid	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Indoxacarb	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Ipconazole	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Iprovalicarb	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Isocarbophos	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Isoprocab	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Isoproturon	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Ivermectin	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Kresoxim methyl	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Linuron	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Lufenuron	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Mandipropamid	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Mefenacet	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Mepanipyrim	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Mepronil	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Mesotrione	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Metaflumizone	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Metalaxyl	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Metconazole	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Methabenzthiazuron	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Methamidophos	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Methiocarb	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Methomyl	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Methoprotryne	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Methoxyfenozide	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Metobromuron	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*



This certificate is issued to any job or services carried out within the GENERAL TERMS AND CONDITION OF BUSINESS printed overleaf. This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations. The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.



**Commodities International
Shipping and Survey**



Page 11/12

CISS GROUP UKRAINE LLC
member of CISS GROUP Pte.Ltd. (Singapore)
5, Odessa Blv., Ovidiopol district,
Lymanka village, Odessa region, 65037
inspection@ciiss-group.com

CERTIFICATE No.: UA02038

ORIGINAL

Metribuzin	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Mexacarbate	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Monceren	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Monocrotophos	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Monolinuron	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Moxidectin	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Myclobutanil	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Neburon	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Nitenpyram	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Novaluron	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Nuarimol	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Omethoate	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Oxadixyl	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Oxamyl	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Paclobutrazol	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Penconazole	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Phenmedipham	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Picoxystrobin	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Piperonyl butoxide	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Pirimicarb	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Prochloraz	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Promecarb	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Prometon	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Prometryne	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Propamocarb free base	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Propargite	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Propham	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Propiconazole	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Propoxur	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Prothioconazole	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Pymetrozine	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Pyracarbolid	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Pyraclostrobin	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Pyridaben	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Pyrimethanil	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Pyriproxyfen	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Quinoxifen	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Rotenone	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Sebumeton	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Siduron	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Simetryn	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Spinetoram (J&L)	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Spinosad	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*



This certificate is issued to any job or services carried out within the GENERAL TERMS AND CONDITION OF BUSINESS printed overleaf. This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations. The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.



Commodities International
Shipping and Survey



FOSFA
INTERNATIONAL

Page 12/12

CISS GROUP UKRAINE LLC
member of CISS GROUP Pte.Ltd. (Singapore)
5, Odessa Blv., Ovidiopol district,
Lymanka village, Odessa region, 65037
inspection@ciiss-group.com

CERTIFICATE No.: UA02038

ORIGINAL

Spirodiclofen	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Spiromesifen	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Spirotetramat	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Spiroxamine	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Sulfentrazone	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Tebuthiuron	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Tebuconazole	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Tebufenozide	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Tebufenpyrad	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Terbutryn	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Teflubenzuron	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Temephos	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Terbumeton	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Thiamethoxam	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Tetraconazole	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Thiabendazole	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Thiacloprid	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Thidiazuron	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Thiofanox	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Thiophanate-methyl	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Thiobencarb	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Tricyclazole	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Triadimefon	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Triadimenol	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Trichlorfon	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Trifloxystrobin	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Triflumizole	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Triflumuron	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Triticonazole	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Vamidotion	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Zoxamide	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*

*LOQ — limit of quantification.

**LOD (Limit of detection) - is the lowest amount or concentration of analyte in a sample, which can be reliably detected.

*** No analyte at a content above the limit of Quantification was detected.

****In accordance with Directive (EU) nr. 2017/644 (for Food).

*****Content of PCDD/Fs and dioxin-like PCBs is recalculated to Toxic Equivalents (TEQ) values excluding non-dioxin-like PCBs.

The results of these analyses are in conformity with the above-mentioned quality/condition specifications.

The results of inspection are valid for the time and place of inspection only.

This certificate is electronically signed and stamped.

DATED: 17th of NOVEMBER, 2025

For and on behalf of CISS GROUP Ukraine LLC
Registered Superintendent and Surveyor Member of GAFTA

