



**CISS GROUP UKRAINE LLC**  
member of **CISS GROUP Pte.Ltd. (Singapore)**  
5, Odessa Blv., Ovidiopol district,  
Lymanka village, Odessa region, 65037  
inspection@ciiss-group.com

**CERTIFICATE No.: UA02066**

**ORIGINAL**

**VETERINARY CERTIFICATE**

In pursuance of an order received from our principal, requesting us to carry out inspection we hereby confirm as follows:

Description of goods:	Ukrainian High Protein Sunflower seeds Meal in Pellets In Bulk Crop year 2025
Vessel:	MV MARMARA S
Quantity of goods:	5581,080 MT B/L № 1 to 11 DD 25.12.2025
Shipper:	"CRYSTAL ALLIANCE TRADE" LLC Ukraine, 65074, Odesa region, Odesa, st. Kosovska 47, office 204 ON BEHALF OF D.A.M TRADE GROUP LLC
Consignee:	TO ORDER
Notify Address:	Medsofts For Trade Plot 227, 2nd Commercial Sector, 5th District, New Cairo 11835, Cairo, Egypt
Port of loading:	IZMAIL, UKRAINE
Port of discharge:	ONE EGYPTIAN MEDITERRANEAN PORT
Vessel Holds Nos.:	1
Dates of Loading:	22-25.12.2025

**SAMPLING AND QUALITY ANALYSIS RESULTS:**

The sampling was performed according to the GAFTA 124 rules at the time of loading. A composite sample of the total consignment was proportionally mixed and submitted for analysis in GAFTA accredited reputable and independent laboratories. The following results were obtained:

Test Description	Method	Results
Odour	DSTU 8242:2015	Characteristic of sunflower meal without foreign odour
Visual appearance	Visual check	Characteristic of sunflower meal

Parameter	Method	Result	LOD
Salmonella	ISO 20838	Not detected**	5 CFU/g

Test Description	Method	Specification	LOQ	Units	Results
Vomitoxin (DON )	CISS 01:2025 (IFA Bio-Shield Don ME)	Max. 8ppm	0.05	ppm	0.165 ppm
Aflatoxin B1	CISS 07:2025 (IFA Bio-Shield B1 E7)	Max. 10ppb	0,5	ppb	<0.5

Test	Method	Units	Results
Poisonous seeds	visual check	number/kg	0





CISS GROUP UKRAINE LLC  
member of CISS GROUP Pte.Ltd. (Singapore)  
5, Odessa Blv., Ovidiopol district,  
Lymanka village, Odessa region, 65037  
inspection@ciiss-group.com

**CERTIFICATE No.: UA02066**

**ORIGINAL**

Parameter	Method	Result	LOQ*
Arsenic (As), ppm (mg/kg)	AGM-17 (ICP-OES)	< 0.05*	0.05 ppm
Cadmium (Cd), ppm (mg/kg)	AGM-17 (ICP-OES)	0.320	0.01 ppm
Mercury (Hg), ppm (mg/kg)	AGM-17 (ICP-OES)	< 0.01*	0.01 ppm
Lead (Pb), ppm (mg/kg)	AGM-17 (ICP-OES)	< 0.05*	0.05 ppm

**RADIONUCLIDES**

Parameter	Method	Result*	LOQ*
Cesium-134, Bq/kg	AGM-07	<2.3	2.3 Bq/kg
Cesium-137, Bq/kg	AGM-07	<2.0	2.0 Bq/kg
Strontium-90, Bq/kg	AGM-07	<2.5	2.5 Bq/kg

**PESTICIDES**

Pesticides	Method	Results	Limit of quantification
2,3,5,6-Tetrachloroaniline	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
2,4'-DDD	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
2,4'-DDE	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
2,4'-DDT	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
2,4'-Methoxychlor	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
2,6-Dichlorobenzonitrile	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
2-Phenylphenol	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
3,4-Dichloroaniline	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
4,4'-DDD	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
4,4'-DDE	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
4,4'-DDT	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
4,4'-Dichlorobenzophenone	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
4,4'-Methoxychlor olefin	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Acequinocyl	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Acetochlor	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Acrinathrin	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Alachlor	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Aldrin	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Allidochlor	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
alpha-Hexachlorocyclohexane	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Anthraquinone	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Atrazine	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Azinphos ethyl	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Azinphos methyl	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Benfluralin	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
beta-Hexachlorocyclohexane	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Bifenthrin	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*





**CISS GROUP UKRAINE LLC**  
member of **CISS GROUP Pte.Ltd. (Singapore)**  
5, Odessa Blv., Ovidiopol district,  
Lymanka village, Odessa region, 65037  
inspection@ciiss-group.com

**CERTIFICATE No.: UA02066**

**ORIGINAL**

Bioallethrin	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Biphenyl	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Bromfeninfos-methyl	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Bromfenvinphos	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Bromophos ethyl	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Bromophos methyl	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Bromopropylate	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Captafol	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Captan	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Carbophenothion	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Carfentrazone ethyl	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Chlorbenside	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Chlorfenapyr	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Chlorfenson	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Chlorfenvinphos	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Chlorobenzilate	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Chloroneb	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Chlorothalonil	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Chlorpropham	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Chlorpyrifos	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Chlorpyrifos methyl	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Chlorthiophos	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
cis-Chlordane	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
cis-Nonachlor	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
cis-Permethrin	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Clomazone	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Coumaphos	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Cycloate	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Cyfluthrin	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Cypermethrin	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Cyprodinil	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
DCPA methyl ester	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
delta-Hexachlorocyclohexane	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Deltamethrin	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Demeton-S-Methyl	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Diallate (cis & trans)	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Diazinon	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Dichlofluanid	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Dichloran	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Dichlorvos	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Dieldrin	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Dimethachlor	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Diphenamid	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*





**CISS GROUP UKRAINE LLC**  
member of **CISS GROUP Pte.Ltd. (Singapore)**  
5, Odessa Blv., Ovidiopol district,  
Lymanka village, Odessa region, 65037  
inspection@ciiss-group.com

**CERTIFICATE No.: UA02066**

**ORIGINAL**

Diphenylamine	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Disulfoton	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Edifenphos	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Endosulfan ether	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Endosulfan I	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Endosulfan II	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Endosulfan sulfate	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Endrin	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Endrin aldehyde	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Endrin ketone	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
EPN	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Ethalfuralin	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Ethion	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Ethylan	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Etofenprox	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Etridiazole	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Fenamiphos	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Fenarimol	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Fenchlorphos	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Fenitrothion	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Fenpropathrin	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Fenson	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Fenthion	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Fenvalerate	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Fluazifop-p-butyl	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Fluchloralin	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Flucythrinate	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Fluquinconazole	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Fluridone	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Flutolanil	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Folpet	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Fonofos	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
gamma-Hexachlorocyclohexane	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Heptachlor	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Heptachlor epoxide (isomer B)	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Hexachlorobenzene	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Hexazinone	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Iodofenphos	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Iprodione	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Isazophos	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Isodrin	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Isopropalin	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
lambda-Cyhalothrin	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*





**CISS GROUP UKRAINE LLC**  
member of **CISS GROUP Pte.Ltd. (Singapore)**  
5, Odessa Blv., Ovidiopol district,  
Lymanka village, Odessa region, 65037  
inspection@ciiss-group.com

**CERTIFICATE No.: UA02066**

**ORIGINAL**

Lenacil	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Leptophos	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Malathion	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Metazachlor	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Methacrifos	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Methidathion	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Methoxychlor	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Methyl parathion	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Metolachlor	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Mevinphos	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
MGK-264	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Mirex	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
N-(2,4-Dimethylphenyl)formamide	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Nitralin	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Nitrofen	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Norflurazon	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Oxadiazon	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Oxyfluorfen	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Parathion	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Pebulate	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Pendimethalin	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Pentachloroaniline	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Pentachloroanisole	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Pentachlorobenzene	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Pentachlorobenzonitrile	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Pentachloronitrobenzene	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Pentachlorothioanisole	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Phenothrin (cis & trans)	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Phorate	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Phosalone	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Phosmet	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Phosphamidon	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Pirimiphos ethyl	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Pirimiphos methyl	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Pretilachlor	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Procymidone	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Prodiamine	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Profenofos	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Profluralin	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Propachlor	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Propanil	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Propisochlor	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Propyzamide	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*





**CISS GROUP UKRAINE LLC**  
member of **CISS GROUP Pte.Ltd. (Singapore)**  
5, Odessa Blv., Ovidiopol district,  
Lymanka village, Odessa region, 65037  
inspection@ciiss-group.com

**CERTIFICATE No.: UA02066**

**ORIGINAL**

Prothiofos	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Pyraclofos	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Pyrazophos	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Pyridaphenthion	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Quinalphos	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Resmethrin	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Sulfotepp	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Sulprofos	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
tau-Fluvalinate	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Terbacil	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Terbufos	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Terbutylazine	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Tetrachloronitrobenzene	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Tetrachlorvinphos	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Tetradifon	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Tetramethrin	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
THPI	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Tolclofos-methyl	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Tolyfluanid	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
trans-Chlordane	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Transfluthrin	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
trans-Nonachlor	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
trans-Permethrin	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Triallate	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Triazophos	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Trifluralin	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Vinclozolin	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Chlozolate	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
Tefluthrin	AGM-19 (GC/MS/MS)	No detected above LOQ	< 0.005*
2,4-D	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
3-Hydroxycarbofuran	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Abamectin	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Acephate	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Acetamiprid	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Acibenzolar-S-methyl	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Alanycarb	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Aldicarb	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Aldicarb sulfone	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Aldicarb sulfoxide	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Ametryn	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Aminocarb	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Amitraz	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*





CISS GROUP UKRAINE LLC  
member of CISS GROUP Pte.Ltd. (Singapore)  
5, Odessa Blv., Ovidiopol district,  
Lymanka village, Odessa region, 65037  
inspection@ciiss-group.com

CERTIFICATE No.: UA02066

ORIGINAL

Azoxystrobin	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Baycor	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Benalaxyl	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Bendiocarb	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Benfuracarb	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Bentazone	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Benzoximate	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Bifenazate	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Boscalid	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Bromuconazole	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Bupirimate	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Buprofezin	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Butafenacil	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Butocarboxim	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Butoxycarboxim	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Carbaryl	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Carbendazim	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Carbetamide	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Carbofuran	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Carboxin	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Chlorantranilprole	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Chlorfluazuron	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Chloroxuron	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Chlortoluron	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Clethodim	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Clofentezine	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Clothianidin	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Cyazofamid	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Cycluron	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Cymoxanil	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Cyproconazole	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Cyromazine	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Desmedipham	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Diclobutrazol	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Diclotophos	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Diethofencarb	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Difenoconazole	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Diflubenzuron	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Dimethoate	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Dimethomorph	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Dimoxystrobin	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Diniconazole	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*





**CISS GROUP UKRAINE LLC**  
member of **CISS GROUP Pte.Ltd. (Singapore)**  
5, Odessa Blv., Ovidiopol district,  
Lymanka village, Odessa region, 65037  
inspection@ciiss-group.com

**CERTIFICATE No.: UA02066**

**ORIGINAL**

Dinotefuran	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Dioxacarb	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Diuron	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
DNOC	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Doramectin	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Emamectin-benzoate	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Epoxiconazole	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Eprinomectin	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Etaconazole	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Ethiofencarb	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Ethiprole	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Ethirimol	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Ethofumesate	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Etozazole	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Famoxadone	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Fenamidon	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Fenazaquin	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Fenbuconazole	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Fenhexamid	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Fenobucarb	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Fenoxycarb	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Fenpropimorph	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Fenpyroximate	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Fenuron	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Fipronil	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Flonicamid	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Fluazinam	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Flubendiamide	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Fludioxonil	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Flufenacet	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Flufenoxuron	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Fluometuron	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Fluoxastrobin	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Fluroxypyr	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Flusilazole	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Flutriafol	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Forchlorfenuron	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Formetanate HCL	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Fuberidazole	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Furalaxyl	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Furathiocarb	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Halofenozide	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Hexaconazole	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*





**CISS GROUP UKRAINE LLC**  
member of **CISS GROUP Pte.Ltd. (Singapore)**  
5, Odessa Blv., Ovidiopol district,  
Lymanka village, Odessa region, 65037  
inspection@ciiss-group.com

**CERTIFICATE No.: UA02066**

**ORIGINAL**

Hexaflumuron	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Hexythiazox	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Hydramethylnon	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Imazalil	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Imidacloprid	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Indoxacarb	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Ipconazole	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Iprovalicarb	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Isocarbophos	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Isoprocarb	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Isoproturon	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Ivermectin	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Kresoxim methyl	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Linuron	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Lufenuron	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Mandipropamid	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Mefenacet	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Mepanipyrim	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Mepronil	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Mesotrione	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Metaflumizone	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Metalaxyl	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Metconazole	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Methabenzthiazuron	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Methamidophos	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Methiocarb	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Methomyl	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Methoprotryne	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Methoxyfenozide	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Metobromuron	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Metribuzin	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Mexacarbate	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Monceren	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Monocrotophos	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Monolinuron	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Moxidectin	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Myclobutanil	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Neburon	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Nitenpyram	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Novaluron	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Nuarimol	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Omethoate	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Oxadixyl	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*





**CISS GROUP UKRAINE LLC**  
 member of **CISS GROUP Pte.Ltd. (Singapore)**  
 5, Odessa Blv., Ovidiopol district,  
 Lymanka village, Odessa region, 65037  
 inspection@ciiss-group.com

**CERTIFICATE No.: UA02066**

**ORIGINAL**

Oxamyl	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Paclobutrazol	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Penconazole	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Phenmedipham	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Picoxystrobin	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Piperonyl butoxide	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Pirimicarb	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Prochloraz	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Promecarb	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Prometon	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Prometryne	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Propamocarb free base	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Propargite	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Propham	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Propiconazole	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Propoxur	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Prothioconazole	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Pymetrozine	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Pyracarbolid	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Pyraclostrobin	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Pyridaben	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Pyrimethanil	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Pyriproxyfen	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Quinoxifen	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Rotenone	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Secbumeton	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Siduron	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Simetryn	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Spinetoram (J&L)	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Spinosad	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Spirodiclofen	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Spiromesifen	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Spirotetramat	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Spiroxamine	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Sulfentrazone	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Tebuthiuron	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Tebuconazole	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Tebufenozide	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Tebufenpyrad	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Terbutryn	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Teflubenzuron	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Temephos	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Terbumeton	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*





**CISS GROUP UKRAINE LLC**  
member of **CISS GROUP Pte.Ltd. (Singapore)**  
5, Odessa Blv., Ovidiopol district,  
Lymanka village, Odessa region, 65037  
inspection@ciiss-group.com

**CERTIFICATE No.: UA02066**

**ORIGINAL**

Thiamethoxam	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Tetraconazole	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Thiabendazole	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Thiacloprid	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Thidiazuron	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Thiofanox	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Thiophanate-methyl	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Thiobencarb	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Tricyclazole	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Triadimefon	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Triadimenol	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Trichlorfon	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Trifloxystrobin	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Triflumizole	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Triflumuron	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Triticonazole	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Vamidothion	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*
Zoxamide	AGM-19 (LC/MS/MS)	No detected above LOQ	< 0.005*

\*-No analyte at a content above the limit of Quantification was detected

LOQ (Limit of quantification) - is the lowest amount or concentration of analyte in a sample, which can be reliably quantified with an acceptable level of precision and accuracy.

\*\*-Analyte not detected above the limit of Detection

LOD (Limit of detection) - is the lowest amount or concentration of analyte in a sample, which can be reliably detected

Sound, loyal and merchantable with natural color and odor.  
Free from alive insects/weevils, infestations and free from foreign/bad smell.

**WE CERTIFY THAT THE GOODS ARE FIT FOR ANIMAL CONSUMPTION**

***This conclusion made according to analyses list mentioned in Appendix "A" to TIC Council  
Agricultural Committee, Bulletin 14-01 Rev. 1 – 0, Rev. 1 December 2022: MINIMUM  
TESTING REQUIREMENTS FOR "FIT FOR ANIMAL CONSUMPTION" STATEMENTS***

The results of inspection are valid for the time and place of inspection only.

**This certificate is electronically signed and stamped.**

**DATED: 30th of DECEMBER, 2025**

**For and on behalf of CISS GROUP Ukraine LLC  
Registered Superintendent and Surveyor Member of GAFTA**



*[Handwritten signature]*