



**Commodities International
Shipping and Survey**



CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.
e-mail: inspection@ciiss-group.com

Page 1/61

CERTIFICATE No.: UA01032

ORIGINAL

QUALITY CERTIFICATE

In pursuance of an order received from our principal, requesting us to carry out inspection we hereby confirm as follows:

Description of goods:	UKRAINIAN CRUDE SUNFLOWERSEEDOIL, OF EDIBLE GRADE. FIT FOR HUMAN CONSUMPTION AFTER APPROPRIATE REFINING
Vessel:	POZITIVE-4
Quantity:	1000,000 MT
B/L No. & Date:	NO. 01 DD. 16.10.2020
Shipper:	"ODESKA TORGOVA KOMPANIA" LLC Ukraine, Odessa Region, Odessa, Church Str.,19
Consignee:	TO ORDER
Notify address:	Glencore Agriculture B.V. Blaak 31 3011 GA Rotterdam The Netherlands
Port of loading:	IZMAIL, UKRAINE
Port of discharge:	IZMAIL, UKRAINE
Vessel Tanks Nos.:	1P,1S,2P,2S,3P,3S,4P,4S,5P,5S,6P AND 6S

RESULTS OF QUALITY INSPECTION

Representative samples of the oil have been drawn from each ship's tank 1P,1S,2P,2S,3P,3S,4P,4S,5P,5S,6P AND 6S of M/T «POZITIVE-4» and sealed conjointly with SGS from vessel's tanks after competition of loading according to FOSFA CONTRACT No.54. One vessel's sample (seal No. A17362807) were submitted for analysis to FOSFA approved chemical laboratory FF "SGS Ukraine" (Analytical Report No. 1008591/1 date: 21.10.2020). The following results of analysis have been obtained:

Parameter	Method	Unit	Result
Moisture and volatile material content	ISO 662:2016	%	0.15
Insoluble impurities content	ISO 663:2017	%	0.00
Acid value	ISO 660:2009	mgKOH/g	0.74
Flashpoint limit test	ISO 15267:1998	-	No Flash at 121 °C
Phosphorus content	ISO 10540-1:2003	mg/kg	105





CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.

e-mail: inspection@ciiss-group.com

Page 2/61

CERTIFICATE No.: UA01032

ORIGINAL

Parameter	Method	Unit	WHO-TEF	LOQ	Result
2,4-D butyl ester	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.05	<0.05
Aldrin	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.005	<0.005
Anthraquinone	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.01	<0.01
Benzo[a]pyrene	SGS-UA1-0026 (based on DFG S19/L00.00-34; ISO 15302:2007)	µg/kg	NA	0.5	1.2
Cholesterol	ISO 12228-1:2014	%	N/A	0.1	0.1
Brassicasterol	ISO 12228-1:2014	%	N/A	0.1	<0.1
Campesterol	ISO 12228-1:2014	%	N/A	0.1	8.0
Stigmasterol	ISO 12228-1:2014	%	N/A	0.1	8.8
Beta-sitosterol	ISO 12228-1:2014	%	N/A	0.1	55.1
Delta-5-avenasterol	ISO 12228-1:2014	%	N/A	0.1	3.5
Delta-7-stigmastenol	ISO 12228-1:2014	%	N/A	0.1	12.9
Delta-7-avenasterol	ISO 12228-1:2014	%	N/A	0.1	4.1





CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.

e-mail: inspection@ciiss-group.com

Page 3/61

CERTIFICATE No.: UA01032

ORIGINAL

Parameter	Method	Unit	WHO-TEF	LOQ	Result
Biphenyl	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.01	<0.01
Bromophos methyl	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.01	<0.01
Bromopropylate	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.05	<0.05
Butachlor	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.01	<0.01
Captafol	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.02	<0.02
Captan	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.05	<0.05
Chinomethionat	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.01	<0.01
Chlordane (cis, trans)	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.005	<0.005





CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.

e-mail: inspection@ciiss-group.com

Page 4/61

CERTIFICATE No.: UA01032

ORIGINAL

Parameter	Method	Unit	WHO-TEF	LOQ	Result
Chlorfenapyr	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.02	<0.02
Chlorfenson	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.01	<0.01
Chlozolate	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.01	<0.01
Cyanofenphos	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.01	<0.01
Cyfluthrin	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.02	<0.02
DDD, o,p-	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.005	<0.005
DDD, p,p'	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.005	<0.005
DDE, o,p-	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.005	<0.005





CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.


e-mail: inspection@ciiss-group.com

Page 5/61

CERTIFICATE No.: UA01032

ORIGINAL

Parameter	Method	Unit	WHO-TEF	LOQ	Result
DDE, p,p'	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.005	<0.005
DDT, o,p-	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.005	<0.005
DDT, p,p'	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.005	<0.005
Dichlobenil	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.01	<0.01
Dichlofenthion	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.01	<0.01
Dicloran	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.01	<0.01
Dicofol	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.1	<0.1
Dieldrin	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.005	<0.005





**Commodities International
Shipping and Survey**



CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.


e-mail: inspection@ciiss-group.com

Page 6/61

CERTIFICATE No.: UA01032

ORIGINAL

Parameter	Method	Unit	WHO-TEF	LOQ	Result
Dioxathion	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.01	<0.01
Ditalimfos	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.01	<0.01
Endosulfan I	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.005	<0.005
Endosulfan II	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.005	<0.005
Endosulfan sulfate	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.005	<0.005
Endrin	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.005	<0.005
Endrin aldehyde	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.005	<0.005
Endrin ketone	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.005	<0.005





CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.

e-mail: inspection@ciiss-group.com

Page 7/61

CERTIFICATE No.: UA01032

ORIGINAL

Parameter	Method	Unit	WHO-TEF	LOQ	Result
Esfenvalerate	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393-2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.05	<0.05
Ethoprophos	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393-2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.01	<0.01
Etridiazole	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393-2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.1	<0.1
Etrimphos	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393-2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.01	<0.01
Fenchlorphos	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393-2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.01	<0.01
Fenitrothion	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393-2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.01	<0.01
Fenson	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393-2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.01	<0.01
Fensulfothion	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393-2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.01	<0.01





CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.

e-mail: inspection@ciiss-group.com

Page 8/61

CERTIFICATE No.: UA01032

ORIGINAL

Parameter	Method	Unit	WHO-TEF	LOQ	Result
Fenthion oxon sulfoxide	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393-2:2003; DSTU EN 12393 – 3:2003; DF thod S 19/L 00.00-34/E7)	ppm	NA	0.1	<0.1
Fenthion sulfon	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393-2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.01	<0.01
Fenvalerate	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393-2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.01	<0.01
Flucythrinate	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393-2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.01	<0.01
Fluvalinate	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393-2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.05	<0.01
HCH, alpha	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393-2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.005	<0.005
HCH, beta	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393-2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.005	<0.005
HCH, delta	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393-2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.005	<0.005





CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.

e-mail: inspection@ciiss-group.com

Page 9/61

CERTIFICATE No.: UA01032

ORIGINAL

Parameter	Method	Unit	WHO-TEF	LOQ	Result
HCH, gamma (Lindane)	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.005	<0.005
Heptachlor	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.005	<0.005
Heptachlor epoxide	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.005	<0.005
Hexachlorobenzene	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.005	<0.005
Isofenphos	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.01	<0.01
Mecarbam	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.01	<0.01
Methamidophos	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.01	<0.01
Methoprene	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.01	<0.01





CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.

e-mail: inspection@ciiss-group.com

Page 10/61

CERTIFICATE No.: UA01032

ORIGINAL

Parameter	Method	Unit	WHO-TEF	LOQ	Result
Methoxychlor	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.005	<0.005
Mirex	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.01	<0.01
Nitrapyrin	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.1	<0.1
Nitrofen	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.01	<0.01
Orthophenylphenol (2-Phenylphenol)	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.01	<0.01
Parathion methyl	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.01	<0.01
PCB 101	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.001	<0.001
PCB 118	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.001	<0.001





CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.

e-mail: inspection@ciiss-group.com

Page 11/61

CERTIFICATE No.: UA01032

ORIGINAL

Parameter	Method	Unit	WHO-TEF	LOQ	Result
PCB 138	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.001	<0.001
PCB 153	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.001	<0.001
PCB 180	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.001	<0.001
PCB 28	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.001	<0.001
PCB 52	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DF thod S 19/L 00.00-34/E7)	ppm	NA	0.001	<0.001
Phenthoate	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.01	<0.01
Procymidone	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.01	<0.01
Profluralin	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.01	<0.01





CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.

e-mail: inspection@ciiss-group.com

Page 12/61

CERTIFICATE No.: UA01032

ORIGINAL

Parameter	Method	Unit	WHO-TEF	LOQ	Result
Pyrethrins (cinerin I, jasmolin I, pyrethrin I)	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.1	<0.1
Quintozene	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.01	<0.01
Sulfotep	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.01	<0.01
Tecnazene	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.01	<0.01
Tefluthrine	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.01	<0.01
Tetrachlorvinphos	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.01	<0.01
Tetradifon	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.01	<0.01
Thiomethon	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.01	<0.01





CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.

e-mail: inspection@ciiss-group.com

Page 13/61

CERTIFICATE No.: UA01032

ORIGINAL

Parameter	Method	Unit	WHO-TEF	LOQ	Result
Toxaphene Parlar 26	SGS-UA1-0013 GC/ S (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 123 3-2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.01	<0.01
Toxaphene Parlar 50	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393-2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.01	<0.01
Toxaphene Parlar 62	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393-2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.05	<0.01
Trifluralin	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393-2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.01	<0.01
Vinclozolin	SGS-UA1-0013 GC/MS (based on EN 15662; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393-2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7)	ppm	NA	0.01	<0.01
2,4,5-T	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393-2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.02	<0.02
2,4,5-TP (Fenoprop)	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393-2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01





CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.

e-mail: inspection@ciiss-group.com

Page 14/61

CERTIFICATE No.: UA01032

ORIGINAL

Parameter	Method	Unit	WHO-TEF	LOQ	Result
2,4-D	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.02	<0.02
2,4-DB	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003 DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.05	<0.05
2,4-DP	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
2-Naphthoxyacetic acid	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
3,4,5-Trimethacarb	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
3-Hydroxycarbofuran	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
4-CPA (Chlorophenoxyacetic acid)	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Abamectin	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01





CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.

e-mail: inspection@ciiss-group.com

Page 15/61

CERTIFICATE No.: UA01032

ORIGINAL

Parameter	Method	Unit	WHO-TEF	LOQ	Result
Acephate	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Acetamiprid	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Acetochlor	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Aclonifen	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 123 3–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Acrinathrin	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Alachlor	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.02	<0.02
Alanycarb	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Aldicarb	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01





CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.

e-mail: inspection@ciiss-group.com

Page 16/61

CERTIFICATE No.: UA01032

ORIGINAL

Parameter	Method	Unit	WHO-TEF	LOQ	Result
Aldicarb sulfone	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Aldicarb sulfoxide	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S	ppm	NA	0.01	<0.01
Allethrin	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Ametryn	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Amidosulfuron	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Aminocarb	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Aminopyralid	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181: 000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Amitraz	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01





CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.

e-mail: inspection@ciiss-group.com

Page 17/61

CERTIFICATE No.: UA01032

ORIGINAL

Parameter	Method	Unit	WHO-TEF	LOQ	Result
Atrazin	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Azinphos ethyl	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Azinphos methyl	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Azoxystrobin	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Benalaxyl	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Bendiocarb	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Benfuracarb	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003 DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01





CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.

e-mail: inspection@ciiss-group.com

Page 18/61

CERTIFICATE No.: UA01032

ORIGINAL

Parameter	Method	Unit	WHO-TEF	LOQ	Result
Bensultap	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Bentazone	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Benzoximate	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Bifenazate	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Bifenox	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Bifenthrin	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Bioresmethrin	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Bitertanol	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01





CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.

e-mail: inspection@ciiss-group.com

Page 19/61

CERTIFICATE No.: UA01032

ORIGINAL

Parameter	Method	Unit	WHO-TEF	LOQ	Result
Boscalid	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393 – 2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Bromophos ethyl	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393 – 2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Bromoxynil	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393 – 2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Bromucanazole	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393 – 2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Bupirimate	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393 – 2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Buprofezin	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393 – 2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Butafenacil	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393 – 2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Carbaryl	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393 – 2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01





CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.

e-mail: inspection@ciiss-group.com

Page 20/61

CERTIFICATE No.: UA01032

ORIGINAL

Parameter	Method	Unit	WHO-TEF	LOQ	Result
Carbendazim + Benomyl	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Carbetamide	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Carbofuran	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181: 000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Carbosulfan	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.02	<0.02
Carboxin	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Carfentrazone ethyl	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Chlorantraniliprole	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Chlorfenvinphos	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01





CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.


e-mail: inspection@ciiss-group.com

Page 21/61

CERTIFICATE No.: UA01032

ORIGINAL

Parameter	Method	Unit	WHO-TEF	LOQ	Result
Chlorfluazuron	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Chloridazon	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Chlormequat chloride	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003 DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Chlorothalonil	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Chlorotoluron	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Chloroxuron	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Chlorpropham	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Chlorpyrifos ethyl	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.005	<0.005





CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.

e-mail: inspection@ciiss-group.com

Page 22/61

CERTIFICATE No.: UA01032

ORIGINAL

Parameter	Method	Unit	WHO-TEF	LOQ	Result
Chlorpyrifos methyl	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.005	<0.005
Cinosulfuron	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Clethodim	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Clofentezine	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Clomazone	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 123 3–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Clopyralid	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.5	<0.5
Clothianidin	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Coumaphos	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01





CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.
e-mail: inspection@ciiss-group.com

Page 23/61

CERTIFICATE No.: UA01032

ORIGINAL

Parameter	Method	Unit	WHO-TEF	LOQ	Result
Cyanazine	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Cyazofamid	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Cycloxdim	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Cycluron	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Cyhalothrin, lambda	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Cymoxanil	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Cypermethrin	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Cyproconazole	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181: 000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01





CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.

e-mail: inspection@ciiss-group.com

Page 24/61

CERTIFICATE No.: UA01032

ORIGINAL

Parameter	Method	Unit	WHO-TEF	LOQ	Result
Cyprodinil	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
DA-6 (Diethyl aminoethyl hexanoate)	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Deltamethrin	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.02	<0.02
Demeton-S-methyl	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Demeton-S-methyl sulfon	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Demeton-S-methyl sulfoxide	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Desmedipham	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01





CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.

e-mail: inspection@ciiss-group.com

Page 25/61

CERTIFICATE No.: UA01032

ORIGINAL

Parameter	Method	Unit	WHO-TEF	LOQ	Result
Diazinon	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003 DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Dicamba	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.05	<0.05
Dichlofluanid	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Dichlorvos	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Diclobutrazol	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Diclofop methyl	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Dicrotophos	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Diethofencarb	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01





CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.

e-mail: inspection@ciiss-group.com

Page 26/61

CERTIFICATE No.: UA01032

ORIGINAL

Parameter	Method	Unit	WHO-TEF	LOQ	Result
Difenoconazole	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Difenzoquat methyl sulfate	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Diflubenzuron	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 123 3–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Diflufenican	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Dimethenamid	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Dimethoate	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Dimethomorph	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Dimoxystrobin	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01





CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.


e-mail: inspection@ciiss-group.com

Page 27/61

CERTIFICATE No.: UA01032

ORIGINAL

Parameter	Method	Unit	WHO-TEF	LOQ	Result
Diniconazole	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPe v.7.1)	ppm	NA	0.01	<0.01
Dinotefuran	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPe v.7.1)	ppm	NA	0.01	<0.01
Dioxacarb	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPe v.7.1)	ppm	NA	0.01	<0.01
Diphenylamine	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPe v.7.1)	ppm	NA	0.05	<0.05
Diquat	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPe v.7.1)	ppm	NA	0.02	<0.02
Disulfoton	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181: 000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPe v.7.1)	ppm	NA	0.01	<0.01
Diuron	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPe v.7.1)	ppm	NA	0.01	<0.01
Doramectin	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPe v.7.1)	ppm	NA	0.01	<0.01





CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.

e-mail: inspection@ciiss-group.com

Page 28/61

CERTIFICATE No.: UA01032

ORIGINAL

Parameter	Method	Unit	WHO-TEF	LOQ	Result
EPN	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Epoxiconazole	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Etaconazole	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Ethiofencarb	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Ethion	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Ethiprole	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003 DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Ethirimol	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Ethofumesate	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01





CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.

e-mail: inspection@ciiss-group.com

Page 29/61

CERTIFICATE No.: UA01032

ORIGINAL

Parameter	Method	Unit	WHO-TEF	LOQ	Result
Ethoxyquin	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; IS 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Etofenprox	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Etoxazole	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Famoxadone	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Fenamidone	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Fenamiphos (Phenamiphos)	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Fenarimol	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.02	<0.02
Fenazaquin	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 123 3–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01





CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.

e-mail: inspection@ciiss-group.com

Page 30/61

CERTIFICATE No.: UA01032

ORIGINAL

Parameter	Method	Unit	WHO-TEF	LOQ	Result
Fenbuconazole	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Fenhexamid	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Fenobucarb	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Fenoxaprop-P	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Fenoxaprop-P-ethyl	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.1	<0.1
Fenoxycarb	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Fenpropathrin	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Fenpropidin	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01





**Commodities International
Shipping and Survey**



CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.
e-mail: inspection@ciiss-group.com

Page 31/61

CERTIFICATE No.: UA01032

ORIGINAL

Parameter	Method	Unit	WHO-TEF	LOQ	Result
Fenpropimorph	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Fenpyroximate	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Fenthion	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181: 000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Fenuron	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Fipronil	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.002	<0.002
Fipronil sulfone	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.002	<0.002
Flonicamid	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Fluazifop butyl	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01





**Commodities International
Shipping and Survey**



CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.

e-mail: inspection@ciiss-group.com

Page 32/61

CERTIFICATE No.: UA01032

ORIGINAL

Parameter	Method	Unit	WHO-TEF	LOQ	Result
Fluazifop-P	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Fludioxonil	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Flufenacet	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003 DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Flufenoxuron	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Flumetsulam	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Fluometuron	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; IS 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Fluoxastrobin	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01



This certificate is issued to any job or services carried out within the GENERAL TERMS AND CONDITION OF BUSINESS printed overleaf. This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations. The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.



**Commodities International
Shipping and Survey**



CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.

e-mail: inspection@ciiss-group.com

Page 33/61

CERTIFICATE No.: UA01032

ORIGINAL

Parameter	Method	Unit	WHO-TEF	LOQ	Result
Fluquinconazole	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Fluroxypyr	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Fluroxypyr meptyl	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Flurtamone	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Flusilazole	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Flutolanil	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 123 3–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Flutriafol	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01



This certificate is issued to any job or services carried out within the GENERAL TERMS AND CONDITION OF BUSINESS printed overleaf. This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations. The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.



CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.

e-mail: inspection@ciiss-group.com

Page 34/61

CERTIFICATE No.: UA01032

ORIGINAL

Parameter	Method	Unit	WHO-TEF	LOQ	Result
Fluvalinate, tau	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Fomesafen	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Fonofos	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Forchlorfenuron	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Formetanate HCl	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Fuberidazole	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Furalaxyl	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Furathiocarb	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01





CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.

e-mail: inspection@ciiss-group.com

Page 35/61

CERTIFICATE No.: UA01032

ORIGINAL

Parameter	Method	Unit	WHO-TEF	LOQ	Result
Halosulfuron methyl	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Haloxypop	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181: 000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Haloxypop methyl	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Haloxypop-P-methyl	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Heptenophos	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Hexaconazole	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Hexaflumuron	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Hexythiazox	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01





CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.

e-mail: inspection@ciiss-group.com

Page 36/61

CERTIFICATE No.: UA01032

ORIGINAL

Parameter	Method	Unit	WHO-TEF	LOQ	Result
Hydramethylnon	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Imazalil	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Imazaquin	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Imazethapyr	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Imidacloprid	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Indaziflam	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Indoxacarb	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01





CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.

e-mail: inspection@ciiss-group.com

Page 37/61

CERTIFICATE No.: UA01032

ORIGINAL

Parameter	Method	Unit	WHO-TEF	LOQ	Result
Ioxynil	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Ipconazole	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Iprobenfos	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Iprodione	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Iprovalicarb	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 123 3–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Isoprocarb	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Isoprothiolane	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Isoproturon	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01





CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.


e-mail: inspection@ciiss-group.com

Page 38/61

CERTIFICATE No.: UA01032

ORIGINAL

Parameter	Method	Unit	WHO-TEF	LOQ	Result
Ivermectin	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPe v.7.1)	ppm	NA	0.01	<0.01
Kresoxim methyl	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPe v.7.1)	ppm	NA	0.01	<0.01
Lenacil	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPe v.7.1)	ppm	NA	0.01	<0.01
Linuron	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPe v.7.1)	ppm	NA	0.01	<0.01
Lufenuron	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPe v.7.1)	ppm	NA	0.01	<0.01
Malaoxon	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPe v.7.1)	ppm	NA	0.01	<0.01
Malathion	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPe v.7.1)	ppm	NA	0.01	<0.01
Mandipropamid	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181: 000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPe v.7.1)	ppm	NA	0.01	<0.01





CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.

e-mail: inspection@ciiss-group.com

Page 39/61

CERTIFICATE No.: UA01032

ORIGINAL

Parameter	Method	Unit	WHO-TEF	LOQ	Result
MCPA	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
MCPB	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.02	<0.02
Mecoprop	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Mefenacet	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Mepanipyrim	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Mepiquat	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Mepronil	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01





CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.

e-mail: inspection@ciiss-group.com

Page 40/61

CERTIFICATE No.: UA01032

ORIGINAL

Parameter	Method	Unit	WHO-TEF	LOQ	Result
Mesotrione	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Metaflumizone	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Metalaxyl	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Metamitron	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; IS 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Metazachlor	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Metconazole	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Methabenzthiazuron	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Methidathion	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01





CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.

e-mail: inspection@ciiss-group.com

Page 41/61

CERTIFICATE No.: UA01032

ORIGINAL

Parameter	Method	Unit	WHO-TEF	LOQ	Result
Methiocarb	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Methomyl	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Methoprotetryne	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 123 3–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Methoxyfenozide	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Metobromuron	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Metolachlor	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Metosulam	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Metribuzin	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01





**Commodities International
Shipping and Survey**



CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.

e-mail: inspection@ciiss-group.com

Page 42/61

CERTIFICATE No.: UA01032

ORIGINAL

Parameter	Method	Unit	WHO-TEF	LOQ	Result
Metsulfuron methyl	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Mevinphos	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Mexacarbate	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Monocrotophos	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Monolinuron	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Myclobutanil	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181: 000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Naled	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Neburon	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01



This certificate is issued to any job or services carried out within the GENERAL TERMS AND CONDITION OF BUSINESS printed overleaf. This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations. The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.



**Commodities International
Shipping and Survey**



CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.

e-mail: inspection@ciiss-group.com

Page 43/61

CERTIFICATE No.: UA01032

ORIGINAL

Parameter	Method	Unit	WHO-TEF	LOQ	Result
Nicosulfuron	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPe v.7.1)	ppm	NA	0.01	<0.01
Nitenpyram	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPe v.7.1)	ppm	NA	0.01	<0.01
Novaluron	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPe v.7.1)	ppm	NA	0.01	<0.01
Nuarimol	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPe v.7.1)	ppm	NA	0.01	<0.01
Omethoate	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPe v.7.1)	ppm	NA	0.01	<0.01
Oxadiazon	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPe v.7.1)	ppm	NA	0.01	<0.01
Oxadixyl	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPe v.7.1)	ppm	NA	0.01	<0.01
Oxamyl	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPe v.7.1)	ppm	NA	0.01	<0.01





**Commodities International
Shipping and Survey**



CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.

e-mail: inspection@ciiss-group.com

Page 44/61

CERTIFICATE No.: UA01032

ORIGINAL

Parameter	Method	Unit	WHO-TEF	LOQ	Result
Oxydemeton methyl	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; IS 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Oxyfluorfen	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.02	<0.02
Paclobutrazol	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Paraoxon	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Paraoxon methyl	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Paraquat	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.02	<0.02
Parathion ethyl	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Penconazole	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 123 3–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01



This certificate is issued to any job or services carried out within the GENERAL TERMS AND CONDITION OF BUSINESS printed overleaf. This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations. The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.



**Commodities International
Shipping and Survey**



CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.

e-mail: inspection@ciiss-group.com

Page 45/61

CERTIFICATE No.: UA01032

ORIGINAL

Parameter	Method	Unit	WHO-TEF	LOQ	Result
Pencycuron	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Pendimethalin	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Permethrin	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Phorate	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Phorate sulfoxide	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Phosalone	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Phosmet	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Phosphamidon (E+Z)	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01





CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.

e-mail: inspection@ciiss-group.com

Page 46/61

CERTIFICATE No.: UA01032

ORIGINAL

Parameter	Method	Unit	WHO-TEF	LOQ	Result
Phoxim	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Picloram	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Picoxystrobin	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181: 000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Piperonyl butoxide	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Pirimicarb	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Pirimiphos ethyl	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Pirimiphos methyl	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Prochloraz, prochloraz-manganese chloride complex	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01





**Commodities International
Shipping and Survey**



CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.

e-mail: inspection@ciiss-group.com

Page 47/61

CERTIFICATE No.: UA01032

ORIGINAL

Parameter	Method	Unit	WHO-TEF	LOQ	Result
Profenophos	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Promecarb	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Prometon	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Prometryne	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Propamocarb	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Propargite	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; IS 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Propham	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Propiconazole	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01



This certificate is issued to any job or services carried out within the GENERAL TERMS AND CONDITION OF BUSINESS printed overleaf. This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations. The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.



**Commodities International
Shipping and Survey**



CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.

e-mail: inspection@ciiss-group.com

Page 48/61

CERTIFICATE No.: UA01032

ORIGINAL

Parameter	Method	Unit	WHO-TEF	LOQ	Result
Propisochlor	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Propoxur	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Propyzamide	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Prosulfuron	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Prothioconazole	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 123 3–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.02	<0.02
Prothiofos	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Pymetrozine	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01



This certificate is issued to any job or services carried out within the GENERAL TERMS AND CONDITION OF BUSINESS printed overleaf. This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations. The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.



CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.

e-mail: inspection@ciiss-group.com

Page 49/61

CERTIFICATE No.: UA01032

ORIGINAL

Parameter	Method	Unit	WHO-TEF	LOQ	Result
Pyracarbolid	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393– 2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Pyraclostrobin	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393– 2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Pyrazophos	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393– 2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Pyridaben	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393– 2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Pyridafenthion	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393– 2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Pyrifenox	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393– 2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Pyrimethanil	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393– 2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01





CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.

e-mail: inspection@ciiss-group.com

Page 50/61

CERTIFICATE No.: UA01032

ORIGINAL

Parameter	Method	Unit	WHO-TEF	LOQ	Result
Pyriproxyfen	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Quinalphos	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181: 000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Quinmerac	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Quinoxifen	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Quizalofop-P (free acid)	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Rimsulfuron	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.02	<0.02
Rotenone	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Saflufenacil	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01





CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.

e-mail: inspection@ciiss-group.com

Page 51/61

CERTIFICATE No.: UA01032

ORIGINAL

Parameter	Method	Unit	WHO-TEF	LOQ	Result
Secbumeton	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Sethoxydim	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Siduron	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Simazine	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Simetryn	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; IS 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Spinetoram	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Spinosad (Spinosyn A & Spinosyn D)	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Spirodiclofen	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01





CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.

e-mail: inspection@ciiss-group.com

Page 52/61

CERTIFICATE No.: UA01032

ORIGINAL

Parameter	Method	Unit	WHO-TEF	LOQ	Result
Spiromesifen	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Spirotetramat	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Spiroxamine	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Sulcotrione	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 123 3–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Sulfentrazone	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Tebuconazole	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Tebufozide	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Tebufoenpyrad	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01





CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.

e-mail: inspection@ciiss-group.com

Page 53/61

CERTIFICATE No.: UA01032

ORIGINAL

Parameter	Method	Unit	WHO-TEF	LOQ	Result
Tebuthiuron	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Teflubenzuron	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.02	<0.02
Temephos	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Terbacil	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Terbufos	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Terbumeton	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Terbuthylazine	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181: 000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Terbutryn	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01





CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.

e-mail: inspection@ciiss-group.com

Page 54/61

CERTIFICATE No.: UA01032

ORIGINAL

Parameter	Method	Unit	WHO-TEF	LOQ	Result
Tetraconazole	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Tetramethrin	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Thiabendazole	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Thiacloprid	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Thiamethoxam	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Thidiazuron	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Thifensulfuron methyl	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Thiobencarb	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01





CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.

e-mail: inspection@ciiss-group.com

Page 55/61

CERTIFICATE No.: UA01032

ORIGINAL

Parameter	Method	Unit	WHO-TEF	LOQ	Result
Thiocyclam hydrogenoxalate	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Thiodicarb	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; IS 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Thiofanox	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Thiophanate	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Thiophanate methyl	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Tolclofos methyl	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Tolyfluanid	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.02	<0.02
Triadimefon	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Triadimenol	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01



CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.


e-mail: inspection@ciiss-group.com

Page 56/61

CERTIFICATE No.: UA01032

ORIGINAL

Parameter	Method	Unit	WHO-TEF	LOQ	Result
Triallate	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.02	<0.02
Triazophos	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Tribenuron methyl	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Trichlorfon (Chlorophos)	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Triclopyr	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Tricyclazole	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Trifloxystrobin	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Triflumizole	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01





CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.

e-mail: inspection@ciiss-group.com

Page 57/61

CERTIFICATE No.: UA01032

ORIGINAL

Parameter	Method	Unit	WHO-TEF	LOQ	Result
Triflumuron	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Triforin	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.02	<0.02
Triticonazole	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181: 000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Vamidothion	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
Zoxamide	SGS-UA1-0013 LC/MS/MS (based on EN 15662:2008; ISO 14181:2000; ISO 14182:1999; DSTU EN 12393 – 1:2003; DSTU EN 12393–2:2003; DSTU EN 12393 – 3:2003; DFG Method S 19/L 00.00-34/E7; QuPPE v.7.1)	ppm	NA	0.01	<0.01
PCDDs/PCDFs	SGS-UA-0040 according to Commission Regulation (EU) No 277/2012, 2017/644	ng-TEQ/kg	N/A	N/A	<0.75
Dioxin-like PCBs	SGS-UA-0040 according to Commission Regulation (EU) No 277/2012, 2017/644	ng-TEQ/kg	N/A	N/A	<0.5
PCDDs/PCDFs/dioxin-like PCBs	SGS-UA-0040 according to Commission Regulation (EU) No 277/2012, 2017/644	ng-TEQ/kg	N/A	N/A	<1.25
Non-dioxin-like PCBs	SGS-UA-0040 according to Commission Regulation (EU) No 277/2012, 2017/644	µg/kg	N/A	N/A	<10
2,3,7,8-TCDD	SGS-UA-0040 according to Commission Regulation (EU) No 277/2012, 2017/644	ng-TEQ/kg	1	0.05	<0.05
1,2,3,7,8-PeCDD	SGS-UA-0040 according to Commission Regulation (EU) No 277/2012, 2017/644	ng-TEQ/kg	1	0.08	<0.08
1,2,3,4,7,8-HxCDD	SGS-UA-0040 according to Commission Regulation (EU) No 277/2012, 2017/644	ng-TEQ/kg	0.1	0.1	<0.01
1,2,3,6,7,8-HxCDD	SGS-UA-0040 according to Commission Regulation (EU) No 277/2012, 2017/644	ng-TEQ/kg	0.1	0.1	<0.01
1,2,3,7,8,9-HxCDD	SGS-UA-0040 according to Commission Regulation (EU) No 277/2012, 2017/644	ng-TEQ/kg	0.1	0.1	<0.01





CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.


e-mail: inspection@ciiss-group.com

Page 58/61

CERTIFICATE No.: UA01032

ORIGINAL

Parameter	Method	Unit	WHO-TEF	LOQ	Result
1,2,3,4,6,7,8-HpCDD	SGS-UA-0040 according to Commission Regulation (EU) No 277/2012, 2017/644	ng-TEQ/kg	0.01	0.1	<0.001
OCDD	SGS-UA-0040 according to Commission Regulation (EU) No 277/2012, 2017/644	ng-TEQ/kg	0.0003	0.2	<0.00006
2,3,7,8-TCDF	SGS-UA-0040 according to Commission Regulation (EU) No 277/2012, 2017/644	ng-TEQ/kg	0.1	0.05	<0.005
1,2,3,7,8-PeCDF	SGS-UA-0040 according to Commission Regulation (EU) No 277/2012, 2017/644	ng-TEQ/kg	0.03	0.1	<0.003
2,3,4,7,8-PeCDF	SGS-UA-0040 according to Commission Regulation (EU) No 277/2012, 2017/644	ng-TEQ/kg	0.3	0.05	<0.015
1,2,3,4,7,8-HxCDF	SGS-UA-0040 according to Commission Regulation (EU) No 277/2012, 2017/644	ng-TEQ/kg	0.1	0.1	<0.01
1,2,3,6,7,8-HxCDF	SGS-UA-0040 according to Commission Regulation (EU) No 277/2012, 2017/644	ng-TEQ/kg	0.1	0.1	<0.01
1,2,3,7,8,9-HxCDF	SGS-UA-0040 according to Commission Regulation (EU) No 277/2012, 2017/644	ng-TEQ/kg	0.1	0.1	<0.01
2,3,4,6,7,8-HxCDF	SGS-UA-0040 according to Commission Regulation (EU) No 277/2012, 2017/644	ng-TEQ/kg	0.1	0.1	<0.01
1,2,3,4,6,7,8-HpCDF	SGS-UA-0040 according to Commission Regulation (EU) No 277/2012, 2017/644	ng-TEQ/kg	0.01	0.1	<0.001
1,2,3,4,7,8,9-HpCDF	SGS-UA-0040 according to Commission Regulation (EU) No 277/2012, 2017/644	ng-TEQ/kg	0.01	0.1	<0.001
OCDF	SGS-UA-0040 according to Commission Regulation (EU) No 277/2012, 2017/644	ng-TEQ/kg	0.0003	0.2	<0.00006
dioxin-like PCB 77	SGS-UA-0040 according to Commission Regulation (EU) No 277/2012, 2017/644	ng-TEQ/kg	0.0001	2	0.0003
dioxin-like PCB 81	SGS-UA-0040 according to Commission Regulation (EU) No 277/2012, 2017/644	ng-TEQ/kg	0.0003	0.5	<0.00015
dioxin-like PCB 126	SGS-UA-0040 according to Commission Regulation (EU) No 277/2012, 2017/644	ng-TEQ/kg	0.1	0.5	<0.05
dioxin-like PCB 169	SGS-UA-0040 according to Commission Regulation (EU) No 277/2012, 2017/644	ng-TEQ/kg	0.03	2	<0.06
dioxin-like PCB 105	SGS-UA-0040 according to Commission Regulation (EU) No 277/2012, 2017/644	ng-TEQ/kg	0.00003	10	0.0011
dioxin-like PCB 114	SGS-UA-0040 according to Commission Regulation (EU) No 277/2012, 2017/644	ng-TEQ/kg	0.00003	5	<0.00015
dioxin-like PCB 118	SGS-UA-0040 according to Commission Regulation (EU) No 277/2012, 2017/644	ng-TEQ/kg	0.00003	25	0.00303
dioxin-like PCB 123	SGS-UA-0040 according to Commission Regulation (EU) No 277/2012, 2017/644	ng-TEQ/kg	0.00003	5	<0.00015





CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.

e-mail: inspection@ciiss-group.com

Page 59/61

CERTIFICATE No.: UA01032

ORIGINAL

Parameter	Method	Unit	WHO-TEF	LOQ	Result
dioxin-like PCB 156	SGS-UA-0040 according to Commission Regulation (EU) No 277/2012, 2017/644	ng-TEQ/kg	0.00003	5	0.00026
dioxin-like PCB 157	SGS-UA-0040 according to Commission Regulation (EU) No 277/2012, 2017/644	ng-TEQ/kg	0.00003	5	<0.00015
dioxin-like PCB 167	SGS-UA-0040 according to Commission Regulation (EU) No 277/2012, 2017/644	ng-TEQ/kg	0.00003	5	<0.00015
dioxin-like PCB 189	SGS-UA-0040 according to Commission Regulation (EU) No 277/2012, 2017/644	ng-TEQ/kg	0.00003	5	<0.00015
non-dioxin-like PCB 28	SGS-UA-0040 according to Commission Regulation (EU) No 277/2012, 2017/644	µg/kg	N/A	1	<1
non-dioxin-like PCB 52	SGS-UA-0040 according to Commission Regulation (EU) No 277/2012, 2017/644	µg/kg	N/A	1	<1
non-dioxin-like PCB 101	SGS-UA-0040 according to Commission Regulation (EU) No 277/2012, 2017/644	µg/kg	N/A	1	<1
non-dioxin-like PCB 138	SGS-UA-0040 according to Commission Regulation (EU) No 277/2012, 2017/644	µg/kg	N/A	1	<1
non-dioxin-like PCB 153	SGS-UA-0040 according to Commission Regulation (EU) No 277/2012, 2017/644	µg/kg	N/A	1	<1
non-dioxin-like PCB 180	SGS-UA-0040 according to Commission Regulation (EU) No 277/2012, 2017/644	µg/kg	N/A	1	<1
TEQ (WHO) for PCDD/Fs including LOQs for non-quantified congener	SGS-UA-0040 according to Commission Regulation (EU) No 277/2012, 2017/644	ng-TEQ/kg	N/A	N/A	0.22612
TEQ (WHO) for dioxin-like PCBs including LOQs for non-quantified congener	SGS-UA-0040 according to Commission Regulation (EU) No 277/2012, 2017/644	ng-TEQ/kg	N/A	N/A	0.11560
TEQ (WHO) for PCDD/F + dioxin-like PCBs including LOQs for non-quantified congener	SGS-UA-0040 according to Commission Regulation (EU) No 277/2012, 2017/644	ng-TEQ/kg	N/A	N/A	0.34172





CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.

e-mail: inspection@ciiss-group.com

Page 60/61

CERTIFICATE No.: UA01032

ORIGINAL

Parameter	Method	Unit	WHO-TEF	LOQ	Result
Caproic acid (C6:0)	ISO 12966-2:2011, ISO 12966-4:2015	%	NA	0.05	<0.05
Caprylic acid (C8:0)	ISO 12966-2:2011, ISO 12966-4:2015	%	NA	0.05	<0.05
Capric acid (C10:0)	ISO 12966-2:2011, ISO 12966-4:2015	%	NA	0.05	<0.05
Lauric acid (C12:0)	ISO 12966-2:2011, ISO 12966-4:2015	%	NA	0.05	<0.05
Myristic acid (C14:0)	ISO 12966-2:2011, ISO 12966-4:2015	%	NA	0.05	0.08
Palmitic acid (C16:0)	ISO 12966-2:2011, ISO 12966-4:2015	%	NA	0.05	6.63
Palmitoleic acid (C16:1)	ISO 12966-2:2011, ISO 12966-4:2015	%	NA	0.05	0.09
Heptadecanoic acid (C17:0)	ISO 12966-2:2011, ISO 12966-4:2015	%	NA	0.05	< 0.05
cis-10-Heptadecenoic acid (C17:1)	ISO 12966-2:2011, ISO 12966-4:2015	%	NA	0.05	0.05
Stearic acid (C18:0)	ISO 12966-2:2011, ISO 12966-4:2015	%	NA	0.05	3.82
Elaidic acid (C18:1)	ISO 12966-2:2011, ISO 12966-4:2015	%	NA	0.05	<0.05
Oleic acid (C18:1)	ISO 12966-2:2011, ISO 12966-4:2015	%	NA	0.05	25.76
Linolelaidic acid (C18:2)	ISO 12966-2:2011, ISO 12966-4:2015	%	NA	0.05	<0.05
Linoleic acid (C18:2)	ISO 12966-2:2011, ISO 12966-4:2015	%	NA	0.05	62.01
Linolenic acid (C18:3)	ISO 12966-2:2011, ISO 12966-4:2015	%	NA	0.05	0.08
Arachidic acid (C20:0)	ISO 12966-2:2011, ISO 12966-4:2015	%	NA	0.05	0.27
cis-11-Eicosenoic acid (C20:1)	ISO 12966-2:2011, ISO 12966-4:2015	%	NA	0.05	0.16
Eicosadienoic acid (C20:2)	ISO 12966-2:2011, ISO 12966-4:2015	%	NA	0.05	<0.05
Behenic acid (C22:0)	ISO 12966-2:2011, ISO 12966-4:2015	%	NA	0.05	0.72
Erucic acid (C22:1)	ISO 12966-2:2011, ISO 12966-4:2015	%	NA	0.05	<0.05
cis-13,16 - Docosadienoic acid (C22:2)	ISO 12966-2:2011, ISO 12966-4:2015	%	NA	0.05	<0.05





**Commodities International
Shipping and Survey**



CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.

e-mail: inspection@ciiss-group.com

Page 61/61

CERTIFICATE No.: UA01032

ORIGINAL

Parameter	Method	Unit	WHO-TEF	LOQ	Result
Lignoceric acid (C24:0)	ISO 12966-2:2011, ISO 12966-4:2015	%	NA	0.05	0.24
Nervonic acid (C24:1)	ISO 12966-2:2011, ISO 12966-4:2015	%	NA	0.05	<0.05
Benzo[a]anthracene	SGS-UA1-0026 (based on DFG S19/L00.00-34; ISO 15302:2007)	µg/kg	NA	0.5	1.2
Chrysene	SGS-UA1-0026 (based on DFG S19/L00.00-34; ISO 15302:2007)	µg/kg	NA	0.5	1.7
Benzo[b]fluoranthene	SGS-UA1-0026 (based on DFG S19/L00.00-34; ISO 15302:2007)	µg/kg	NA	0.5	1.3
PAH Summation	SGS-UA1-0026 (based on DFG S19/L00.00-34; ISO 15302:2007)	µg/kg	NA	0.5	5.4
Hydrocarbons (mineral oil)	SGS-UA1-004 (As per FEDIOL Code of Practice, dd 30 July 2008, Ref. 08COD131FINAL)	Mg/kg	NA	20	<20
-Expanded measurement uncertainty (using a coverage factor of 2 which gives a level of confidence of 95%)		Mg/kg	NA	NA	5.2

The oil is homogeneous, of good, sound and merchantable quality.

DATED: 21 OF OCTOBER, 2020

For and on behalf of CISS GROUP Ukraine LLC

Registered Superintendent and Surveyor Member of FOSFA

