



CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.

e-mail: inspection@ciiss-group.com

CERTIFICATE No.: UA01277

ORIGINAL

PESTICIDE CERTIFICATE

In pursuance of an order received from our principal, requesting us to carry out inspection we hereby confirm as follows:

Description of goods:	Ukraine Origin Sunflower Seeds in bulk
Vessel:	M/V Friends RS1
Quantity:	2799,040 MT
BL No. & Date:	NO. 1 AND 2 DD 28.05.2022
Shipper:	LLC «MEISEN» 54001, MYKOLAYIV REG., MYKOLAYV, NIKOLSKAYA STR., BLDG. 61/11 on behalf of: AGRO TRADE GLOBAL FZC
Consignee:	TO ORDER
Notify Address:	Ayhan Sezer Yag ve Gida End. Tic. Ltd. Sti. Kultur Mah. Ahmet Adnan Saygun Cad. Akmerkez Residence, No:3/533 Etiler, Besiktas ISTANBUL, TURKIYE
Port of loading:	Izmail, Ukraine
Port of discharge:	Bandırma Port, Turkey

SAMPLING AND QUALITY ANALYSIS RESULTS:

The pre-sampling was performed according to the FOSFA rules as pre-shipment. A composite sample of the total consignment was proportionally mixed and submitted for analysis in FOSFA accredited laboratory COTECNA INSPECTION S.A (report UA2200082.10 dd 29.05.2022). The following results were obtained:

Name of Pesticide	Method	LOQ, mg/kg	Result, mg/kg	Uncertainty (U), mg/kg
Acephate	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)	n/a
Acetamiprid	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Acetochlor	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)	n/a
Alachlor	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
Aldrin	BS EN 15662:2018 (GC-MS/MS)	0,005	ND, (< 0,005)	n/a
Amitraz	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)	n/a
Anthraquinone	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)	n/a
Atrazine	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Azinphos-methyl	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Azoxystrobin	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a





CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.

e-mail: inspection@ciiss-group.com

CERTIFICATE No.: UA01277

ORIGINAL

Bifenthrin	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
Biphenyl	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
Boscalid	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Bromopropylate	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
Captafol	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)	n/a
Carbaryl	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)	n/a
Carbofuran	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Carboxin	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Chlordane, cis	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
Chlordane, oxy	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
Chlordane, trans	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
Chlorfenvinphos	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Chlorothalonil	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
Chlorpyrifos	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Chlorpyrifos-methyl	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Cyfluthrin (sum)	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
Cyhalothrin (Gamma and Lambda)	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
Cypermethrin (sum)	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
Cyproconazole	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Cyprodinil	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
DDD, o,p-	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
DDD, p,p-	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
DDE, o,p-	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
DDE, p,p-	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
DDT, o,p-	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
DDT, p,p-	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
Deltamethrin (sum)	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
Diazinon	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Dichlorvos	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Dieldrin	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
Difenoconazole	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Dimethoate	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Disulfoton	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Endosulfan-alpha	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
Endosulfan-beta	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
Endosulfansulfate	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
Endrin	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
Ethion	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
Ethoxyquin	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)	n/a





**Commodities International
Shipping and Survey**



Page 3/4

CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.

e-mail: inspection@ciiss-group.com

CERTIFICATE No.: UA01277

ORIGINAL

Famoxadone	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Fenitrothion	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
Fenthion	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Fenvalerate/Esfenvalerate (RR/SS)	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
Fenvalerate/Esfenvalerate (RS/SR)	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
Fipronil	BS EN 15662:2018 (LC-MS/MS)	0,002	ND, (< 0,002)	n/a
Fludioxonil	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
Haloxypop-Methyl and Haloxypop-p-Methyl	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
HCH-alpha	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
HCH-beta	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
HCH-gamma (Lindane)	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
Heptachlor	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
Heptachlorepoxid, cis	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
Heptachlorepoxid, trans	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
Hexachlorobenzene (HCB)	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
Imazalil	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Iprodione	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Isoprothiolane	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Linuron	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Malathion	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
Mepiquat	CotOD-025:2018 (HPLC/MS/MS)	0,01	ND, (< 0,01)	n/a
Metalaxyl and Metalaxyl-M	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Metazachlor	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Methamidophos	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)	n/a
Methidathion	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Methomyl	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)	n/a
Methoxychlor	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
Monocrotophos	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Naled (Dibrom)	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)	n/a
Nitrofen	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
Omethoate	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Oxadixyl	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Parathion-methyl	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
Pendimethalin	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Permethrin (sum)	BS EN 15662:2018 (GC-MS/MS)	0,02	ND, (< 0,02)	n/a
Phenylphenol, 2-	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
Phorate	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
Phosphamidon	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Pirimiphos-methyl	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Prochloraz	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a



This certificate is issued to any job or services carried out within the GENERAL TERMS AND CONDITION OF BUSINESS printed overleaf. This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations. The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.



**Commodities International
Shipping and Survey**



CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.

e-mail: inspection@ciiss-group.com

Page 4/4

CERTIFICATE No.: UA01277

ORIGINAL

Procymidone	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)	n/a
Propiconazole	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Simazine	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Tebuconazole	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Terbufos	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Tetramethrin	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Thiamethoxam	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Trichlorfon	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Trifloxystrobin	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Trifluralin	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
Vinclozolin	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a

The results of these analyses are in conformity with the above-mentioned quality/condition specifications.

The results of inspection are valid for the time and place of inspection only.

DATED: 29th of MAY, 2022

**For and on behalf of CISS GROUP Ukraine LLC
Registered Superintendent and Surveyor Member of FOSFA**



This certificate is issued to any job or services carried out within the GENERAL TERMS AND CONDITION OF BUSINESS printed overleaf. This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations. The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.