



Commodities International
Shipping and Survey



CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.

e-mail: inspection@ciiss-group.com

Page 1/4

CERTIFICATE No.: UA01293

ORIGINAL

PESTICIDE CERTIFICATE

In pursuance of an order received from our principal, requesting us to carry out inspection we hereby confirm as follows:

Description of goods:	UKRAINE ORIGIN SUNFLOWERSEED, IN BULK
Vessel:	MV ELEGANT
Quantity:	4645,640 MT
BL No. & Date:	NO. 1 DD 06.07.2022
Shipper:	LIMITED LIABILITY COMPANY "RINHOLD SKIL" 03189, Ukraine, Kyiv, street Academician Williamsa, bldg. 8-E ON BEHALF OF AGRO TRADE GLOBAL FZC ON BEHALF OF DELTA EOOD
Consignee:	TO ORDER
Notify Address:	Ayhan Sezer Yag ve Gida End. Tic. Ltd. Sti. Kultur Mah. Ahmet Adnan Saygun Cad. Akmerkez Residence, No:3/533 Etiler, Besiktas ISTANBUL, TURKIYE
Port of loading:	IZMAIL, UKRAINE
Port of discharge:	BANDIRMA PORT, TURKEY

SAMPLING AND QUALITY ANALYSIS RESULTS:

The pre-sampling was performed according to the FOSFA rules as pre-shipment. A composite sample of the total consignment was proportionally mixed and submitted for analysis in FOSFA accredited laboratory. The following results were obtained:

Name of Pesticide	Method	LOQ, mg/kg	Result, mg/kg	Uncertainty (U), mg/kg
Acephate	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)	n/a
Acetamiprid	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Acetochlor	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)	n/a
Alachlor	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
Aldrin	BS EN 15662:2018 (GC-MS/MS)	0,005	ND, (< 0,005)	n/a
Amitraz	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)	n/a
Anthraquinone	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)	n/a
Atrazine	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Azinphos-methyl	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Azoxystrobin	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Bifenthrin	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
Biphenyl	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
Boscalid	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a





**Commodities International
Shipping and Survey**



CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.

e-mail: inspection@ciiss-group.com

Page 2/4

CERTIFICATE No.: UA01293

ORIGINAL

Bromopropylate	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
Captafol	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)	n/a
Carbaryl	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)	n/a
Carbofuran	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Carboxin	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Chlordane, cis	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
Chlordane, oxy	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
Chlordane, trans	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
Chlorfenvinphos	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Chlorothalonil	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
Chlorpyrifos max by EUReg 0.01 mg/kg	BS EN 15662:2018 (LC-MS/MS)	0,005	0,007	±0.003
Chlorpyrifos-methyl	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Cyfluthrin (sum)	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
Cyhalothrin (Gamma and Lambda)	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
Cypermethrin (sum)	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
Cyproconazole	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Cyprodinil	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
DDD, o,p-	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
DDD, p,p-	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
DDE, o,p-	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
DDE, p,p-	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
DDT, o,p-	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
DDT, p,p-	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
Deltamethrin (sum)	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
Diazinon	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Dichlorvos	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Dieldrin	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
Difenoconazole	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Dimethoate	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Disulfoton	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Endosulfan-alpha	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
Endosulfan-beta	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
Endosulfansulfate	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
Endrin	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
Ethion	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
Ethoxyquin	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)	n/a
Famoxadone	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Fenitrothion	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
Fenthion	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a





**Commodities International
Shipping and Survey**



CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.

e-mail: inspection@ciiss-group.com

Page 3/4

CERTIFICATE No.: UA01293

ORIGINAL

Fenvalerate/Esfenvalerate (RR/SS)	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
Fenvalerate/Esfenvalerate (RS/SR)	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
Fipronil	BS EN 15662:2018 (LC-MS/MS)	0,002	ND, (< 0,002)	n/a
Fludioxonil	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
Haloxypop-Methyl and Haloxypop-p-Methyl	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
HCH-alpha	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
HCH-beta	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
HCH-gamma (Lindane)	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
Heptachlor	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
Heptachlorepoxid, cis	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
Heptachlorepoxid, trans	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
Hexachlorobenzene (HCB)	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
Imazalil	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Iprodione	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Isoprothiolane	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Linuron	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Malathion	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
Mepiquat max by EUReg 40.0 mg/kg	CotOD-025:2018 (HPLC/MS/MS)	0,01	0,055	±0.017
Metalaxyl and Metalaxyl-M	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Metazachlor	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Methamidophos	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)	n/a
Methidathion	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Methomyl	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)	n/a
Methoxychlor	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
Monocrotophos	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Naled (Dibrom)	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)	n/a
Nitrofen	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
Omethoate	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Oxadixyl	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Parathion-methyl	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
Pendimethalin	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Permethrin (sum)	BS EN 15662:2018 (GC-MS/MS)	0,02	ND, (< 0,02)	n/a
Phenylphenol, 2-	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
Phorate	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
Phosphamidon	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Pirimiphos-methyl	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Prochloraz	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a





**Commodities International
Shipping and Survey**



CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.

e-mail: inspection@ciiss-group.com

Page 4/4

CERTIFICATE No.: UA01293

ORIGINAL

Procymidone	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)	n/a
Propiconazole	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Simazine	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Tebuconazole	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Terbufos	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Tetramethrin	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Thiamethoxam	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Trichlorfon	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Trifloxystrobin	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)	n/a
Trifluralin	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a
Vinclozolin	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)	n/a

The results of these analyses are in conformity with the above-mentioned quality/condition specifications.

The results of inspection are valid for the time and place of inspection only.

DATED: 6th of JULY, 2022

For and on behalf of CISS GROUP Ukraine LLC

Registered Superintendent and Surveyor Member of FOSFA

