



CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.

e-mail: inspection@ciiss-group.com

Page 1/10

CERTIFICATE No.: UA01318/1

ORIGINAL

CERTIFICATE OF ANALYSIS

In pursuance of an order received from our principal, requesting us to carry out inspection we hereby confirm as follows:

Description of goods: SUNFLOWER MEAL IN PELLETS, UKRAINIAN ORIGIN,
CROP 2021
Vessel: ms RODA
Quantity: 779,040 MT
BL No. & Date: NO. 1 DD 27.07.2022
Shipper: "ODESKA TORGOVA KOMPANIA" LLC
Ukraine, Odessa region, Odessa, Church str.,19
ON BEHALF OF D.A.M TRADE GROUP LLC
Address: 221 WEST HALLANDALE BEACH BLVD #310,
HALLANDALE, FL, 33009
(COMPANY NUMBER L20000349783)
Consignee: AGRIX SILISTRA EOOD
15, Iosif Stoyanov Str., fl. 3 Varna, Bulgaria
VAT Nr. BG202952591
Notify Address: AGRIX SILISTRA EOOD
15, Iosif Stoyanov Str., fl. 3 Varna, Bulgaria
VAT Nr. BG202952591
Port of loading: IZMAIL, UKRAINE
Port of discharge: SILISTRA, BULGARIA

RESULTS OF QUALITY INSPECTION

The sampling was performed according to the GAFTA 124 rules at the time of loading. The vessel's samples (seal No. A90238256/D23974481 and A90238295/D23974488) were submitted for analysis to GAFTA approved chemical laboratory COTECNA INSPECTION S.A. (Analytical Report No. UA2200082.39 date: 02.08.2022), "INSPECTORATE UKRAINE" LLC (seal No. A90238258/D23974483 and A90238297/D23974490. Analytical Report No. 2306/22E date: 03.08.2022), The following results of analysis have been obtained:

Name of Pesticide	Method	LOQ, mg/kg	Result, mg/kg
2,4,5-T	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)
2,4-D	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)
Abamectin B1a	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)
Abamectin B1b	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)
Acephate	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)
Acetamiprid	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Acetochlor	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)
Acibenzolar-S-methyl	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)
Aclonifen	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)





CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.

e-mail: inspection@ciiss-group.com

Page 2/10

CERTIFICATE No.: UA01318/1

ORIGINAL

Alachlor	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
Aldicarb	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Aldicarb-Sulfone	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Aldicarb-Sulfoxide	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Aldrin	BS EN 15662:2018 (GC-MS/MS)	0,005	ND, (< 0,005)
Allethrin	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
Ametryn	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Aminocarb	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Aminopyralid	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Amisulbrom	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)
Amitraz	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)
Anilazine	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)
Anthraquinone	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)
Atrazine	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Azimsulfuron	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Azinphos-ethyl	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Azinphos-methyl	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Azoxystrobin	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Benalaxyl and Benalaxyl-M	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Bendiocarb	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Benfuracarb	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)
Benomyl	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)
Bentazone	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Bifenox	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
Bifenthrin	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
Biphenyl	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
Bitertanol	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)
Boscalid	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Bromfeninfos	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
Bromfeninfos-Methyl	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
Bromophos-ethyl	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)
Bromophos-methyl	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)
Bromopropylate	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
Bromoxynil	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)
Bupirimate	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Buprofezin	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Butafenacil	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)
Butocarboxim	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Butoxycarboxim	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Butralin	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
Cadusafos	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Captafol	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)
Captan	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
Carbaryl	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)





CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.

e-mail: inspection@ciiss-group.com

Page 3/10

CERTIFICATE No.: UA01318/1

ORIGINAL

Carbendazim	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Carbetamide	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Carbofuran	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Carboxin	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Carfentrazone-ethyl	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Chlorantranilprole	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)
Chlordane, cis	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
Chlordane, oxy	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
Chlordane, trans	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
Chlorfenapyr	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)
Chlorfenson	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
Chlorfenvinphos	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Chlorfluazuron	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Chlorobenzilate	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
Chlorothalonil	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
Chlorotoluron	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Chloroxuron	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Chlorpropham	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
Chlorpyrifos	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Chlorpyrifos-methyl	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Chlorsulfuron	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Chlorthal-dimethyl	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)
Chlozolate	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
Clethodim	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Clodinafop	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Clofentezine	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Clopyralid	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)
Clothianidin	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Cycloxydim	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)
Cyfluthrin (sum)	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
Cyhalothrin (Gamma and Lambda)	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
Cymoxanil	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Cypermethrin (sum)	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
Cyproconazole	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Cyprodinil	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Cyromazine	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)
Daminozide	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)
DDD, p,p-	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
DDE, p,p-	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
DDT, p,p-	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
Deltamethrin (sum)	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
Demeton-O	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Demeton-S	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)





CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.

e-mail: inspection@ciiss-group.com

Page 4/10

CERTIFICATE No.: UA01318/1

ORIGINAL

Desmedipham	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Diazinon	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Dicamba	BS EN 15662:2018 (LC-MS/MS)	0,02	ND, (< 0,02)
Dichlobenil	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
Dichlorprop and Dichlorprop-P (2,4-DP)	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)
Dichlorvos	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Diclobutrazol	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Diclofop	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
Diclofop-methyl	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Dicloran	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
Dieldrin	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
Diethofencarb	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
Diethyltoluamid (DEET)	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
Difenoconazole	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Dimethenamid and Dimethenamid-P	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Dimethoate	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Dimethomorph	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Dimoxystrobin	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Diniconazole	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Dinoseb	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)
Dinotefuran	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)
Diphenylamine	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)
Disulfoton	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Dithiocarbamates / Dithiocarbamates expressed as CS ₂	CotOD-013:2022 (GC/MS/MS)*	0,01	ND, (< 0,01)
Diuron	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
DNOC	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)
Dodemorph	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Emamectin benzoate	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)
Endosulfan-alpha	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
Endosulfan-beta	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
Endosulfansulfate	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
Endrin	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
Endrin aldehyde	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
Endrin, Keto-	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
Epoxiconazole	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
EPTC	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)
Etaconazole	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Ethiofencarb	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)
Ethion	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
Ethiprole	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)





CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.

e-mail: inspection@ciiss-group.com

Page 5/10

CERTIFICATE No.: UA01318/1

ORIGINAL

Ethirimol	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Ethofumesate	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Ethoprophos	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Ethoxyquin	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)
Ethoxysulfuron	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Etofenprox	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
Etiozazole	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Famoxadone	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Fenamidone	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Fenamiphos	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Fenarimol	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Fenazaquin	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Fenbuconazole	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Fenhexamid	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)
Fenitrothion	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
Fenoxycarb	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Fenpropimorph	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Fenpyroximate	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Fensulfothion	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)
Fenthion	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Fentin	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)
Fenuron	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Fenvalerate/Esfenvalerate (RR/SS)	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
Fenvalerate/Esfenvalerate (RS/SR)	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
Fipronil	BS EN 15662:2018 (LC-MS/MS)	0,002	ND, (< 0,002)
Flazasulfuron	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Flonicamid	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Fluazifop and Fluazifop-P	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Fluazinam	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)
Flubendiamide	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Fludioxonil	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
Flufenacet	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Flufenoxuron	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Flumetralin	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
Fluometuron	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Fluopyram	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)
Fluroxypyr	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)
Flusilazole	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Flutolanil	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
Flutriafol	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Fluvalinate, tau-	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
Folpet	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)



CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.

e-mail: inspection@ciiss-group.com

Page 6/10

CERTIFICATE No.: UA01318/1

ORIGINAL

Foramsulfuron	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)
Forchlorfenuron	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Formetanate	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Formothion	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)
Fuberidazole	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Furalaxyl	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Furathiocarb	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Halofenozide	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Haloxypop	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Haloxypop-Methyl and Haloxypop-p-Methyl	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
HCH-alpha	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
HCH-beta	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
HCH-delta	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
HCH-gamma (Lindane)	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
Heptachlor	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
Heptachlorepoxyd, cis	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
Heptachlorepoxyd, trans	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
Hexachlorobenzene (HCB)	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
Hexaconazole	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Hexythiazox	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Imazalil	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Imazamox	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Imazapic	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Imazapyr	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Imazaquin	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Imidacloprid	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Indoxacarb	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Iodofenphos	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
Ipconazole	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Iprodione	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Iprovalicarb	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Isofenphos	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)
Isopropalin	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Isoprothiolane	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Isoproturon	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Kresoxim-methyl	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
Lenacil	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Linuron	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Lufenuron	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Malathion	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
Mandipropamid	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
MCPA	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)





CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.

e-mail: inspection@ciiss-group.com

Page 7/10

CERTIFICATE No.: UA01318/1

ORIGINAL

MCPB	BS EN 15662:2018 (LC-MS/MS)	0,02	ND, (< 0,02)
Mecoprop (MCP)	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)
Mepanipyrim	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Mepronil	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Mesosulfuron	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)
Mesotrione	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Metaflumizone	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Metalaxyl and Metalaxyl-M	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Metazachlor	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Metconazole	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Methabenzthiazuron	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Methamidophos	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)
Methidathion	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Methiocarb	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Methomyl	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Methoprotetryne	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Methoxychlor	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
Methoxyfenozide	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Metolachlor	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Metribuzin	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Metsulfuron-methyl	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Mirex	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
Monocrotophos	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Myclobutanil	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Napropamide	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Neburon	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Nicosulfuron	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Nitenpyram	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Nitrofen	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
Novaluron	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Nuarimol	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Omethoate	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Oxadiazon	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Oxadixyl	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Oxamyl	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)
Oxycarboxin	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)
Oxydemeton-methyl	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Oxyfluorfen	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)
Paclobutrazol	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Paraoxon-methyl	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
Parathion	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
Parathion-methyl	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
Pebulate	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)
Penconazole	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)





CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.

e-mail: inspection@ciiss-group.com

Page 8/10

CERTIFICATE No.: UA01318/1

ORIGINAL

Pendimethalin	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Pentachloroaniline	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
Pentachlorobenzene	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
Pentachlorophenol	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
Penthiopyrad	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Permethrin (sum)	BS EN 15662:2018 (GC-MS/MS)	0,02	ND, (< 0,02)
Phenmedipham	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Phenylphenol, 2-	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
Phorate	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
Phosalone	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
Phosphamidon	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Phoxim	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Picloram	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)
Picoxystrobin	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Pirimicarb	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Pirimiphos-ethyl	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Pirimiphos-methyl	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Prochloraz	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Procymidone	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)
Profenofos	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Promecarb	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Prometon	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Prometryn	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Propachlor	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Propamocarb	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Propanil	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Propargite	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
Propazine	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Propham	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
Propiconazole	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Propineb (as part of Dithiocarbamates, as CS2)	CotOD-013:2018 (GC/MS/MS)*	0,01	ND, (< 0,01)
Propoxur	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Prothioconazole	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)
Pymetrozine	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)
Pyracarbolid	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Pyraclostrobin	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Pyridaben	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Pyridate	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)
Pyrimethanil	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)
Pyriproxyfen	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Quinalphos	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)
Quinoxifen	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Quizalofop and Quizalofop-P	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)





CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.

e-mail: inspection@ciiss-group.com

Page 9/10

CERTIFICATE No.: UA01318/1

ORIGINAL

Quizalofop-ethyl	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Rotenone	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Secbumeton	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)
Simazine	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Simetryn	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Spinetoram J	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Spinetoram L	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Spinosyn A	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Spinosyn D	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Spirodiclofen	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)
Spiromesifen	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Spirotetramat	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)
Spiroxamine (sum)	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Sulfentrazone	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)
Sulfosulfuron	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Tebuconazole	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Tebufenozide	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Tebufenpyrad	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Tebuthiuron	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Teflubenzuron	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)
Tefluthrin	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
Terbufos	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Terbumeton	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Terbutylazine	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Terbutryn	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Tetraconazole	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Tetramethrin	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Thiabendazole	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Thiacloprid	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Thiamethoxam	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Thiobencarb	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Thiofanox (Thiofanocarb)	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Thiophanate-methyl	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)
Thiram	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)
Toxaphene (Camphechlor)	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
Triadimefon	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Triadimenol	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Triamiphos	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)
Triazophos	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Trichlorfon	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Triclopyr (3,5,6-TPA)	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)





CISS Group PTE. LTD.

10, Anson Road, #29-05 A, International Plaza, Singapore, 079903.

e-mail: inspection@ciiss-group.com

Page 10/10

CERTIFICATE No.: UA01318/1

ORIGINAL

Tridemorph	BS EN 15662:2018 (LC-MS/MS)	0,01	ND, (< 0,01)
Trifloxystrobin	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Triflumizole	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Triflumuron	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Trifluralin	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
Triticonazole	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Vamidothion	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)
Vinclozolin	BS EN 15662:2018 (GC-MS/MS)	0,01	ND, (< 0,01)
Ziram (as part of Dithiocarbamates, asCS2)	CotOD-013:2018 (GC/MS/MS)*	0,01	ND, (< 0,01)
Zoxamide	BS EN 15662:2018 (LC-MS/MS)	0,005	ND, (< 0,005)

Test Description	Method	LOQ**	Units	Results
Propineb	INSO 404:2013 (16)	0,100	ppm	ND, less than 0,100
Ziram	INSO 404:2013 (16)	0,050	ppm	ND, less than 0,050
Hymexazole	INSO 404:2013 (16)	0,010	ppm	ND, less than 0,010
Eprinomectin	INSO 404:2013 (16)	0,010	ppm	ND, less than 0,010
Fentin hydroxide	INSO 404:2013 (16)	0,050	ppm	ND, less than 0,050
Pyrimethamine	INSO 404:2013 (16)	0,010	ppm	ND, less than 0,010
Emamectin benzoate	INSO 404:2013 (16)	0,010	ppm	ND, less than 0,010
Naphthylacetamide,1-	INSO 404:2013 (16)	0,050	ppm	ND, less than 0,050
Toxaphene (Camphechlor)	INSO 404:2013 (16)	0,020	ppm	ND, less than 0,020
Thidiazuron	INSO 404:2013 (16)	0,010	ppm	ND, less than 0,010
Alanycarb	INSO 404:2013 (16)	0,010	ppm	ND, less than 0,010
Dioxacarb	INSO 404:2013 (16)	0,010	ppm	ND, less than 0,010
Doramectin	INSO 404:2013 (16)	0,010	ppm	ND, less than 0,010

*Not included in the scope of accreditation ISO/IEC17025:2017

**LOQ — limit of quantification

DATED: 3rd of AUGUST, 2022

For and on behalf of CISS GROUP Ukraine LLC

Registered Superintendent and Surveyor Member of GAFTA

