



Commodities International  
Shipping and Survey



Page 1/13

CISS GROUP UKRAINE LLC  
member of CISS GROUP Pte.Ltd. (Singapore)  
5, Odessa Blv., Ovidiopol district,  
Lymanka village, Odessa region, 65037  
inspection@ciiss-group.com

CERTIFICATE No.: UA01454

ORIGINAL

## AFLATOXINS, PESTICIDES, HEAVY METALS AND MYCOTOXINS CERTIFICATE

In pursuance of an order received from our principal, requesting us to carry out inspection we hereby confirm as follows:

Description of goods: UKRAINIAN SUNFLOWER SEEDS, IN BULK, 2022 CROP.  
Vessel: ISTOK  
Quantity: 842,830 MT  
BL Nos. & Date: 1 DD 13.12.2022  
Shipper: LIMITED LIABILITY COMPANY «METROCITY»  
65490, UKRAINE, ODESSA REG., ODESSA AREA,  
TEPLODAR, AVENUE ENERGETYKIV, BLD. 73, OF. 1  
ON BEHALF OF ZK HK TECHNOLOGY TRADE CO LIMITED  
FLAT/RM 1506 15/F LUCKY CENTER NO 165-171  
WAN CHAI ROAD WAN CHAI HONG KONG  
Consignee: TO ORDER  
Notify Address: OLIVA AD 1 Marin Boev Str. 5835 Knezha, BULGARIA  
Port of loading: IZMAIL, UKRAINE  
Port of discharge: PORT ROUSSE / PORT SILISTRA, BULGARIA

### SAMPLING AND QUALITY ANALYSIS RESULTS:

The sampling was performed according to the FOSFA rules at the time of loading. A composite sample of the total consignment was proportionally mixed and submitted for analysis in FOSFA accredited reputable and independent laboratories. The following results were obtained:

| Parameter                                      | Method                  | Result* | LOQ   |
|------------------------------------------------|-------------------------|---------|-------|
| Total aflatoxins (B1, B2, G1, G2), ppb (µg/kg) | ISO 16050 (HPLC method) | < 1*    | 1 ppb |
| Aflatoxin B1, ppb (µg/kg)                      | ISO 16050 (HPLC method) | < 1*    | 1 ppb |

| Parameter         | Method           | Result  | LOQ      |
|-------------------|------------------|---------|----------|
| Arsenic (As), ppm | AGM-17 (ICP-OES) | < 0.05* | 0.05 ppm |
| Cadmium (Cd), ppm | AGM-17 (ICP-OES) | 0.122   | 0.01 ppm |
| Mercury (Hg), ppm | AGM-17 (ICP-OES) | < 0.01* | 0.01 ppm |
| Lead (Pb), ppm    | AGM-17 (ICP-OES) | < 0.05* | 0.05 ppm |



This certificate is issued to any job or services carried out within the GENERAL TERMS AND CONDITION OF BUSINESS printed overleaf. This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations. The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.



**Commodities International  
Shipping and Survey**



Page 2/13

**CISS GROUP UKRAINE LLC**  
member of CISS GROUP Pte.Ltd. (Singapore)  
5, Odessa Blv., Ovidiopol district,  
Lymanka village, Odessa region, 65037  
inspection@ciiss-group.com

**CERTIFICATE No.: UA01454**

**ORIGINAL**

| Test Description    | MRL    | Method        | LOQ   | Units | Results            |
|---------------------|--------|---------------|-------|-------|--------------------|
| Ochratoxin A        | 250,0  | INSO 405:2013 | 2,0   | ppb   | ND,less than 2,0   |
| Desoxinivalenol     | 8000,0 | INSO 406:2013 | 250,0 | ppb   | ND,less than 250,0 |
| Zearalenone         | 2,0    | INSO 405:2013 | 0,050 | ppm   | ND,less than 0,050 |
| Fumonisin B1+B2     | 60,000 | INSO 405:2013 | 1,000 | ppm   | ND,less than 1,000 |
| T-2 Toxin (ST2/HT2) | NS     | INSO 407:2013 | 0,100 | ppm   | ND,less than 0,100 |
| Diacetoxyscripeno   | NS     | INSO 407:2013 | 0,100 | ppm   | ND,less than 0,100 |

| Name of Pesticide        | Method                      | Max allowed for SFS by EU Reg. 396/2005, mg/kg | LOQ, mg/kg | Result, mg/kg | Uncertainty (U), mg/kg |
|--------------------------|-----------------------------|------------------------------------------------|------------|---------------|------------------------|
| 2,4,5-T                  | BS EN 15662:2018 (LC-MS/MS) | 0,02                                           | 0,01       | ND, (< 0,01)  | n/a                    |
| 2,4,5-T-Methylester      | BS EN 15662:2018 (GC-MS/MS) |                                                | 0,01       | ND, (< 0,01)  | n/a                    |
| 2,4-D                    | BS EN 15662:2018 (LC-MS/MS) |                                                | 0,01       | ND, (< 0,01)  | n/a                    |
| 2,4-D 2-ethylhexyl ester | BS EN 15662:2018 (GC-MS/MS) |                                                | 0,01       | ND, (< 0,01)  | n/a                    |
| 2,4-D Butylester         | BS EN 15662:2018 (GC-MS/MS) | 0,05                                           | 0,01       | ND, (< 0,01)  | n/a                    |
| 2,4-D-ethyl ester        | BS EN 15662:2018 (GC-MS/MS) |                                                | 0,01       | ND, (< 0,01)  | n/a                    |
| 2,4-D-iso-butyl ester    | BS EN 15662:2018 (GC-MS/MS) |                                                | 0,01       | ND, (< 0,01)  | n/a                    |
| 2,4-D-Methylester        | BS EN 15662:2018 (GC-MS/MS) |                                                | 0,01       | ND, (< 0,01)  | n/a                    |
| 2,4-DB                   | BS EN 15662:2018 (LC-MS/MS) | 0,05                                           | 0,01       | ND, (< 0,01)  | n/a                    |
| 2,4-DB-Methylester       | BS EN 15662:2018 (GC-MS/MS) |                                                | 0,01       | ND, (< 0,01)  | n/a                    |
| Abamectin B1a            | BS EN 15662:2018 (LC-MS/MS) |                                                | 0,01       | ND, (< 0,01)  | n/a                    |
| Abamectin B1b            | BS EN 15662:2018 (LC-MS/MS) |                                                | 0,01       | ND, (< 0,01)  | n/a                    |
| Acephate                 | BS EN 15662:2018 (LC-MS/MS) | 0,02                                           | 0,01       | ND, (< 0,01)  | n/a                    |
| Acetamiprid              | BS EN 15662:2018 (LC-MS/MS) | 0,01                                           | 0,005      | ND, (< 0,005) | n/a                    |
| Acetochlor               | BS EN 15662:2018 (LC-MS/MS) | 0,01                                           | 0,01       | ND, (< 0,01)  | n/a                    |
| Acibenzolar-S-methyl     | BS EN 15662:2018 (LC-MS/MS) | 0,01                                           | 0,01       | ND, (< 0,01)  | n/a                    |
| Aclonifen                | BS EN 15662:2018 (LC-MS/MS) | 0,02                                           | 0,005      | ND, (< 0,005) | n/a                    |
| Acrinathrin              | BS EN 15662:2018 (GC-MS/MS) | 0,02                                           | 0,01       | ND, (< 0,01)  | n/a                    |
| Alachlor                 | BS EN 15662:2018 (GC-MS/MS) | 0,02                                           | 0,01       | ND, (< 0,01)  | n/a                    |
| Aldicarb                 | BS EN 15662:2018 (LC-MS/MS) | 0,05                                           | 0,005      | ND, (< 0,005) | n/a                    |
| Aldicarb-Sulfone         | BS EN 15662:2018 (LC-MS/MS) |                                                | 0,005      | ND, (< 0,005) | n/a                    |
| Aldicarb-Sulfoxide       | BS EN 15662:2018 (LC-MS/MS) |                                                | 0,005      | ND, (< 0,005) | n/a                    |
| Aldrin                   | BS EN 15662:2018 (GC-MS/MS) |                                                | 0,005      | ND, (< 0,005) | n/a                    |
| Dieldrin                 | BS EN 15662:2018 (GC-MS/MS) | 0,02                                           | 0,01       | ND, (< 0,01)  | n/a                    |
| Ametoctradin             | BS EN 15662:2018 (LC-MS/MS) | 0,01                                           | 0,01       | ND, (< 0,01)  | n/a                    |
| Amidosulfuron            | BS EN 15662:2018 (LC-MS/MS) | 0,01                                           | 0,005      | ND, (< 0,005) | n/a                    |
| Aminopyralid             | BS EN 15662:2018 (LC-MS/MS) | 0,05                                           | 0,005      | ND, (< 0,005) | n/a                    |



This certificate is issued to any job or services carried out within the GENERAL TERMS AND CONDITION OF BUSINESS printed overleaf. This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations. The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.



**Commodities International  
Shipping and Survey**



Page 3/13

**CISS GROUP UKRAINE LLC**  
member of CISS GROUP Pte.Ltd. (Singapore)  
5, Odessa Blv., Ovidiopol district,  
Lymanka village, Odessa region, 65037  
inspection@ciiss-group.com

**CERTIFICATE No.: UA01454**

**ORIGINAL**

|                           |                             |      |       |               |     |
|---------------------------|-----------------------------|------|-------|---------------|-----|
| Amisulbrom                | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Amitraz                   | BS EN 15662:2018 (LC-MS/MS) |      | 0,01  | ND, (< 0,01)  | n/a |
| Dimethylanilin, 2,4-      | BS EN 15662:2018 (LC-MS/MS) | 0,05 | 0,005 | ND, (< 0,005) | n/a |
| Anthraquinone             | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Aramite                   | BS EN 15662:2018 (GC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Atrazine                  | BS EN 15662:2018 (LC-MS/MS) | 0,05 | 0,005 | ND, (< 0,005) | n/a |
| Azimsulfuron              | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Azinphos-ethyl            | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Azinphos-methyl           | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Azoxystrobin              | BS EN 15662:2018 (LC-MS/MS) | 0,50 | 0,005 | ND, (< 0,005) | n/a |
| Barban                    | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Beflubutamid              | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Benalaxyl and Benalaxyl-M | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Benfluralin               | BS EN 15662:2018 (GC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Bensulfuron-Methyl        | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Bentazone                 | BS EN 15662:2018 (LC-MS/MS) |      | 0,005 | ND, (< 0,005) | n/a |
| Bentazone, 6-Hydroxy      | BS EN 15662:2018 (LC-MS/MS) | 0,03 | 0,005 | ND, (< 0,005) | n/a |
| Bentazone, 8-Hydroxy      | BS EN 15662:2018 (LC-MS/MS) |      | 0,005 | ND, (< 0,005) | n/a |
| Benthiavalicarb-Isopropyl | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Benzovindiflupyr          | BS EN 15662:2018 (GC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Bifenazate                | BS EN 15662:2018 (LC-MS/MS) | 0,05 | 0,005 | ND, (< 0,005) | n/a |
| Bifenox                   | BS EN 15662:2018 (GC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Bifenthrin                | BS EN 15662:2018 (GC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Biphenyl                  | BS EN 15662:2018 (GC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Bitertanol                | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Boscalid                  | BS EN 15662:2018 (LC-MS/MS) | 1,00 | 0,005 | ND, (< 0,005) | n/a |
| Bromophos-ethyl           | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Bromopropylate            | BS EN 15662:2018 (GC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Bromoxynil                | BS EN 15662:2018 (GC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Bromuconazole             | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Bupirimate                | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Buprofezin                | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Butralin                  | BS EN 15662:2018 (GC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Butylate                  | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Cadusafos                 | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Captafol                  | BS EN 15662:2018 (LC-MS/MS) | 0,05 | 0,01  | ND, (< 0,01)  | n/a |
| Captan                    | BS EN 15662:2018 (GC-MS/MS) |      | 0,01  | ND, (< 0,01)  | n/a |
| Tetrahydrophthalimide     | BS EN 15662:2018 (GC-MS/MS) | 0,07 | 0,01  | ND, (< 0,01)  | n/a |
| Carbaryl                  | BS EN 15662:2018 (LC-MS/MS) | 0,05 | 0,01  | ND, (< 0,01)  | n/a |
| Carbendazim               | BS EN 15662:2018 (LC-MS/MS) |      | 0,005 | ND, (< 0,005) | n/a |
| Benomyl                   | BS EN 15662:2018 (LC-MS/MS) | 0,10 | 0,01  | ND, (< 0,01)  | n/a |



This certificate is issued to any job or services carried out within the GENERAL TERMS AND CONDITION OF BUSINESS printed overleaf. This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations. The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.



**Commodities International  
Shipping and Survey**



Page 4/13

**CISS GROUP UKRAINE LLC**  
member of CISS GROUP Pte.Ltd. (Singapore)  
5, Odessa Blv., Ovidiopol district,  
Lymanka village, Odessa region, 65037  
inspection@ciiss-group.com

**CERTIFICATE No.: UA01454**

**ORIGINAL**

|                       |                             |      |       |               |     |
|-----------------------|-----------------------------|------|-------|---------------|-----|
| Carbetamide           | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Carbofuran            | BS EN 15662:2018 (LC-MS/MS) |      | 0,005 | ND, (< 0,005) | n/a |
| Carbofuran, 3-hydroxy | BS EN 15662:2018 (LC-MS/MS) |      | 0,005 | ND, (< 0,005) | n/a |
| Carbosulfan           | BS EN 15662:2018 (LC-MS/MS) |      | 0,01  | ND, (< 0,01)  | n/a |
| Benfuracarb           | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Furathiocarb          | BS EN 15662:2018 (LC-MS/MS) |      | 0,005 | ND, (< 0,005) | n/a |
| Carboxin              | BS EN 15662:2018 (LC-MS/MS) | 0,05 | 0,005 | ND, (< 0,005) | n/a |
| Carfentrazone-ethyl   | BS EN 15662:2018 (LC-MS/MS) | 0,05 | 0,005 | ND, (< 0,005) | n/a |
| Chlorantranilprole    | BS EN 15662:2018 (LC-MS/MS) | 2,00 | 0,01  | ND, (< 0,01)  | n/a |
| Chlorbenside          | BS EN 15662:2018 (GC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Chlorbufam            | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Chlordane, cis        | BS EN 15662:2018 (GC-MS/MS) |      | 0,01  | ND, (< 0,01)  | n/a |
| Chlordane, trans      | BS EN 15662:2018 (GC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Chlorfenapyr          | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Chlorfenson           | BS EN 15662:2018 (GC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Chlorfenvinphos       | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Chloridazon           | BS EN 15662:2018 (LC-MS/MS) | 0,10 | 0,005 | ND, (< 0,005) | n/a |
| Chlormequat chloride  | CotOD-025:2018 (HPLC/MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Chlorobenzilate       | BS EN 15662:2018 (GC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Chlorothalonil        | BS EN 15662:2018 (GC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Chlorotoluron         | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Chloroxuron           | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Chlorpropham          | BS EN 15662:2018 (GC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Chlorpyrifos          | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Chlorpyrifos-methyl   | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Chlorsulfuron         | BS EN 15662:2018 (LC-MS/MS) | 0,05 | 0,005 | ND, (< 0,005) | n/a |
| Chlorthal-dimethyl    | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Chlorthiamid          | BS EN 15662:2018 (GC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Chlozolinat           | BS EN 15662:2018 (GC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Chromafenozide        | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Cinidon Ethyl         | BS EN 15662:2018 (LC-MS/MS) | 0,05 | 0,005 | ND, (< 0,005) | n/a |
| Clethodim             | BS EN 15662:2018 (LC-MS/MS) |      | 0,005 | ND, (< 0,005) | n/a |
| Sethoxydim            | BS EN 15662:2018 (LC-MS/MS) | 0,50 | 0,005 | ND, (< 0,005) | n/a |
| Clodinafop            | BS EN 15662:2018 (LC-MS/MS) | 0,05 | 0,005 | ND, (< 0,005) | n/a |
| Clofentezine          | BS EN 15662:2018 (LC-MS/MS) | 0,05 | 0,005 | ND, (< 0,005) | n/a |
| Clomazone             | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Clopyralid            | BS EN 15662:2018 (LC-MS/MS) | 0,50 | 0,01  | ND, (< 0,01)  | n/a |
| Clothianidin          | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Cyantranilprole       | BS EN 15662:2018 (LC-MS/MS) | 0,50 | 0,01  | ND, (< 0,01)  | n/a |
| Cyazofamid            | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Cyclanilide           | BS EN 15662:2018 (LC-MS/MS) | 0,05 | 0,01  | ND, (< 0,01)  | n/a |
| Cyclanilprole         | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Cycloxydim            | BS EN 15662:2018 (LC-MS/MS) | 6,00 | 0,01  | ND, (< 0,01)  | n/a |
| Cyflufenamid          | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |



This certificate is issued to any job or services carried out within the GENERAL TERMS AND CONDITION OF BUSINESS printed overleaf. This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations. The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.



**Commodities International  
Shipping and Survey**



Page 5/13

**CISS GROUP UKRAINE LLC**  
member of CISS GROUP Pte.Ltd. (Singapore)  
5, Odessa Blv., Ovidiopol district,  
Lymanka village, Odessa region, 65037  
inspection@ciiss-group.com

**CERTIFICATE No.: UA01454**

**ORIGINAL**

|                                          |                             |      |       |               |     |
|------------------------------------------|-----------------------------|------|-------|---------------|-----|
| Cyfluthrin (sum)                         | BS EN 15662:2018 (GC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Cyhalofop-Butyl                          | BS EN 15662:2018 (GC-MS/MS) | 0,05 | 0,01  | ND, (< 0,01)  | n/a |
| Cyhalothrin (Gamma and Lambda)           | BS EN 15662:2018 (GC-MS/MS) | 0,20 | 0,01  | ND, (< 0,01)  | n/a |
| Cymoxanil                                | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Cypermethrin (sum)                       | BS EN 15662:2018 (GC-MS/MS) | 0,20 | 0,01  | ND, (< 0,01)  | n/a |
| Cyproconazole                            | BS EN 15662:2018 (LC-MS/MS) | 0,05 | 0,005 | ND, (< 0,005) | n/a |
| Cyprodinil                               | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Cyromazine                               | BS EN 15662:2018 (LC-MS/MS) | 0,05 | 0,01  | ND, (< 0,01)  | n/a |
| Daminozide                               | BS EN 15662:2018 (LC-MS/MS) | 0,10 | 0,01  | ND, (< 0,01)  | n/a |
| DDD, p,p-                                | BS EN 15662:2018 (GC-MS/MS) | 0,05 | 0,01  | ND, (< 0,01)  | n/a |
| DDE, p,p-                                | BS EN 15662:2018 (GC-MS/MS) |      | 0,01  | ND, (< 0,01)  | n/a |
| DDT, o,p-                                | BS EN 15662:2018 (GC-MS/MS) |      | 0,01  | ND, (< 0,01)  | n/a |
| DDT, p,p-                                | BS EN 15662:2018 (GC-MS/MS) |      | 0,01  | ND, (< 0,01)  | n/a |
| Deltamethrin (sum)                       | BS EN 15662:2018 (GC-MS/MS) | 0,05 | 0,01  | ND, (< 0,01)  | n/a |
| Desmedipham                              | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Di-Allate                                | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Diazinon                                 | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Dicamba                                  | BS EN 15662:2018 (LC-MS/MS) | 0,05 | 0,02  | ND, (< 0,02)  | n/a |
| Dichlobenil                              | BS EN 15662:2018 (GC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Dichlorprop and Dichlorprop- P (2,4-DP ) | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Dichlorvos                               | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Diclofop                                 | BS EN 15662:2018 (GC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Diclofop-methyl                          | BS EN 15662:2018 (LC-MS/MS) |      | 0,005 | ND, (< 0,005) | n/a |
| Dicloran                                 | BS EN 15662:2018 (GC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Dicofol                                  | BS EN 15662:2018 (GC-MS/MS) | 0,05 | 0,01  | ND, (< 0,01)  | n/a |
| Diethofencarb                            | BS EN 15662:2018 (GC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Difenoconazole                           | BS EN 15662:2018 (LC-MS/MS) | 0,05 | 0,005 | ND, (< 0,005) | n/a |
| Diflubenzuron                            | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Diflufenican                             | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Dimethachlor                             | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Dimethenamid and Dimethenamid-P          | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Dimethipin                               | BS EN 15662:2018 (GC-MS/MS) | 1,00 | 0,01  | ND, (< 0,01)  | n/a |
| Dimethoate                               | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Dimethomorph                             | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Dimoxystrobin                            | BS EN 15662:2018 (LC-MS/MS) | 0,30 | 0,005 | ND, (< 0,005) | n/a |
| Diniconazole                             | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Dinocap                                  | BS EN 15662:2018 (LC-MS/MS) | 0,05 | 0,01  | ND, (< 0,01)  | n/a |
| Dinoseb                                  | BS EN 15662:2018 (LC-MS/MS) | 0,05 | 0,01  | ND, (< 0,01)  | n/a |
| Binapacryl                               | BS EN 15662:2018 (LC-MS/MS) |      | 0,005 | ND, (< 0,005) | n/a |
| Dioxathion                               | BS EN 15662:2018 (GC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Diphenylamine                            | BS EN 15662:2018 (LC-MS/MS) | 0,05 | 0,01  | ND, (< 0,01)  | n/a |



This certificate is issued to any job or services carried out within the GENERAL TERMS AND CONDITION OF BUSINESS printed overleaf. This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations. The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.



**Commodities International  
Shipping and Survey**



Page 6/13

**CISS GROUP UKRAINE LLC**  
member of CISS GROUP Pte.Ltd. (Singapore)  
5, Odessa Blv., Ovidiopol district,  
Lymanka village, Odessa region, 65037  
inspection@ciiss-group.com

**CERTIFICATE No.: UA01454**

**ORIGINAL**

|                             |                             |      |       |               |     |
|-----------------------------|-----------------------------|------|-------|---------------|-----|
| Diquat                      | CotOD-025:2018 (HPLC/MS/MS) | 0,90 | 0,01  | ND, (< 0,01)  | n/a |
| Disulfoton                  | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Disulfoton-sulfone          | BS EN 15662:2018 (LC-MS/MS) |      | 0,005 | ND, (< 0,005) | n/a |
| Disulfoton-sulfoxide        | BS EN 15662:2018 (LC-MS/MS) |      | 0,005 | ND, (< 0,005) | n/a |
| Diuron                      | BS EN 15662:2018 (LC-MS/MS) |      | 0,005 | ND, (< 0,005) | n/a |
| Dodemorph                   | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Dodine                      | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Emamectin B1a               | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Endosulfan-alpha            | BS EN 15662:2018 (GC-MS/MS) | 0,10 | 0,01  | ND, (< 0,01)  | n/a |
| Endosulfan-beta             | BS EN 15662:2018 (GC-MS/MS) |      | 0,01  | ND, (< 0,01)  | n/a |
| Endosulfansulfate           | BS EN 15662:2018 (GC-MS/MS) |      | 0,01  | ND, (< 0,01)  | n/a |
| Endrin                      | BS EN 15662:2018 (GC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Epoxiconazole               | BS EN 15662:2018 (LC-MS/MS) | 0,05 | 0,005 | ND, (< 0,005) | n/a |
| EPTC                        | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Ethalfuralin                | BS EN 15662:2018 (GC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Ethephon                    | CotOD-024:2018 (HPLC/MS/MS) | 0,10 | 0,01  | ND, (< 0,01)  | n/a |
| Ethion                      | BS EN 15662:2018 (GC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Ethirimol                   | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Ethofumesate                | BS EN 15662:2018 (LC-MS/MS) | 0,03 | 0,005 | ND, (< 0,005) | n/a |
| Ethofumesate-2-keto         | BS EN 15662:2018 (GC-MS/MS) |      | 0,01  | ND, (< 0,01)  | n/a |
| Ethoprophos                 | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Ethoxyquin                  | BS EN 15662:2018 (LC-MS/MS) | 0,10 | 0,01  | ND, (< 0,01)  | n/a |
| Etofenprox                  | BS EN 15662:2018 (GC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Etoazazole                  | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Etridiazole                 | BS EN 15662:2018 (GC-MS/MS) | 0,05 | 0,01  | ND, (< 0,01)  | n/a |
| Famoxadone                  | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Fenamidone                  | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Fenamiphos                  | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Fenamiphos-sulfone          | BS EN 15662:2018 (LC-MS/MS) |      | 0,005 | ND, (< 0,005) | n/a |
| Fenamiphos-Sulfoxide        | BS EN 15662:2018 (LC-MS/MS) |      | 0,01  | ND, (< 0,01)  | n/a |
| Fenarimol                   | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Fenazaquin                  | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Fenbuconazole               | BS EN 15662:2018 (LC-MS/MS) | 0,05 | 0,005 | ND, (< 0,005) | n/a |
| Fenbutatin oxide            | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Fenchlorphos                | BS EN 15662:2018 (GC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Fenchlorphos oxon           | BS EN 15662:2018 (LC-MS/MS) |      | 0,005 | ND, (< 0,005) | n/a |
| Fenhexamid                  | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Fenitrothion                | BS EN 15662:2018 (GC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Fenoxaprop and Fenoxaprop-P | BS EN 15662:2018 (LC-MS/MS) | 0,10 | 0,01  | ND, (< 0,01)  | n/a |
| Fenoxycarb                  | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Fenpropathrin               | BS EN 15662:2018 (GC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Fenpropidin                 | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Fenpropimorph               | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |



This certificate is issued to any job or services carried out within the GENERAL TERMS AND CONDITION OF BUSINESS printed overleaf. This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations. The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.



**Commodities International  
Shipping and Survey**



Page 7/13

**CISS GROUP UKRAINE LLC**  
member of CISS GROUP Pte.Ltd. (Singapore)  
5, Odessa Blv., Ovidiopol district,  
Lymanka village, Odessa region, 65037  
inspection@ciiss-group.com

**CERTIFICATE No.: UA01454**

**ORIGINAL**

|                                       |                             |       |       |               |     |
|---------------------------------------|-----------------------------|-------|-------|---------------|-----|
| Fenpyroximate                         | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,01  | ND, (< 0,01)  | n/a |
| Fenthion                              | BS EN 15662:2018 (LC-MS/MS) |       | 0,005 | ND, (< 0,005) | n/a |
| Fenthion-Oxonsulfone                  | BS EN 15662:2018 (LC-MS/MS) |       | 0,005 | ND, (< 0,005) | n/a |
| Fenthion-Oxonsulfoxide                | BS EN 15662:2018 (LC-MS/MS) |       | 0,005 | ND, (< 0,005) | n/a |
| Fenthion-Sulfone                      | BS EN 15662:2018 (LC-MS/MS) | 0,02  | 0,01  | ND, (< 0,01)  | n/a |
| Fenthion-Sulfoxide                    | BS EN 15662:2018 (GC-MS/MS) |       | 0,01  | ND, (< 0,01)  | n/a |
| Fentin                                | BS EN 15662:2018 (LC-MS/MS) | 0,05  | 0,01  | ND, (< 0,01)  | n/a |
| Fenvalerate/Esfenvalerate (RR/SS)     | BS EN 15662:2018 (GC-MS/MS) |       | 0,01  | ND, (< 0,01)  | n/a |
| Fenvalerate/Esfenvalerate (RS/SR)     | BS EN 15662:2018 (GC-MS/MS) | 0,05  | 0,01  | ND, (< 0,01)  | n/a |
| Fipronil                              | BS EN 15662:2018 (GC-MS/MS) |       | 0,002 | ND, (< 0,002) | n/a |
| Fipronil-Sulfone                      | BS EN 15662:2018 (GC-MS/MS) | 0,005 | 0,002 | ND, (< 0,002) | n/a |
| Flazasulfuron                         | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,005 | ND, (< 0,005) | n/a |
| Flonicamid                            | BS EN 15662:2018 (LC-MS/MS) |       | 0,005 | ND, (< 0,005) | n/a |
| Flonicamid metabolite TFNA            | BS EN 15662:2018 (LC-MS/MS) |       | 0,005 | ND, (< 0,005) | n/a |
| Flonicamid-metabolite TFNG            | BS EN 15662:2018 (LC-MS/MS) | 0,06  | 0,01  | ND, (< 0,01)  | n/a |
| Florasulam                            | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,005 | ND, (< 0,005) | n/a |
| Fluazifop and Fluazifop-P             | BS EN 15662:2018 (LC-MS/MS) |       | 0,005 | ND, (< 0,005) | n/a |
| Fluazifop-butyl and Fluazifop-P-butyl | BS EN 15662:2018 (LC-MS/MS) | 0,10  | 0,005 | ND, (< 0,005) | n/a |
| Fluazinam                             | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,01  | ND, (< 0,01)  | n/a |
| Flubendiamide                         | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,01  | ND, (< 0,01)  | n/a |
| Flucyclohexuron                       | BS EN 15662:2018 (LC-MS/MS) | 0,02  | 0,005 | ND, (< 0,005) | n/a |
| Flucythrinate                         | BS EN 15662:2018 (GC-MS/MS) | 0,02  | 0,01  | ND, (< 0,01)  | n/a |
| Fludioxonil                           | BS EN 15662:2018 (GC-MS/MS) | 0,01  | 0,01  | ND, (< 0,01)  | n/a |
| Flufenacet                            | BS EN 15662:2018 (LC-MS/MS) | 0,05  | 0,005 | ND, (< 0,005) | n/a |
| Flufenoxuron                          | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,005 | ND, (< 0,005) | n/a |
| Flumetralin                           | BS EN 15662:2018 (GC-MS/MS) | 0,01  | 0,01  | ND, (< 0,01)  | n/a |
| Flumioxazin                           | BS EN 15662:2018 (LC-MS/MS) | 0,05  | 0,005 | ND, (< 0,005) | n/a |
| Fluometuron                           | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,005 | ND, (< 0,005) | n/a |
| Flupicolide                           | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,005 | ND, (< 0,005) | n/a |
| Flupyradifurone                       | BS EN 15662:2018 (LC-MS/MS) | 0,70  | 0,01  | ND, (< 0,01)  | n/a |
| Flupyradifurone                       | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,01  | ND, (< 0,01)  | n/a |
| Fluquinconazole                       | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,005 | ND, (< 0,005) | n/a |
| Flurochloridone                       | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,005 | ND, (< 0,005) | n/a |
| Fluroxypyr                            | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,01  | ND, (< 0,01)  | n/a |
| Flurprimidol                          | BS EN 15662:2018 (LC-MS/MS) | 0,02  | 0,005 | ND, (< 0,005) | n/a |
| Flurtamone                            | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,005 | ND, (< 0,005) | n/a |
| Flusilazole                           | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,005 | ND, (< 0,005) | n/a |
| Flutianil                             | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,01  | ND, (< 0,01)  | n/a |
| Flutolanil                            | BS EN 15662:2018 (GC-MS/MS) | 0,01  | 0,01  | ND, (< 0,01)  | n/a |
| Flutriafol                            | BS EN 15662:2018 (LC-MS/MS) | 0,02  | 0,005 | ND, (< 0,005) | n/a |
| Fluvalinate, tau-                     | BS EN 15662:2018 (GC-MS/MS) | 0,10  | 0,01  | ND, (< 0,01)  | n/a |



This certificate is issued to any job or services carried out within the GENERAL TERMS AND CONDITION OF BUSINESS printed overleaf. This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations. The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.



**Commodities International  
Shipping and Survey**



Page 8/13

**CISS GROUP UKRAINE LLC**  
member of CISS GROUP Pte.Ltd. (Singapore)  
5, Odessa Blv., Ovidiopol district,  
Lymanka village, Odessa region, 65037  
inspection@ciiss-group.com

**CERTIFICATE No.: UA01454**

**ORIGINAL**

|                                      |                             |       |       |               |     |
|--------------------------------------|-----------------------------|-------|-------|---------------|-----|
| Fluxapyroxad                         | BS EN 15662:2018 (LC-MS/MS) | 0,90  | 0,01  | ND, (< 0,01)  | n/a |
| Folpet                               | BS EN 15662:2018 (LC-MS/MS) |       | 0,01  | ND, (< 0,01)  | n/a |
| Phtalimide                           | BS EN 15662:2018 (GC-MS/MS) | 0,07  | 0,01  | ND, (< 0,01)  | n/a |
| Fomesafen                            | BS EN 15662:2018 (LC-MS/MS) | 0,02  | 0,01  | ND, (< 0,01)  | n/a |
| Foramsulfuron                        | BS EN 15662:2018 (LC-MS/MS) | 0,02  | 0,01  | ND, (< 0,01)  | n/a |
| Forchlorfenuron                      | BS EN 15662:2018 (LC-MS/MS) | 0,02  | 0,01  | ND, (< 0,01)  | n/a |
| Formetanate                          | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,005 | ND, (< 0,005) | n/a |
| Formothion                           | BS EN 15662:2018 (LC-MS/MS) | 0,02  | 0,01  | ND, (< 0,01)  | n/a |
| Fosthiazate                          | BS EN 15662:2018 (LC-MS/MS) | 0,05  | 0,005 | ND, (< 0,005) | n/a |
| Fuberidazole                         | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,005 | ND, (< 0,005) | n/a |
| Glufosinate, N-acetyl                | CotOD-024:2018 (HPLC/MS/MS) |       | 0,01  | ND, (< 0,01)  | n/a |
| Glufosinate-ammonium                 | CotOD-024:2018 (HPLC/MS/MS) |       | 0,01  | ND, (< 0,01)  | n/a |
| 3-(Methylphosphinico)propionic (MPP) | CotOD-024:2018 (HPLC/MS/MS) | 0,03  | 0,01  | ND, (< 0,01)  | n/a |
| Glyphosate                           | CotOD-024:2018 (HPLC/MS/MS) | 20,00 | 0,01  | ND, (< 0,01)  | n/a |
| Halosulfuron-Methyl                  | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,01  | ND, (< 0,01)  | n/a |
| Haloxypop                            | BS EN 15662:2018 (LC-MS/MS) |       | 0,005 | ND, (< 0,005) | n/a |
| Haloxypop-2-ethoxyethyl              | BS EN 15662:2018 (LC-MS/MS) | 0,40  | 0,005 | ND, (< 0,005) | n/a |
| HCH-alpha                            | BS EN 15662:2018 (GC-MS/MS) | 0,01  | 0,01  | ND, (< 0,01)  | n/a |
| HCH-beta                             | BS EN 15662:2018 (GC-MS/MS) | 0,01  | 0,01  | ND, (< 0,01)  | n/a |
| HCH-gamma (Lindane)                  | BS EN 15662:2018 (GC-MS/MS) | 0,01  | 0,01  | ND, (< 0,01)  | n/a |
| Heptachlor                           | BS EN 15662:2018 (GC-MS/MS) |       | 0,01  | ND, (< 0,01)  | n/a |
| Heptachlorepoxyd, cis                | BS EN 15662:2018 (GC-MS/MS) | 0,01  | 0,01  | ND, (< 0,01)  | n/a |
| Heptachlorepoxyd, trans              | BS EN 15662:2018 (GC-MS/MS) |       | 0,01  | ND, (< 0,01)  | n/a |
| Hexachlorobenzene (HCB)              | BS EN 15662:2018 (GC-MS/MS) | 0,02  | 0,01  | ND, (< 0,01)  | n/a |
| Hexaconazole                         | BS EN 15662:2018 (LC-MS/MS) | 0,02  | 0,005 | ND, (< 0,005) | n/a |
| Hexythiazox                          | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,005 | ND, (< 0,005) | n/a |
| Imazalil                             | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,005 | ND, (< 0,005) | n/a |
| Imazamox                             | BS EN 15662:2018 (LC-MS/MS) | 0,30  | 0,005 | ND, (< 0,005) | n/a |
| Imazapic                             | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,01  | ND, (< 0,01)  | n/a |
| Imazapyr                             | BS EN 15662:2018 (LC-MS/MS) | 0,08  | 0,01  | ND, (< 0,01)  | n/a |
| Imazaquin                            | BS EN 15662:2018 (LC-MS/MS) | 0,05  | 0,01  | ND, (< 0,01)  | n/a |
| Imazosulfuron                        | BS EN 15662:2018 (LC-MS/MS) | 0,02  | 0,01  | ND, (< 0,01)  | n/a |
| Imidacloprid                         | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,005 | ND, (< 0,005) | n/a |
| Indoxacarb                           | BS EN 15662:2018 (LC-MS/MS) | 0,02  | 0,005 | ND, (< 0,005) | n/a |
| Iodosulfuron-methyl                  | BS EN 15662:2018 (LC-MS/MS) | 0,02  | 0,005 | ND, (< 0,005) | n/a |
| Ioxynil                              | BS EN 15662:2018 (GC-MS/MS) | 0,01  | 0,01  | ND, (< 0,01)  | n/a |
| Ipconazole                           | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,01  | ND, (< 0,01)  | n/a |
| Iprodione                            | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,005 | ND, (< 0,005) | n/a |
| Iprovalicarb                         | BS EN 15662:2018 (LC-MS/MS) | 0,02  | 0,005 | ND, (< 0,005) | n/a |
| Isoprothiolane                       | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,005 | ND, (< 0,005) | n/a |
| Isoproturon                          | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,005 | ND, (< 0,005) | n/a |
| Isopyrazam                           | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,01  | ND, (< 0,01)  | n/a |



This certificate is issued to any job or services carried out within the GENERAL TERMS AND CONDITION OF BUSINESS printed overleaf. This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations. The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.



**Commodities International  
Shipping and Survey**



Page 9/13

**CISS GROUP UKRAINE LLC**  
member of CISS GROUP Pte.Ltd. (Singapore)  
5, Odessa Blv., Ovidiopol district,  
Lymanka village, Odessa region, 65037  
inspection@ciiss-group.com

**CERTIFICATE No.: UA01454**

**ORIGINAL**

|                           |                             |       |       |               |     |
|---------------------------|-----------------------------|-------|-------|---------------|-----|
| Isoxaben                  | BS EN 15662:2018 (LC-MS/MS) | 0,02  | 0,005 | ND, (< 0,005) | n/a |
| Isoxaflutole              | BS EN 15662:2018 (LC-MS/MS) | 0,02  | 0,01  | ND, (< 0,01)  | n/a |
| Kresoxim-methyl           | BS EN 15662:2018 (GC-MS/MS) | 0,05  | 0,01  | ND, (< 0,01)  | n/a |
| Lactofen                  | BS EN 15662:2018 (LC-MS/MS) | 0,02  | 0,005 | ND, (< 0,005) | n/a |
| Lenacil                   | BS EN 15662:2018 (LC-MS/MS) | 0,10  | 0,005 | ND, (< 0,005) | n/a |
| Linuron                   | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,005 | ND, (< 0,005) | n/a |
| Lufenuron                 | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,005 | ND, (< 0,005) | n/a |
| Malaoxon                  | BS EN 15662:2018 (GC-MS/MS) | 0,02  | 0,01  | ND, (< 0,01)  | n/a |
| Malathion                 | BS EN 15662:2018 (GC-MS/MS) |       | 0,01  | ND, (< 0,01)  | n/a |
| Mandestrobin              | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,01  | ND, (< 0,01)  | n/a |
| Mandipropamid             | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,01  | ND, (< 0,01)  | n/a |
| MCPA                      | BS EN 15662:2018 (GC-MS/MS) | 0,10  | 0,01  | ND, (< 0,01)  | n/a |
| MCPA, 1-butyl ester       | BS EN 15662:2018 (GC-MS/MS) |       | 0,01  | ND, (< 0,01)  | n/a |
| MCPA, 2-Ethylhexyl-       | BS EN 15662:2018 (GC-MS/MS) |       | 0,01  | ND, (< 0,01)  | n/a |
| MCPA, Butylol-            | BS EN 15662:2018 (GC-MS/MS) |       | 0,01  | ND, (< 0,01)  | n/a |
| MCPA, ethyl ester         | BS EN 15662:2018 (GC-MS/MS) |       | 0,01  | ND, (< 0,01)  | n/a |
| MCPA, methyl ester        | BS EN 15662:2018 (GC-MS/MS) |       | 0,01  | ND, (< 0,01)  | n/a |
| MCPA, thioethyl-          | BS EN 15662:2018 (GC-MS/MS) |       | 0,01  | ND, (< 0,01)  | n/a |
| Mecarbam                  | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,005 | ND, (< 0,005) | n/a |
| Mepanipyrim               | BS EN 15662:2018 (LC-MS/MS) | 0,02  | 0,005 | ND, (< 0,005) | n/a |
| Mepiquat                  | CotOD-025:2018 (HPLC/MS/MS) | 40,00 | 0,01  | ND, (< 0,01)  | n/a |
| Mepronil                  | BS EN 15662:2018 (LC-MS/MS) | 0,02  | 0,005 | ND, (< 0,005) | n/a |
| Mesosulfuron-methyl       | BS EN 15662:2018 (LC-MS/MS) | 0,02  | 0,01  | ND, (< 0,01)  | n/a |
| Mesotrione                | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,01  | ND, (< 0,01)  | n/a |
| Metaflumizone             | BS EN 15662:2018 (LC-MS/MS) | 0,02  | 0,01  | ND, (< 0,01)  | n/a |
| Metalaxyl and Metalaxyl-M | BS EN 15662:2018 (LC-MS/MS) | 0,02  | 0,005 | ND, (< 0,005) | n/a |
| Metamitron                | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,005 | ND, (< 0,005) | n/a |
| Metazachlor               | BS EN 15662:2018 (LC-MS/MS) | 0,06  | 0,005 | ND, (< 0,005) | n/a |
| Metconazole               | BS EN 15662:2018 (LC-MS/MS) | 0,70  | 0,005 | ND, (< 0,005) | n/a |
| Methabenzthiazuron        | BS EN 15662:2018 (LC-MS/MS) | 0,02  | 0,005 | ND, (< 0,005) | n/a |
| Methacrifos               | BS EN 15662:2018 (LC-MS/MS) | 0,02  | 0,005 | ND, (< 0,005) | n/a |
| Methamidophos             | BS EN 15662:2018 (LC-MS/MS) | 0,02  | 0,01  | ND, (< 0,01)  | n/a |
| Methidathion              | BS EN 15662:2018 (LC-MS/MS) | 0,05  | 0,005 | ND, (< 0,005) | n/a |
| Methiocarb                | BS EN 15662:2018 (LC-MS/MS) | 0,03  | 0,005 | ND, (< 0,005) | n/a |
| Methiocarb-sulfone        | BS EN 15662:2018 (LC-MS/MS) |       | 0,005 | ND, (< 0,005) | n/a |
| Methiocarb-sulfoxide      | BS EN 15662:2018 (LC-MS/MS) |       | 0,005 | ND, (< 0,005) | n/a |
| Methomyl                  | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,01  | ND, (< 0,01)  | n/a |
| Methoprene                | BS EN 15662:2018 (GC-MS/MS) | 0,05  | 0,01  | ND, (< 0,01)  | n/a |
| Methoxychlor              | BS EN 15662:2018 (GC-MS/MS) | 0,01  | 0,01  | ND, (< 0,01)  | n/a |
| Methoxyfenozide           | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,005 | ND, (< 0,005) | n/a |
| Metolachlor               | BS EN 15662:2018 (LC-MS/MS) | 0,05  | 0,005 | ND, (< 0,005) | n/a |
| Metosulam                 | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,01  | ND, (< 0,01)  | n/a |
| Metrafenone               | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,005 | ND, (< 0,005) | n/a |
| Metribuzin                | BS EN 15662:2018 (LC-MS/MS) | 0,10  | 0,005 | ND, (< 0,005) | n/a |



This certificate is issued to any job or services carried out within the GENERAL TERMS AND CONDITION OF BUSINESS printed overleaf. This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations. The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.



**Commodities International  
Shipping and Survey**



Page 10/13

**CISS GROUP UKRAINE LLC**  
member of CISS GROUP Pte.Ltd. (Singapore)  
5, Odessa Blv., Ovidiopol district,  
Lymanka village, Odessa region, 65037  
inspection@ciiss-group.com

**CERTIFICATE No.: UA01454**

**ORIGINAL**

|                          |                             |      |       |               |     |
|--------------------------|-----------------------------|------|-------|---------------|-----|
| Metsulfuron-methyl       | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Mevinphos                | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Milbemectin-A3           | BS EN 15662:2018 (LC-MS/MS) |      | 0,01  | ND, (< 0,01)  | n/a |
| Milbemectin-A4           | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Molinate                 | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Monocrotophos            | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Monolinuron              | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Monuron                  | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Myclobutanil             | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Napropamide              | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Nicosulfuron             | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Nitrofen                 | BS EN 15662:2018 (GC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Novaluron                | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Omethoate                | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Oryzalin                 | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Oxadiargyl               | BS EN 15662:2018 (GC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Oxadiazon                | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Oxadixyl                 | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Oxamyl                   | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Oxasulfuron              | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Oxycarboxin              | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Oxydemeton-methyl        | BS EN 15662:2018 (LC-MS/MS) |      | 0,005 | ND, (< 0,005) | n/a |
| Demeton-S-Methyl-sulfone | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Oxyfluorfen              | BS EN 15662:2018 (LC-MS/MS) | 0,05 | 0,01  | ND, (< 0,01)  | n/a |
| Paclobutrazol            | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Paraquat                 | CotOD-025:2018 (HPLC/MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Parathion                | BS EN 15662:2018 (GC-MS/MS) | 0,05 | 0,01  | ND, (< 0,01)  | n/a |
| Parathion-methyl         | BS EN 15662:2018 (GC-MS/MS) |      | 0,01  | ND, (< 0,01)  | n/a |
| Paraoxon-methyl          | BS EN 15662:2018 (GC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Penconazole              | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Pencycuron               | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Pendimethalin            | BS EN 15662:2018 (LC-MS/MS) | 0,05 | 0,005 | ND, (< 0,005) | n/a |
| Penthiopyrad             | BS EN 15662:2018 (LC-MS/MS) | 1,50 | 0,01  | ND, (< 0,01)  | n/a |
| Pethoxamid               | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Penoxsulam               | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Permethrin (sum)         | BS EN 15662:2018 (GC-MS/MS) | 0,05 | 0,02  | ND, (< 0,02)  | n/a |
| Phenmedipham             | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Phenothrin               | BS EN 15662:2018 (GC-MS/MS) | 0,05 | 0,01  | ND, (< 0,01)  | n/a |
| Phenylphenol, 2-         | BS EN 15662:2018 (GC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Phorate                  | BS EN 15662:2018 (GC-MS/MS) |      | 0,01  | ND, (< 0,01)  | n/a |
| Phorate-Oxonsulfone      | BS EN 15662:2018 (LC-MS/MS) |      | 0,005 | ND, (< 0,005) | n/a |
| Phorate-Oxonsulfoxide    | BS EN 15662:2018 (LC-MS/MS) |      | 0,005 | ND, (< 0,005) | n/a |
| Phorate-sulfone          | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Phorate-sulfoxide        | BS EN 15662:2018 (LC-MS/MS) |      | 0,005 | ND, (< 0,005) | n/a |



This certificate is issued to any job or services carried out within the GENERAL TERMS AND CONDITION OF BUSINESS printed overleaf. This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations. The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.



**Commodities International  
Shipping and Survey**



Page 11/13

**CISS GROUP UKRAINE LLC**  
member of CISS GROUP Pte.Ltd. (Singapore)  
5, Odessa Blv., Ovidiopol district,  
Lymanka village, Odessa region, 65037  
inspection@ciiss-group.com

**CERTIFICATE No.: UA01454**

**ORIGINAL**

|                                       |                             |      |       |               |     |
|---------------------------------------|-----------------------------|------|-------|---------------|-----|
| Phosalone                             | BS EN 15662:2018 (GC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Phosmet                               | BS EN 15662:2018 (LC-MS/MS) |      | 0,01  | ND, (< 0,01)  | n/a |
| Phosmet oxon                          | BS EN 15662:2018 (LC-MS/MS) | 0,05 | 0,005 | ND, (< 0,005) | n/a |
| Phosphamidon                          | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Phoxim                                | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Picloram                              | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Picolinafen                           | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Picoxystrobin                         | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Pinoxaden                             | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Pirimicarb                            | BS EN 15662:2018 (LC-MS/MS) | 0,10 | 0,005 | ND, (< 0,005) | n/a |
| Pirimiphos-methyl                     | BS EN 15662:2018 (LC-MS/MS) | 0,50 | 0,005 | ND, (< 0,005) | n/a |
| Prochloraz                            | BS EN 15662:2018 (LC-MS/MS) |      | 0,005 | ND, (< 0,005) | n/a |
| Prochloraz metabolite<br>BTS44595     | BS EN 15662:2018 (LC-MS/MS) | 0,30 | 0,01  | ND, (< 0,01)  | n/a |
| Prochloraz metabolite<br>BTS44596     | BS EN 15662:2018 (LC-MS/MS) |      | 0,005 | ND, (< 0,005) | n/a |
| Procymidone                           | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Profenofos                            | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Propachlor                            | BS EN 15662:2018 (LC-MS/MS) |      | 0,005 | ND, (< 0,005) | n/a |
| Propachlor oxalamic acid              | BS EN 15662:2018 (LC-MS/MS) | 0,05 | 0,01  | ND, (< 0,01)  | n/a |
| Propamocarb                           | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Propanil                              | BS EN 15662:2018 (LC-MS/MS) | 0,05 | 0,005 | ND, (< 0,005) | n/a |
| Propargite                            | BS EN 15662:2018 (GC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Propham                               | BS EN 15662:2018 (GC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Propiconazole                         | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Propisochlor                          | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Propoxur                              | BS EN 15662:2018 (LC-MS/MS) | 0,05 | 0,005 | ND, (< 0,005) | n/a |
| Propoxycarbazone                      | BS EN 15662:2018 (LC-MS/MS) |      | 0,005 | ND, (< 0,005) | n/a |
| Propoxycarbazone-2-<br>hydroxypropoxy | BS EN 15662:2018 (LC-MS/MS) | 0,05 | 0,01  | ND, (< 0,01)  | n/a |
| Propyzamide (Pronamide)               | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Proquinazid                           | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Prosulfocarb                          | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Prosulfuron                           | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Prothioconazole-Desthio               | BS EN 15662:2018 (LC-MS/MS) | 0,20 | 0,005 | ND, (< 0,005) | n/a |
| Pymetrozine                           | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Pyraclostrobin                        | BS EN 15662:2018 (LC-MS/MS) | 0,30 | 0,005 | ND, (< 0,005) | n/a |
| Pyraflufen-Ethyl                      | BS EN 15662:2018 (GC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Pyrazophos                            | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Pyrethrins Pyrethrin I                | BS EN 15662:2018 (GC-MS/MS) |      | 0,01  | ND, (< 0,01)  | n/a |
| Pyrethrins Pyrethrin II               | BS EN 15662:2018 (GC-MS/MS) | 3,00 | 0,01  | ND, (< 0,01)  | n/a |
| Pyridaben                             | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Pyridalyl                             | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Pyridate                              | BS EN 15662:2018 (LC-MS/MS) |      | 0,01  | ND, (< 0,01)  | n/a |
| Pyridate metabolit (Pyridafol)        | BS EN 15662:2018 (LC-MS/MS) | 0,05 | 0,005 | ND, (< 0,005) | n/a |





**Commodities International  
Shipping and Survey**



Page 12/13

**CISS GROUP UKRAINE LLC**  
member of CISS GROUP Pte.Ltd. (Singapore)  
5, Odessa Blv., Ovidiopol district,  
Lymanka village, Odessa region, 65037  
inspection@ciiss-group.com

**CERTIFICATE No.: UA01454**

**ORIGINAL**

|                              |                             |      |       |               |     |
|------------------------------|-----------------------------|------|-------|---------------|-----|
| Pyrimethanil                 | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Pyriproxyfen                 | BS EN 15662:2018 (LC-MS/MS) | 0,05 | 0,005 | ND, (< 0,005) | n/a |
| Quinalphos                   | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Quinoclamine                 | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Quinoxifen                   | BS EN 15662:2018 (LC-MS/MS) | 0,05 | 0,005 | ND, (< 0,005) | n/a |
| Quintozene                   | BS EN 15662:2018 (GC-MS/MS) |      | 0,01  | ND, (< 0,01)  | n/a |
| Pentachloroaniline           | BS EN 15662:2018 (GC-MS/MS) | 0,05 | 0,01  | ND, (< 0,01)  | n/a |
| Quizalofop and Quizalofop-P  | BS EN 15662:2018 (LC-MS/MS) |      | 0,01  | ND, (< 0,01)  | n/a |
| Propaquizafop                | BS EN 15662:2018 (LC-MS/MS) | 0,80 | 0,01  | ND, (< 0,01)  | n/a |
| Resmethrin and Bioresmethrin | BS EN 15662:2018 (GC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Rimsulfuron                  | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Rotenone                     | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Saflufenacil                 | BS EN 15662:2018 (LC-MS/MS) | 1,00 | 0,01  | ND, (< 0,01)  | n/a |
| Silthiofam                   | BS EN 15662:2018 (GC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Simazine                     | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Spinetoram J                 | BS EN 15662:2018 (LC-MS/MS) |      | 0,01  | ND, (< 0,01)  | n/a |
| Spinetoram L                 | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Spinosyn A                   | BS EN 15662:2018 (LC-MS/MS) |      | 0,005 | ND, (< 0,005) | n/a |
| Spinosyn D                   | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Spirodiclofen                | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Spiromesifen                 | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Spirotetramat                | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Spiroxamine (sum)            | BS EN 15662:2018 (LC-MS/MS) | 0,05 | 0,005 | ND, (< 0,005) | n/a |
| Sulcotrione                  | BS EN 15662:2018 (LC-MS/MS) | 0,05 | 0,005 | ND, (< 0,005) | n/a |
| Sulfosulfuron                | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Sulfoxaflor                  | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Tebuconazole                 | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Tebufenozide                 | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Tebufenpyrad                 | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Tecnazene                    | BS EN 15662:2018 (GC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Teflubenzuron                | BS EN 15662:2018 (LC-MS/MS) | 0,30 | 0,01  | ND, (< 0,01)  | n/a |
| Tefluthrin                   | BS EN 15662:2018 (GC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| TEPP                         | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Tepraloxymid                 | BS EN 15662:2018 (LC-MS/MS) | 0,10 | 0,01  | ND, (< 0,01)  | n/a |
| Terbufos                     | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Terbuthylazine               | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Tetraconazole                | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Tetradifon                   | BS EN 15662:2018 (GC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Thiabendazole                | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Thiacloprid                  | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Thiamethoxam                 | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Thifensulfuron-methyl        | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Thiobencarb                  | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Thiodicarb                   | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |



This certificate is issued to any job or services carried out within the GENERAL TERMS AND CONDITION OF BUSINESS printed overleaf. This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations. The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.



**Commodities International  
Shipping and Survey**



**FOSFA  
INTERNATIONAL**

Page 13/13

**CISS GROUP UKRAINE LLC**  
member of CISS GROUP Pte.Ltd. (Singapore)  
5, Odessa Blv., Ovidiopol district,  
Lymanka village, Odessa region, 65037  
inspection@ciiss-group.com

**CERTIFICATE No.: UA01454**

**ORIGINAL**

|                                    |                             |      |       |               |     |
|------------------------------------|-----------------------------|------|-------|---------------|-----|
| Thiophanate-methyl                 | BS EN 15662:2018 (LC-MS/MS) | 0,10 | 0,01  | ND, (< 0,01)  | n/a |
| Thiram                             | BS EN 15662:2018 (LC-MS/MS) | 0,10 | 0,01  | ND, (< 0,01)  | n/a |
| Tolclofos-methyl                   | BS EN 15662:2018 (GC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Tolyfluanid                        | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Tralkoxydim                        | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Triadimefon                        | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Triadimenol                        | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Tri-allate                         | BS EN 15662:2018 (LC-MS/MS) | 0,10 | 0,005 | ND, (< 0,005) | n/a |
| Triasulfuron                       | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Triazophos                         | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Tribenuron-methyl<br>(Metometuron) | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Trichlorfon                        | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Tricyclazole                       | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Tridemorph                         | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Trifloxystrobin                    | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Triflumizole                       | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Triflumuron                        | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Trifluralin                        | BS EN 15662:2018 (GC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Triforin                           | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Triticonazole                      | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Vinclozolin                        | BS EN 15662:2018 (GC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Zoxamide                           | BS EN 15662:2018 (LC-MS/MS) | 0,05 | 0,005 | ND, (< 0,005) | n/a |

\*-No analyte at a content above the limit of Quantification was detected.

LOQ (Limit of quantification) - is the lowest amount or concentration of analyte in a sample, which can be reliably quantified with an acceptable level of precision and accuracy.

The results of these analyses are in conformity with the above-mentioned quality/condition specifications.

The results of inspection are valid for the time and place of inspection only.

**This certificate is electronically signed and stamped.**

**DATED: 13th of DECEMBER, 2022**

**For and on behalf of CISS GROUP Ukraine LLC  
Registered Superintendent and Surveyor Member of FOSFA**



This certificate is issued to any job or services carried out within the GENERAL TERMS AND CONDITION OF BUSINESS printed overleaf. This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations. The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.