



**Commodities International  
Shipping and Survey**



Page 1/13

**CISS GROUP UKRAINE LLC**  
member of CISS GROUP Pte.Ltd. (Singapore)  
5, Odessa Blv., Ovidiopol district,  
Lymanka village, Odessa region, 65037  
inspection@ciiss-group.com

**CERTIFICATE No.: UA01509**

**ORIGINAL**

## **CERTIFICATE OF ANALYSIS**

In pursuance of an order received from our principal, requesting us to carry out inspection we hereby confirm as follows:

|                       |                                                                                                                                                                                                          |
|-----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Description of goods: | UKRAINIAN ORIGIN CRUDE SUNFLOWER SEED OIL, IN BULK                                                                                                                                                       |
| Vessel:               | MT BARBAROS HAYRETTİN VARDAL                                                                                                                                                                             |
| Quantity:             | 5352,470 MT                                                                                                                                                                                              |
| B/L No. & Date:       | NO. 1 DD 28.02.2023                                                                                                                                                                                      |
| Shipper:              | LIMITED LIABILITY COMPANY "PANCRAS"<br>65089, Ukraine, Odesa, str. Akademika Williamsa, 59-E, office 22<br>ON BEHALF OF AGRO TRADE GLOBAL FZE                                                            |
| Consignee:            | TO ORDER                                                                                                                                                                                                 |
| Notify address:       | REKA BITKISEL YAGLAR SAN. VE TIC. A.S.<br>Barbaros Mah. Morsümbül Sok. No:1 Varyap Meridian Business<br>I Blok Kat:6 Ofis 81-87 Batı Ataşehir 34746<br>Phone: +90 216 687 17 00 - Fax: +90 216 687 17 10 |
| Port of loading:      | IZMAIL, UKRAINE                                                                                                                                                                                          |
| Port of discharge:    | TEKIRDAG PORT / TURKEY                                                                                                                                                                                   |
| Vessel Tanks Nos.:    | 1P, 2P, 3P, 4P, 5P, 1S, 2S, 3S, 4S, 5S                                                                                                                                                                   |

### **RESULTS OF QUALITY INSPECTION**

Representative samples of the oil have been drawn from each ship's tank 1P, 2P, 3P, 4P, 5P, 1S, 2S, 3S, 4S, 5S of MT BARBAROS HAYRETTİN VARDAL and sealed from vessel's tanks after competition of loading according to FOSFA CONTRACT No.54. One vessel's sample were submitted for analysis to FOSFA approved chemical laboratory. The following results of analysis have been obtained:

| Parameter                               | Method      | Specification                | Results            |
|-----------------------------------------|-------------|------------------------------|--------------------|
| Free fatty acid content (as oleic acid) | ISO 660     | basis 1.5 %<br>maximum 2.5%  | 0.83%              |
| Moisture                                | ISO 662     | max.0.50%                    | 0.23%              |
| Impurities                              | ISO 663     |                              |                    |
| Sediment                                | ISO 15301   | basis 1.5 %<br>maximum 2.0 % | 1.47%              |
| Flash point                             | ISO 15267   | min. 121 °c                  | No flash at 121 °c |
| Color (5 – ¼)                           |             | max 7 red                    | 4.3                |
| Phosphorus                              | ISO 10540-1 | max: 300 ppm                 | 226.7 ppm          |
| Benz(a)anthracene, µg/kg (ppb)          | ISO 15753   | max 5 PPB                    | 2.30 PPB           |

| Parameter                                                               | Method    | Result | LOQ            |
|-------------------------------------------------------------------------|-----------|--------|----------------|
| Hydrocarbon content attributed to mineral origin (C10-C56), ppm (mg/kg) | ISO 17780 | < 50*  | 50 ppm (mg/kg) |
| Mineral oil (C10-C24), ppm (mg/kg)                                      | ISO 17780 | < 50*  | 50 ppm (mg/kg) |



This certificate is issued to any job or services carried out within the GENERAL TERMS AND CONDITION OF BUSINESS printed overleaf. This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations. The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.



**Commodities International  
Shipping and Survey**



Page 2/13

**CISS GROUP UKRAINE LLC**  
member of CISS GROUP Pte.Ltd. (Singapore)  
5, Odessa Blv., Ovidiopol district,  
Lymanka village, Odessa region, 65037  
inspection@ciiss-group.com

**CERTIFICATE No.: UA01509**

**ORIGINAL**

| Name of Pesticide        | Method                      | Max allow<br>ed for<br>SFS<br>by EU<br>Reg.<br>396/2005,<br>mg/kg | LOQ,<br>mg/kg | Result,<br>mg/kg | Uncert<br>ainty (U),<br>mg/kg |
|--------------------------|-----------------------------|-------------------------------------------------------------------|---------------|------------------|-------------------------------|
| 2,4,5-T                  | BS EN 15662:2018 (LC-MS/MS) | 0,02                                                              | 0,01          | ND, (< 0,01)     | n/a                           |
| 2,4,5-T-Methylester      | BS EN 15662:2018 (GC-MS/MS) |                                                                   | 0,01          | ND, (< 0,01)     | n/a                           |
| 2,4-D                    | BS EN 15662:2018 (LC-MS/MS) |                                                                   | 0,01          | ND, (< 0,01)     | n/a                           |
| 2,4-D 2-ethylhexyl ester | BS EN 15662:2018 (GC-MS/MS) |                                                                   | 0,01          | ND, (< 0,01)     | n/a                           |
| 2,4-D Butylester         | BS EN 15662:2018 (GC-MS/MS) |                                                                   | 0,01          | ND, (< 0,01)     | n/a                           |
| 2,4-D-ethyl ester        | BS EN 15662:2018 (GC-MS/MS) | 0,05                                                              | 0,01          | ND, (< 0,01)     | n/a                           |
| 2,4-D-iso-butyl ester    | BS EN 15662:2018 (GC-MS/MS) |                                                                   | 0,01          | ND, (< 0,01)     | n/a                           |
| 2,4-D-Methylester        | BS EN 15662:2018 (GC-MS/MS) |                                                                   | 0,01          | ND, (< 0,01)     | n/a                           |
| 2,4-DB                   | BS EN 15662:2018 (LC-MS/MS) |                                                                   | 0,01          | ND, (< 0,01)     | n/a                           |
| 2,4-DB-Methylester       | BS EN 15662:2018 (GC-MS/MS) |                                                                   | 0,01          | ND, (< 0,01)     | n/a                           |
| Abamectin B1a            | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                              | 0,01          | ND, (< 0,01)     | n/a                           |
| Abamectin B1b            | BS EN 15662:2018 (LC-MS/MS) |                                                                   | 0,01          | ND, (< 0,01)     | n/a                           |
| Acephate                 | BS EN 15662:2018 (LC-MS/MS) | 0,02                                                              | 0,01          | ND, (< 0,01)     | n/a                           |
| Acetamiprid              | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                              | 0,005         | ND, (< 0,005)    | n/a                           |
| Acetochlor               | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                              | 0,01          | ND, (< 0,01)     | n/a                           |
| Acibenzolar-S-methyl     | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                              | 0,01          | ND, (< 0,01)     | n/a                           |
| Acronifen                | BS EN 15662:2018 (LC-MS/MS) | 0,02                                                              | 0,005         | ND, (< 0,005)    | n/a                           |
| Acrinathrin              | BS EN 15662:2018 (GC-MS/MS) | 0,02                                                              | 0,01          | ND, (< 0,01)     | n/a                           |
| Alachlor                 | BS EN 15662:2018 (GC-MS/MS) | 0,02                                                              | 0,01          | ND, (< 0,01)     | n/a                           |
| Aldicarb                 | BS EN 15662:2018 (LC-MS/MS) | 0,05                                                              | 0,005         | ND, (< 0,005)    | n/a                           |
| Aldicarb-Sulfone         | BS EN 15662:2018 (LC-MS/MS) |                                                                   | 0,005         | ND, (< 0,005)    | n/a                           |
| Aldicarb-Sulfoxide       | BS EN 15662:2018 (LC-MS/MS) |                                                                   | 0,005         | ND, (< 0,005)    | n/a                           |
| Aldrin                   | BS EN 15662:2018 (GC-MS/MS) | 0,02                                                              | 0,005         | ND, (< 0,005)    | n/a                           |
| Dieldrin                 | BS EN 15662:2018 (GC-MS/MS) |                                                                   | 0,01          | ND, (< 0,01)     | n/a                           |
| Ametoctradin             | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                              | 0,01          | ND, (< 0,01)     | n/a                           |
| Amidosulfuron            | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                              | 0,005         | ND, (< 0,005)    | n/a                           |
| Aminopyralid             | BS EN 15662:2018 (LC-MS/MS) | 0,05                                                              | 0,005         | ND, (< 0,005)    | n/a                           |
| Amisulbrom               | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                              | 0,01          | ND, (< 0,01)     | n/a                           |
| Amitraz                  | BS EN 15662:2018 (LC-MS/MS) | 0,05                                                              | 0,01          | ND, (< 0,01)     | n/a                           |
| Dimethylanilin, 2,4-     | BS EN 15662:2018 (LC-MS/MS) |                                                                   | 0,005         | ND, (< 0,005)    | n/a                           |
| Anthraquinone            | BS EN 15662:2018 (LC-MS/MS) | 0,02                                                              | 0,01          | ND, (< 0,01)     | n/a                           |
| Aramite                  | BS EN 15662:2018 (GC-MS/MS) | 0,01                                                              | 0,01          | ND, (< 0,01)     | n/a                           |
| Atrazine                 | BS EN 15662:2018 (LC-MS/MS) | 0,05                                                              | 0,005         | ND, (< 0,005)    | n/a                           |
| Azimsulfuron             | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                              | 0,01          | ND, (< 0,01)     | n/a                           |
| Azinphos-ethyl           | BS EN 15662:2018 (LC-MS/MS) | 0,02                                                              | 0,005         | ND, (< 0,005)    | n/a                           |



This certificate is issued to any job or services carried out within the GENERAL TERMS AND CONDITION OF BUSINESS printed overleaf. This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations. The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.



**Commodities International  
Shipping and Survey**



Page 3/13

**CISS GROUP UKRAINE LLC**  
member of CISS GROUP Pte.Ltd. (Singapore)  
5, Odessa Blv., Ovidiopol district,  
Lymanka village, Odessa region, 65037  
inspection@ciiss-group.com

**CERTIFICATE No.: UA01509**

**ORIGINAL**

|                           |                             |      |       |               |     |
|---------------------------|-----------------------------|------|-------|---------------|-----|
| Azinphos-methyl           | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Azoxystrobin              | BS EN 15662:2018 (LC-MS/MS) | 0,50 | 0,005 | ND, (< 0,005) | n/a |
| Barban                    | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Beflubutamid              | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Benalaxyl and Benalaxyl-M | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Benfluralin               | BS EN 15662:2018 (GC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Bensulfuron-Methyl        | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Bentazone                 | BS EN 15662:2018 (LC-MS/MS) | 0,03 | 0,005 | ND, (< 0,005) | n/a |
| Bentazone, 6-Hydroxy      | BS EN 15662:2018 (LC-MS/MS) |      | 0,005 | ND, (< 0,005) | n/a |
| Bentazone, 8-Hydroxy      | BS EN 15662:2018 (LC-MS/MS) |      | 0,005 | ND, (< 0,005) | n/a |
| Benthiavalicarb-Isopropyl | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Benzovindiflupyr          | BS EN 15662:2018 (GC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Bifenazate                | BS EN 15662:2018 (LC-MS/MS) | 0,05 | 0,005 | ND, (< 0,005) | n/a |
| Bifenox                   | BS EN 15662:2018 (GC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Bifenthrin                | BS EN 15662:2018 (GC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Biphenyl                  | BS EN 15662:2018 (GC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Bitertanol                | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Boscalid                  | BS EN 15662:2018 (LC-MS/MS) | 1,00 | 0,005 | ND, (< 0,005) | n/a |
| Bromophos-ethyl           | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Bromopropylate            | BS EN 15662:2018 (GC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Bromoxynil                | BS EN 15662:2018 (GC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Bromuconazole             | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Bupirimate                | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Buprofezin                | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Butralin                  | BS EN 15662:2018 (GC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Butylate                  | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Cadusafos                 | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Captafol                  | BS EN 15662:2018 (LC-MS/MS) | 0,05 | 0,01  | ND, (< 0,01)  | n/a |
| Captan                    | BS EN 15662:2018 (GC-MS/MS) | 0,07 | 0,01  | ND, (< 0,01)  | n/a |
| Tetrahydrophthalimide     | BS EN 15662:2018 (GC-MS/MS) |      | 0,01  | ND, (< 0,01)  | n/a |
| Carbaryl                  | BS EN 15662:2018 (LC-MS/MS) | 0,05 | 0,01  | ND, (< 0,01)  | n/a |
| Carbendazim               | BS EN 15662:2018 (LC-MS/MS) | 0,10 | 0,005 | ND, (< 0,005) | n/a |
| Benomyl                   | BS EN 15662:2018 (LC-MS/MS) |      | 0,01  | ND, (< 0,01)  | n/a |
| Carbetamide               | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Carbofuran                | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Carbofuran, 3-hydroxy     | BS EN 15662:2018 (LC-MS/MS) |      | 0,005 | ND, (< 0,005) | n/a |
| Carbosulfan               | BS EN 15662:2018 (LC-MS/MS) |      | 0,01  | ND, (< 0,01)  | n/a |
| Benfuracarb               | BS EN 15662:2018 (LC-MS/MS) |      | 0,01  | ND, (< 0,01)  | n/a |
| Furathiocarb              | BS EN 15662:2018 (LC-MS/MS) |      | 0,005 | ND, (< 0,005) | n/a |
| Carboxin                  | BS EN 15662:2018 (LC-MS/MS) | 0,05 | 0,005 | ND, (< 0,005) | n/a |
| Carfentrazone-ethyl       | BS EN 15662:2018 (LC-MS/MS) | 0,05 | 0,005 | ND, (< 0,005) | n/a |
| Chlorantraniliprole       | BS EN 15662:2018 (LC-MS/MS) | 2,00 | 0,01  | ND, (< 0,01)  | n/a |
| Chlorbenside              | BS EN 15662:2018 (GC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |



This certificate is issued to any job or services carried out within the GENERAL TERMS AND CONDITION OF BUSINESS printed overleaf. This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations. The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.



**Commodities International  
Shipping and Survey**



Page 4/13

**CISS GROUP UKRAINE LLC**  
member of CISS GROUP Pte.Ltd. (Singapore)  
5, Odessa Blv., Ovidiopol district,  
Lymanka village, Odessa region, 65037  
inspection@ciiss-group.com

**CERTIFICATE No.: UA01509**

**ORIGINAL**

|                                |                             |      |       |               |     |
|--------------------------------|-----------------------------|------|-------|---------------|-----|
| Chlorbufam                     | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Chlordane, cis                 | BS EN 15662:2018 (GC-MS/MS) |      | 0,01  | ND, (< 0,01)  | n/a |
| Chlordane, trans               | BS EN 15662:2018 (GC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Chlorfenapyr                   | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Chlorfenson                    | BS EN 15662:2018 (GC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Chlorfenvinphos                | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Chloridazon                    | BS EN 15662:2018 (LC-MS/MS) | 0,10 | 0,005 | ND, (< 0,005) | n/a |
| Chlormequat chloride           | CotOD-025:2018 (HPLC/MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Chlorobenzilate                | BS EN 15662:2018 (GC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Chlorothalonil                 | BS EN 15662:2018 (GC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Chlorotoluron                  | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Chloroxuron                    | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Chlorpropham                   | BS EN 15662:2018 (GC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Chlorpyrifos                   | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Chlorpyrifos-methyl            | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Chlorsulfuron                  | BS EN 15662:2018 (LC-MS/MS) | 0,05 | 0,005 | ND, (< 0,005) | n/a |
| Chlorthal-dimethyl             | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Chlorthiamid                   | BS EN 15662:2018 (GC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Chlomezinate                   | BS EN 15662:2018 (GC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Chromafenozide                 | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Cinidon Ethyl                  | BS EN 15662:2018 (LC-MS/MS) | 0,05 | 0,005 | ND, (< 0,005) | n/a |
| Clethodim                      | BS EN 15662:2018 (LC-MS/MS) |      | 0,005 | ND, (< 0,005) | n/a |
| Sethoxydim                     | BS EN 15662:2018 (LC-MS/MS) | 0,50 | 0,005 | ND, (< 0,005) | n/a |
| Clodinafop                     | BS EN 15662:2018 (LC-MS/MS) | 0,05 | 0,005 | ND, (< 0,005) | n/a |
| Clofentezine                   | BS EN 15662:2018 (LC-MS/MS) | 0,05 | 0,005 | ND, (< 0,005) | n/a |
| Clomazone                      | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Clopyralid                     | BS EN 15662:2018 (LC-MS/MS) | 0,50 | 0,01  | ND, (< 0,01)  | n/a |
| Clothianidin                   | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Cyantraniliprole               | BS EN 15662:2018 (LC-MS/MS) | 0,50 | 0,01  | ND, (< 0,01)  | n/a |
| Cyazofamid                     | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Cyclanilide                    | BS EN 15662:2018 (LC-MS/MS) | 0,05 | 0,01  | ND, (< 0,01)  | n/a |
| Cyclaniliprole                 | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Cycloxydim                     | BS EN 15662:2018 (LC-MS/MS) | 6,00 | 0,01  | ND, (< 0,01)  | n/a |
| Cyflufenamid                   | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Cyfluthrin (sum)               | BS EN 15662:2018 (GC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Cyhalofop-Butyl                | BS EN 15662:2018 (GC-MS/MS) | 0,05 | 0,01  | ND, (< 0,01)  | n/a |
| Cyhalothrin (Gamma and Lambda) | BS EN 15662:2018 (GC-MS/MS) | 0,20 | 0,01  | ND, (< 0,01)  | n/a |
| Cymoxanil                      | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Cypermethrin (sum)             | BS EN 15662:2018 (GC-MS/MS) | 0,20 | 0,01  | ND, (< 0,01)  | n/a |
| Cyproconazole                  | BS EN 15662:2018 (LC-MS/MS) | 0,05 | 0,005 | ND, (< 0,005) | n/a |
| Cyprodinil                     | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Cyromazine                     | BS EN 15662:2018 (LC-MS/MS) | 0,05 | 0,01  | ND, (< 0,01)  | n/a |



This certificate is issued to any job or services carried out within the GENERAL TERMS AND CONDITION OF BUSINESS printed overleaf. This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations. The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.



**Commodities International  
Shipping and Survey**



Page 5/13

**CISS GROUP UKRAINE LLC**  
member of CISS GROUP Pte.Ltd. (Singapore)  
5, Odessa Blv., Ovidiopol district,  
Lymanka village, Odessa region, 65037  
inspection@ciiss-group.com

**CERTIFICATE No.: UA01509**

**ORIGINAL**

|                                             |                             |      |       |               |     |
|---------------------------------------------|-----------------------------|------|-------|---------------|-----|
| Daminozide                                  | BS EN 15662:2018 (LC-MS/MS) | 0,10 | 0,01  | ND, (< 0,01)  | n/a |
| DDD, p,p-                                   | BS EN 15662:2018 (GC-MS/MS) | 0,05 | 0,01  | ND, (< 0,01)  | n/a |
| DDE, p,p-                                   | BS EN 15662:2018 (GC-MS/MS) |      | 0,01  | ND, (< 0,01)  | n/a |
| DDT, o,p-                                   | BS EN 15662:2018 (GC-MS/MS) |      | 0,01  | ND, (< 0,01)  | n/a |
| DDT, p,p-                                   | BS EN 15662:2018 (GC-MS/MS) |      | 0,01  | ND, (< 0,01)  | n/a |
| Deltamethrin (sum)                          | BS EN 15662:2018 (GC-MS/MS) | 0,05 | 0,01  | ND, (< 0,01)  | n/a |
| Desmedipham                                 | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Di-Allate                                   | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Diazinon                                    | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Dicamba                                     | BS EN 15662:2018 (LC-MS/MS) | 0,05 | 0,02  | ND, (< 0,02)  | n/a |
| Dichlobenil                                 | BS EN 15662:2018 (GC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Dichlorprop and<br>Dichlorprop- P (2,4-DP ) | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Dichlorvos                                  | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Diclofop                                    | BS EN 15662:2018 (GC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Diclofop-methyl                             | BS EN 15662:2018 (LC-MS/MS) |      | 0,005 | ND, (< 0,005) | n/a |
| Dicloran                                    | BS EN 15662:2018 (GC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Dicofol                                     | BS EN 15662:2018 (GC-MS/MS) | 0,05 | 0,01  | ND, (< 0,01)  | n/a |
| Diethofencarb                               | BS EN 15662:2018 (GC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Difenoconazole                              | BS EN 15662:2018 (LC-MS/MS) | 0,05 | 0,005 | ND, (< 0,005) | n/a |
| Diffubenzuron                               | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Diffufenican                                | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Dimethachlor                                | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Dimethenamid and<br>Dimethenamid-P          | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Dimethipin                                  | BS EN 15662:2018 (GC-MS/MS) | 1,00 | 0,01  | ND, (< 0,01)  | n/a |
| Dimethoate                                  | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Dimethomorph                                | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Dimoxystrobin                               | BS EN 15662:2018 (LC-MS/MS) | 0,30 | 0,005 | ND, (< 0,005) | n/a |
| Diniconazole                                | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Dinocap                                     | BS EN 15662:2018 (LC-MS/MS) | 0,05 | 0,01  | ND, (< 0,01)  | n/a |
| Dinoseb                                     | BS EN 15662:2018 (LC-MS/MS) | 0,05 | 0,01  | ND, (< 0,01)  | n/a |
| Binapacryl                                  | BS EN 15662:2018 (LC-MS/MS) |      | 0,005 | ND, (< 0,005) | n/a |
| Dioxathion                                  | BS EN 15662:2018 (GC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Diphenylamine                               | BS EN 15662:2018 (LC-MS/MS) | 0,05 | 0,01  | ND, (< 0,01)  | n/a |
| Diquat                                      | CotOD-025:2018 (HPLC/MS/MS) | 0,90 | 0,01  | ND, (< 0,01)  | n/a |
| Disulfoton                                  | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Disulfoton-sulfone                          | BS EN 15662:2018 (LC-MS/MS) |      | 0,005 | ND, (< 0,005) | n/a |
| Disulfoton-sulfoxide                        | BS EN 15662:2018 (LC-MS/MS) |      | 0,005 | ND, (< 0,005) | n/a |
| Diuron                                      | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Dodemorph                                   | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |



This certificate is issued to any job or services carried out within the GENERAL TERMS AND CONDITION OF BUSINESS printed overleaf. This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations. The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.



**Commodities International  
Shipping and Survey**



Page 6/13

**CISS GROUP UKRAINE LLC**  
member of CISS GROUP Pte.Ltd. (Singapore)  
5, Odessa Blv., Ovidiopol district,  
Lymanka village, Odessa region, 65037  
inspection@ciiss-group.com

**CERTIFICATE No.: UA01509**

**ORIGINAL**

|                                |                             |      |       |               |     |
|--------------------------------|-----------------------------|------|-------|---------------|-----|
| Dodine                         | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Emamectin B1a                  | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Endosulfan-alpha               | BS EN 15662:2018 (GC-MS/MS) | 0,10 | 0,01  | ND, (< 0,01)  | n/a |
| Endosulfan-beta                | BS EN 15662:2018 (GC-MS/MS) |      | 0,01  | ND, (< 0,01)  | n/a |
| Endosulfansulfate              | BS EN 15662:2018 (GC-MS/MS) |      | 0,01  | ND, (< 0,01)  | n/a |
| Endrin                         | BS EN 15662:2018 (GC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Epoxiconazole                  | BS EN 15662:2018 (LC-MS/MS) | 0,05 | 0,005 | ND, (< 0,005) | n/a |
| EPTC                           | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Ethalfuralin                   | BS EN 15662:2018 (GC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Ethephon                       | CotOD-024:2018 (HPLC/MS/MS) | 0,10 | 0,01  | ND, (< 0,01)  | n/a |
| Ethion                         | BS EN 15662:2018 (GC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Ethirimol                      | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Ethofumesate                   | BS EN 15662:2018 (LC-MS/MS) | 0,03 | 0,005 | ND, (< 0,005) | n/a |
| Ethofumesate-2-keto            | BS EN 15662:2018 (GC-MS/MS) |      | 0,01  | ND, (< 0,01)  | n/a |
| Ethoprophos                    | BS EN 15662:2018 (LC-MS/MS) |      | 0,005 | ND, (< 0,005) | n/a |
| Ethoxyquin                     | BS EN 15662:2018 (LC-MS/MS) | 0,10 | 0,01  | ND, (< 0,01)  | n/a |
| Etofenprox                     | BS EN 15662:2018 (GC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Etoazole                       | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Etridiazole                    | BS EN 15662:2018 (GC-MS/MS) | 0,05 | 0,01  | ND, (< 0,01)  | n/a |
| Famoxadone                     | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Fenamidone                     | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Fenamiphos                     | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Fenamiphos-sulfone             | BS EN 15662:2018 (LC-MS/MS) |      | 0,005 | ND, (< 0,005) | n/a |
| Fenamiphos-Sulfoxide           | BS EN 15662:2018 (LC-MS/MS) |      | 0,01  | ND, (< 0,01)  | n/a |
| Fenarimol                      | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Fenazaquin                     | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Fenbuconazole                  | BS EN 15662:2018 (LC-MS/MS) | 0,05 | 0,005 | ND, (< 0,005) | n/a |
| Fenbutatin oxide               | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Fenchlorphos                   | BS EN 15662:2018 (GC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Fenchlorphos oxon              | BS EN 15662:2018 (LC-MS/MS) |      | 0,005 | ND, (< 0,005) | n/a |
| Fenhexamid                     | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Fenitrothion                   | BS EN 15662:2018 (GC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Fenoxaprop and<br>Fenoxaprop-P | BS EN 15662:2018 (LC-MS/MS) | 0,10 | 0,01  | ND, (< 0,01)  | n/a |
| Fenoxycarb                     | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Fenpropathrin                  | BS EN 15662:2018 (GC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Fenpropidin                    | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Fenpropimorph                  | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |



This certificate is issued to any job or services carried out within the GENERAL TERMS AND CONDITION OF BUSINESS printed overleaf. This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations. The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.



**Commodities International  
Shipping and Survey**



Page 7/13

**CISS GROUP UKRAINE LLC**  
member of CISS GROUP Pte.Ltd. (Singapore)  
5, Odessa Blv., Ovidiopol district,  
Lymanka village, Odessa region, 65037  
inspection@ciiss-group.com

**CERTIFICATE No.: UA01509**

**ORIGINAL**

|                                       |                             |       |       |               |     |
|---------------------------------------|-----------------------------|-------|-------|---------------|-----|
| Fenpyroximate                         | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,01  | ND, (< 0,01)  | n/a |
| Fenthion                              | BS EN 15662:2018 (LC-MS/MS) | 0,02  | 0,005 | ND, (< 0,005) | n/a |
| Fenthion-Oxonsulfone                  | BS EN 15662:2018 (LC-MS/MS) |       | 0,005 | ND, (< 0,005) | n/a |
| Fenthion-Oxonsulfoxide                | BS EN 15662:2018 (LC-MS/MS) |       | 0,005 | ND, (< 0,005) | n/a |
| Fenthion-Sulfone                      | BS EN 15662:2018 (LC-MS/MS) |       | 0,01  | ND, (< 0,01)  | n/a |
| Fenthion-Sulfoxide                    | BS EN 15662:2018 (GC-MS/MS) |       | 0,01  | ND, (< 0,01)  | n/a |
| Fentin                                | BS EN 15662:2018 (LC-MS/MS) | 0,05  | 0,01  | ND, (< 0,01)  | n/a |
| Fenvalerate/Esfenvalerate (RR/SS)     | BS EN 15662:2018 (GC-MS/MS) | 0,05  | 0,01  | ND, (< 0,01)  | n/a |
| Fenvalerate/Esfenvalerate (RS/SR)     | BS EN 15662:2018 (GC-MS/MS) |       | 0,01  | ND, (< 0,01)  | n/a |
| Fipronil                              | BS EN 15662:2018 (GC-MS/MS) | 0,005 | 0,002 | ND, (< 0,002) | n/a |
| Fipronil-Sulfone                      | BS EN 15662:2018 (GC-MS/MS) |       | 0,002 | ND, (< 0,002) | n/a |
| Flazasulfuron                         | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,005 | ND, (< 0,005) | n/a |
| Flonicamid                            | BS EN 15662:2018 (LC-MS/MS) | 0,06  | 0,005 | ND, (< 0,005) | n/a |
| Flonicamid metabolite TFNA            | BS EN 15662:2018 (LC-MS/MS) |       | 0,005 | ND, (< 0,005) | n/a |
| Flonicamid-metabolite TFNG            | BS EN 15662:2018 (LC-MS/MS) |       | 0,01  | ND, (< 0,01)  | n/a |
| Florasulam                            | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,005 | ND, (< 0,005) | n/a |
| Fluazifop and Fluazifop-P             | BS EN 15662:2018 (LC-MS/MS) | 0,10  | 0,005 | ND, (< 0,005) | n/a |
| Fluazifop-butyl and Fluazifop-P-butyl | BS EN 15662:2018 (LC-MS/MS) |       | 0,005 | ND, (< 0,005) | n/a |
| Fluazinam                             | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,01  | ND, (< 0,01)  | n/a |
| Flubendiamide                         | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,01  | ND, (< 0,01)  | n/a |
| Flucyclohexuron                       | BS EN 15662:2018 (LC-MS/MS) | 0,02  | 0,005 | ND, (< 0,005) | n/a |
| Flucythrinate                         | BS EN 15662:2018 (GC-MS/MS) | 0,02  | 0,01  | ND, (< 0,01)  | n/a |
| Fludioxonil                           | BS EN 15662:2018 (GC-MS/MS) | 0,01  | 0,01  | ND, (< 0,01)  | n/a |
| Flufenacet                            | BS EN 15662:2018 (LC-MS/MS) | 0,05  | 0,005 | ND, (< 0,005) | n/a |
| Flufenoxuron                          | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,005 | ND, (< 0,005) | n/a |
| Flumetralin                           | BS EN 15662:2018 (GC-MS/MS) | 0,01  | 0,01  | ND, (< 0,01)  | n/a |
| Flumioxazin                           | BS EN 15662:2018 (LC-MS/MS) | 0,05  | 0,005 | ND, (< 0,005) | n/a |
| Fluometuron                           | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,005 | ND, (< 0,005) | n/a |
| Fluopicolide                          | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,005 | ND, (< 0,005) | n/a |
| Fluopyram                             | BS EN 15662:2018 (LC-MS/MS) | 0,70  | 0,01  | ND, (< 0,01)  | n/a |
| Flupyradifurone                       | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,01  | ND, (< 0,01)  | n/a |
| Fluquinconazole                       | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,005 | ND, (< 0,005) | n/a |
| Flurochloridone                       | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,005 | ND, (< 0,005) | n/a |
| Fluroxypyr                            | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,01  | ND, (< 0,01)  | n/a |
| Flurprimidol                          | BS EN 15662:2018 (LC-MS/MS) | 0,02  | 0,005 | ND, (< 0,005) | n/a |
| Flurtamone                            | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,005 | ND, (< 0,005) | n/a |
| Flusilazole                           | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,005 | ND, (< 0,005) | n/a |



This certificate is issued to any job or services carried out within the GENERAL TERMS AND CONDITION OF BUSINESS printed overleaf. This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations. The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.



**Commodities International  
Shipping and Survey**



Page 8/13

**CISS GROUP UKRAINE LLC**  
member of CISS GROUP Pte.Ltd. (Singapore)  
5, Odessa Blv., Ovidiopol district,  
Lymanka village, Odessa region, 65037  
inspection@ciiss-group.com

**CERTIFICATE No.: UA01509**

**ORIGINAL**

|                                      |                             |       |       |               |     |
|--------------------------------------|-----------------------------|-------|-------|---------------|-----|
| Flutianil                            | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,01  | ND, (< 0,01)  | n/a |
| Flutolanil                           | BS EN 15662:2018 (GC-MS/MS) | 0,01  | 0,01  | ND, (< 0,01)  | n/a |
| Flutriafol                           | BS EN 15662:2018 (LC-MS/MS) | 0,02  | 0,005 | ND, (< 0,005) | n/a |
| Fluvalinate, tau-                    | BS EN 15662:2018 (GC-MS/MS) | 0,10  | 0,01  | ND, (< 0,01)  | n/a |
| Fluxapyroxad                         | BS EN 15662:2018 (LC-MS/MS) | 0,90  | 0,01  | ND, (< 0,01)  | n/a |
| Folpet                               | BS EN 15662:2018 (LC-MS/MS) |       | 0,01  | ND, (< 0,01)  | n/a |
| Phtalimide                           | BS EN 15662:2018 (GC-MS/MS) | 0,07  | 0,01  | ND, (< 0,01)  | n/a |
| Fomesafen                            | BS EN 15662:2018 (LC-MS/MS) | 0,02  | 0,01  | ND, (< 0,01)  | n/a |
| Foramsulfuron                        | BS EN 15662:2018 (LC-MS/MS) | 0,02  | 0,01  | ND, (< 0,01)  | n/a |
| Forchlorfenuron                      | BS EN 15662:2018 (LC-MS/MS) | 0,02  | 0,01  | ND, (< 0,01)  | n/a |
| Formetanate                          | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,005 | ND, (< 0,005) | n/a |
| Formothion                           | BS EN 15662:2018 (LC-MS/MS) | 0,02  | 0,01  | ND, (< 0,01)  | n/a |
| Fosthiazate                          | BS EN 15662:2018 (LC-MS/MS) | 0,05  | 0,005 | ND, (< 0,005) | n/a |
| Fuberidazole                         | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,005 | ND, (< 0,005) | n/a |
| Glufosinate, N-acetyl                | CotOD-024:2018 (HPLC/MS/MS) |       | 0,01  | ND, (< 0,01)  | n/a |
| Glufosinate-ammonium                 | CotOD-024:2018 (HPLC/MS/MS) |       | 0,01  | ND, (< 0,01)  | n/a |
| 3-(Methylphosphinico)propionic (MPP) | CotOD-024:2018 (HPLC/MS/MS) | 0,03  | 0,01  | ND, (< 0,01)  | n/a |
| Glyphosate                           | CotOD-024:2018 (HPLC/MS/MS) | 20,00 | 0,01  | ND, (< 0,01)  | n/a |
| Halosulfuron-Methyl                  | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,01  | ND, (< 0,01)  | n/a |
| Haloxypop                            | BS EN 15662:2018 (LC-MS/MS) |       | 0,005 | ND, (< 0,005) | n/a |
| Haloxypop-2-ethoxyethyl              | BS EN 15662:2018 (LC-MS/MS) | 0,40  | 0,005 | ND, (< 0,005) | n/a |
| HCH-alpha                            | BS EN 15662:2018 (GC-MS/MS) | 0,01  | 0,01  | ND, (< 0,01)  | n/a |
| HCH-beta                             | BS EN 15662:2018 (GC-MS/MS) | 0,01  | 0,01  | ND, (< 0,01)  | n/a |
| HCH-gamma (Lindane)                  | BS EN 15662:2018 (GC-MS/MS) | 0,01  | 0,01  | ND, (< 0,01)  | n/a |
| Heptachlor                           | BS EN 15662:2018 (GC-MS/MS) |       | 0,01  | ND, (< 0,01)  | n/a |
| Heptachlorepoxid, cis                | BS EN 15662:2018 (GC-MS/MS) | 0,01  | 0,01  | ND, (< 0,01)  | n/a |
| Heptachlorepoxid, trans              | BS EN 15662:2018 (GC-MS/MS) |       | 0,01  | ND, (< 0,01)  | n/a |
| Hexachlorobenzene (HCB)              | BS EN 15662:2018 (GC-MS/MS) | 0,02  | 0,01  | ND, (< 0,01)  | n/a |
| Hexaconazole                         | BS EN 15662:2018 (LC-MS/MS) | 0,02  | 0,005 | ND, (< 0,005) | n/a |
| Hexythiazox                          | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,005 | ND, (< 0,005) | n/a |
| Imazalil                             | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,005 | ND, (< 0,005) | n/a |
| Imazamox                             | BS EN 15662:2018 (LC-MS/MS) | 0,30  | 0,005 | ND, (< 0,005) | n/a |
| Imazapic                             | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,01  | ND, (< 0,01)  | n/a |
| Imazapyr                             | BS EN 15662:2018 (LC-MS/MS) | 0,08  | 0,01  | ND, (< 0,01)  | n/a |
| Imazaquin                            | BS EN 15662:2018 (LC-MS/MS) | 0,05  | 0,01  | ND, (< 0,01)  | n/a |
| Imazosulfuron                        | BS EN 15662:2018 (LC-MS/MS) | 0,02  | 0,01  | ND, (< 0,01)  | n/a |
| Imidacloprid                         | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,005 | ND, (< 0,005) | n/a |
| Indoxacarb                           | BS EN 15662:2018 (LC-MS/MS) | 0,02  | 0,005 | ND, (< 0,005) | n/a |
| Iodosulfuron-methyl                  | BS EN 15662:2018 (LC-MS/MS) | 0,02  | 0,005 | ND, (< 0,005) | n/a |
| Ioxynil                              | BS EN 15662:2018 (GC-MS/MS) | 0,01  | 0,01  | ND, (< 0,01)  | n/a |



This certificate is issued to any job or services carried out within the GENERAL TERMS AND CONDITION OF BUSINESS printed overleaf. This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations. The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.



**Commodities International  
Shipping and Survey**



Page 9/13

**CISS GROUP UKRAINE LLC**  
member of CISS GROUP Pte.Ltd. (Singapore)  
5, Odessa Blv., Ovidiopol district,  
Lymanka village, Odessa region, 65037  
inspection@ciiss-group.com

**CERTIFICATE No.: UA01509**

**ORIGINAL**

|                           |                             |       |       |               |     |
|---------------------------|-----------------------------|-------|-------|---------------|-----|
| Ipconazole                | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,01  | ND, (< 0,01)  | n/a |
| Iprodione                 | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,005 | ND, (< 0,005) | n/a |
| Iprovalicarb              | BS EN 15662:2018 (LC-MS/MS) | 0,02  | 0,005 | ND, (< 0,005) | n/a |
| Isoprothiolane            | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,005 | ND, (< 0,005) | n/a |
| Isoproturon               | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,005 | ND, (< 0,005) | n/a |
| Isopyrazam                | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,01  | ND, (< 0,01)  | n/a |
| Isoxaben                  | BS EN 15662:2018 (LC-MS/MS) | 0,02  | 0,005 | ND, (< 0,005) | n/a |
| Isoxaflutole              | BS EN 15662:2018 (LC-MS/MS) | 0,02  | 0,01  | ND, (< 0,01)  | n/a |
| Kresoxim-methyl           | BS EN 15662:2018 (GC-MS/MS) | 0,05  | 0,01  | ND, (< 0,01)  | n/a |
| Lactofen                  | BS EN 15662:2018 (LC-MS/MS) | 0,02  | 0,005 | ND, (< 0,005) | n/a |
| Lenacil                   | BS EN 15662:2018 (LC-MS/MS) | 0,10  | 0,005 | ND, (< 0,005) | n/a |
| Linuron                   | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,005 | ND, (< 0,005) | n/a |
| Lufenuron                 | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,005 | ND, (< 0,005) | n/a |
| Malaoxon                  | BS EN 15662:2018 (GC-MS/MS) |       | 0,01  | ND, (< 0,01)  | n/a |
| Malathion                 | BS EN 15662:2018 (GC-MS/MS) | 0,02  | 0,01  | ND, (< 0,01)  | n/a |
| Mandestrobin              | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,01  | ND, (< 0,01)  | n/a |
| Mandipropamid             | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,01  | ND, (< 0,01)  | n/a |
| MCPA                      | BS EN 15662:2018 (GC-MS/MS) |       | 0,01  | ND, (< 0,01)  | n/a |
| MCPA, 1-butyl ester       | BS EN 15662:2018 (GC-MS/MS) | 0,10  | 0,01  | ND, (< 0,01)  | n/a |
| MCPA, 2-Ethylhexyl-       | BS EN 15662:2018 (GC-MS/MS) |       | 0,01  | ND, (< 0,01)  | n/a |
| MCPA, Butylolyl-          | BS EN 15662:2018 (GC-MS/MS) |       | 0,01  | ND, (< 0,01)  | n/a |
| MCPA, ethyl ester         | BS EN 15662:2018 (GC-MS/MS) |       | 0,01  | ND, (< 0,01)  | n/a |
| MCPA, methyl ester        | BS EN 15662:2018 (GC-MS/MS) |       | 0,01  | ND, (< 0,01)  | n/a |
| MCPA, thioethyl-          | BS EN 15662:2018 (GC-MS/MS) |       | 0,01  | ND, (< 0,01)  | n/a |
| Mecarbam                  | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,005 | ND, (< 0,005) | n/a |
| Mepanipyrim               | BS EN 15662:2018 (LC-MS/MS) | 0,02  | 0,005 | ND, (< 0,005) | n/a |
| Mepiquat                  | CotOD-025:2018 (HPLC/MS/MS) | 40,00 | 0,01  | ND, (< 0,01)  | n/a |
| Mepronil                  | BS EN 15662:2018 (LC-MS/MS) | 0,02  | 0,005 | ND, (< 0,005) | n/a |
| Mesosulfuron-methyl       | BS EN 15662:2018 (LC-MS/MS) | 0,02  | 0,01  | ND, (< 0,01)  | n/a |
| Mesotrione                | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,01  | ND, (< 0,01)  | n/a |
| Metaflumizone             | BS EN 15662:2018 (LC-MS/MS) | 0,02  | 0,01  | ND, (< 0,01)  | n/a |
| Metalaxyl and Metalaxyl-M | BS EN 15662:2018 (LC-MS/MS) | 0,02  | 0,005 | ND, (< 0,005) | n/a |
| Metamitron                | BS EN 15662:2018 (LC-MS/MS) | 0,01  | 0,005 | ND, (< 0,005) | n/a |
| Metazachlor               | BS EN 15662:2018 (LC-MS/MS) | 0,06  | 0,005 | ND, (< 0,005) | n/a |
| Metconazole               | BS EN 15662:2018 (LC-MS/MS) | 0,70  | 0,005 | ND, (< 0,005) | n/a |
| Methabenzthiazuron        | BS EN 15662:2018 (LC-MS/MS) | 0,02  | 0,005 | ND, (< 0,005) | n/a |
| Methacrifos               | BS EN 15662:2018 (LC-MS/MS) | 0,02  | 0,005 | ND, (< 0,005) | n/a |
| Methamidophos             | BS EN 15662:2018 (LC-MS/MS) | 0,02  | 0,01  | ND, (< 0,01)  | n/a |
| Methidathion              | BS EN 15662:2018 (LC-MS/MS) | 0,05  | 0,005 | ND, (< 0,005) | n/a |
| Methiocarb                | BS EN 15662:2018 (LC-MS/MS) |       | 0,005 | ND, (< 0,005) | n/a |
| Methiocarb-sulfone        | BS EN 15662:2018 (LC-MS/MS) |       | 0,005 | ND, (< 0,005) | n/a |
| Methiocarb-sulfoxide      | BS EN 15662:2018 (LC-MS/MS) | 0,03  | 0,005 | ND, (< 0,005) | n/a |



This certificate is issued to any job or services carried out within the GENERAL TERMS AND CONDITION OF BUSINESS printed overleaf. This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations. The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.



**Commodities International  
Shipping and Survey**



Page

10/13

**CISS GROUP UKRAINE LLC**  
member of CISS GROUP Pte.Ltd. (Singapore)  
5, Odessa Blv., Ovidiopol district,  
Lymanka village, Odessa region, 65037  
inspection@ciiss-group.com

**CERTIFICATE No.: UA01509**

**ORIGINAL**

|                          |                             |      |       |               |     |
|--------------------------|-----------------------------|------|-------|---------------|-----|
| Methomyl                 | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Methoprene               | BS EN 15662:2018 (GC-MS/MS) | 0,05 | 0,01  | ND, (< 0,01)  | n/a |
| Methoxychlor             | BS EN 15662:2018 (GC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Methoxyfenozide          | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Metolachlor              | BS EN 15662:2018 (LC-MS/MS) | 0,05 | 0,005 | ND, (< 0,005) | n/a |
| Metosulam                | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Metrafenone              | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Metribuzin               | BS EN 15662:2018 (LC-MS/MS) | 0,10 | 0,005 | ND, (< 0,005) | n/a |
| Metsulfuron-methyl       | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Mevinphos                | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Milbemectin-A3           | BS EN 15662:2018 (LC-MS/MS) |      | 0,01  | ND, (< 0,01)  | n/a |
| Milbemectin-A4           | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Molinate                 | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Monocrotophos            | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Monolinuron              | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Monuron                  | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Myclobutanil             | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Napropamide              | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Nicosulfuron             | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Nitrofen                 | BS EN 15662:2018 (GC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Novaluron                | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Omethoate                | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Oryzalin                 | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Oxadiargyl               | BS EN 15662:2018 (GC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Oxadiazon                | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Oxadixyl                 | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Oxamyl                   | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Oxasulfuron              | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Oxycarboxin              | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Oxydemeton-methyl        | BS EN 15662:2018 (LC-MS/MS) |      | 0,005 | ND, (< 0,005) | n/a |
| Demeton-S-Methyl-sulfone | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Oxyfluorfen              | BS EN 15662:2018 (LC-MS/MS) | 0,05 | 0,01  | ND, (< 0,01)  | n/a |
| Paclobutrazol            | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Paraquat                 | CotOD-025:2018 (HPLC/MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Parathion                | BS EN 15662:2018 (GC-MS/MS) | 0,05 | 0,01  | ND, (< 0,01)  | n/a |
| Parathion-methyl         | BS EN 15662:2018 (GC-MS/MS) |      | 0,01  | ND, (< 0,01)  | n/a |
| Paraoxon-methyl          | BS EN 15662:2018 (GC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Penconazole              | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Pencycuron               | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Pendimethalin            | BS EN 15662:2018 (LC-MS/MS) | 0,05 | 0,005 | ND, (< 0,005) | n/a |
| Penthiopyrad             | BS EN 15662:2018 (LC-MS/MS) | 1,50 | 0,01  | ND, (< 0,01)  | n/a |
| Pethoxamid               | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Penoxsulam               | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |



This certificate is issued to any job or services carried out within the GENERAL TERMS AND CONDITION OF BUSINESS printed overleaf. This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations. The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.



**Commodities International  
Shipping and Survey**



Page

11/13

**CISS GROUP UKRAINE LLC**  
member of CISS GROUP Pte.Ltd. (Singapore)  
5, Odessa Blv., Ovidiopol district,  
Lymanka village, Odessa region, 65037  
inspection@ciiss-group.com

**CERTIFICATE No.: UA01509**

**ORIGINAL**

|                                       |                             |      |       |               |     |
|---------------------------------------|-----------------------------|------|-------|---------------|-----|
| Permethrin (sum)                      | BS EN 15662:2018 (GC-MS/MS) | 0,05 | 0,02  | ND, (< 0,02)  | n/a |
| Phenmedipham                          | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Phenothrin                            | BS EN 15662:2018 (GC-MS/MS) | 0,05 | 0,01  | ND, (< 0,01)  | n/a |
| Phenylphenol, 2-                      | BS EN 15662:2018 (GC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Phorate                               | BS EN 15662:2018 (GC-MS/MS) |      | 0,01  | ND, (< 0,01)  | n/a |
| Phorate-Oxonsulfone                   | BS EN 15662:2018 (LC-MS/MS) |      | 0,005 | ND, (< 0,005) | n/a |
| Phorate-Oxonsulfoxide                 | BS EN 15662:2018 (LC-MS/MS) |      | 0,005 | ND, (< 0,005) | n/a |
| Phorate-sulfone                       | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Phorate-sulfoxide                     | BS EN 15662:2018 (LC-MS/MS) |      | 0,005 | ND, (< 0,005) | n/a |
| Phosalone                             | BS EN 15662:2018 (GC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Phosmet                               | BS EN 15662:2018 (LC-MS/MS) |      | 0,01  | ND, (< 0,01)  | n/a |
| Phosmet oxon                          | BS EN 15662:2018 (LC-MS/MS) | 0,05 | 0,005 | ND, (< 0,005) | n/a |
| Phosphamidon                          | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Phoxim                                | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Picloram                              | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Picolinafen                           | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Picoxystrobin                         | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Pinoxaden                             | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Pirimicarb                            | BS EN 15662:2018 (LC-MS/MS) | 0,10 | 0,005 | ND, (< 0,005) | n/a |
| Pirimiphos-methyl                     | BS EN 15662:2018 (LC-MS/MS) | 0,50 | 0,005 | ND, (< 0,005) | n/a |
| Prochloraz                            | BS EN 15662:2018 (LC-MS/MS) |      | 0,005 | ND, (< 0,005) | n/a |
| Prochloraz metabolite<br>BTS44595     | BS EN 15662:2018 (LC-MS/MS) |      | 0,01  | ND, (< 0,01)  | n/a |
| Prochloraz metabolite<br>BTS44596     | BS EN 15662:2018 (LC-MS/MS) | 0,30 | 0,005 | ND, (< 0,005) | n/a |
| Procymidone                           | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Profenofos                            | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Propachlor                            | BS EN 15662:2018 (LC-MS/MS) | 0,05 | 0,005 | ND, (< 0,005) | n/a |
| Propachlor oxalamic acid              | BS EN 15662:2018 (LC-MS/MS) |      | 0,01  | ND, (< 0,01)  | n/a |
| Propamocarb                           | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Propanil                              | BS EN 15662:2018 (LC-MS/MS) | 0,05 | 0,005 | ND, (< 0,005) | n/a |
| Propargite                            | BS EN 15662:2018 (GC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Propham                               | BS EN 15662:2018 (GC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Propiconazole                         | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Propisochlor                          | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Propoxur                              | BS EN 15662:2018 (LC-MS/MS) | 0,05 | 0,005 | ND, (< 0,005) | n/a |
| Propoxycarbazone                      | BS EN 15662:2018 (LC-MS/MS) |      | 0,005 | ND, (< 0,005) | n/a |
| Propoxycarbazone-2-<br>hydroxypropoxy | BS EN 15662:2018 (LC-MS/MS) | 0,05 | 0,01  | ND, (< 0,01)  | n/a |
| Propyzamide (Pronamide)               | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Proquinazid                           | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Prosulfocarb                          | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Prosulfuron                           | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |



This certificate is issued to any job or services carried out within the GENERAL TERMS AND CONDITION OF BUSINESS printed overleaf. This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations. The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.



**Commodities International  
Shipping and Survey**



Page

12/13

**CISS GROUP UKRAINE LLC**  
member of CISS GROUP Pte.Ltd. (Singapore)  
5, Odessa Blv., Ovidiopol district,  
Lymanka village, Odessa region, 65037  
inspection@ciiss-group.com

**CERTIFICATE No.: UA01509**

**ORIGINAL**

|                                   |                             |      |       |               |     |
|-----------------------------------|-----------------------------|------|-------|---------------|-----|
| Prothioconazole-Desthio           | BS EN 15662:2018 (LC-MS/MS) | 0,20 | 0,005 | ND, (< 0,005) | n/a |
| Pymetrozine                       | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Pyraclostrobin                    | BS EN 15662:2018 (LC-MS/MS) | 0,30 | 0,005 | ND, (< 0,005) | n/a |
| Pyraflufen-Ethyl                  | BS EN 15662:2018 (GC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Pyrazophos                        | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Pyrethrins Pyrethrin I            | BS EN 15662:2018 (GC-MS/MS) |      | 0,01  | ND, (< 0,01)  | n/a |
| Pyrethrins Pyrethrin II           | BS EN 15662:2018 (GC-MS/MS) | 3,00 | 0,01  | ND, (< 0,01)  | n/a |
| Pyridaben                         | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Pyridalyl                         | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Pyridate                          | BS EN 15662:2018 (LC-MS/MS) |      | 0,01  | ND, (< 0,01)  | n/a |
| Pyridate metabolit<br>(Pyridafol) | BS EN 15662:2018 (LC-MS/MS) | 0,05 | 0,005 | ND, (< 0,005) | n/a |
| Pyrimethanil                      | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Pyriproxyfen                      | BS EN 15662:2018 (LC-MS/MS) | 0,05 | 0,005 | ND, (< 0,005) | n/a |
| Quinalphos                        | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Quinoclamine                      | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Quinoxifen                        | BS EN 15662:2018 (LC-MS/MS) | 0,05 | 0,005 | ND, (< 0,005) | n/a |
| Quintozene                        | BS EN 15662:2018 (GC-MS/MS) |      | 0,01  | ND, (< 0,01)  | n/a |
| Pentachloroaniline                | BS EN 15662:2018 (GC-MS/MS) | 0,05 | 0,01  | ND, (< 0,01)  | n/a |
| Quizalofop and Quizalofop-<br>P   | BS EN 15662:2018 (LC-MS/MS) |      | 0,01  | ND, (< 0,01)  | n/a |
| Propaquizafop                     | BS EN 15662:2018 (LC-MS/MS) | 0,80 | 0,01  | ND, (< 0,01)  | n/a |
| Resmethrin and<br>Bioresmethrin   | BS EN 15662:2018 (GC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Rimsulfuron                       | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Rotenone                          | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Saflufenacil                      | BS EN 15662:2018 (LC-MS/MS) | 1,00 | 0,01  | ND, (< 0,01)  | n/a |
| Silthiofam                        | BS EN 15662:2018 (GC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Simazine                          | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Spinetoram J                      | BS EN 15662:2018 (LC-MS/MS) |      | 0,01  | ND, (< 0,01)  | n/a |
| Spinetoram L                      | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Spinosyn A                        | BS EN 15662:2018 (LC-MS/MS) |      | 0,005 | ND, (< 0,005) | n/a |
| Spinosyn D                        | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Spirodiclofen                     | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Spiromesifen                      | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Spirotetramat                     | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Spiroxamine (sum)                 | BS EN 15662:2018 (LC-MS/MS) | 0,05 | 0,005 | ND, (< 0,005) | n/a |
| Sulcotrione                       | BS EN 15662:2018 (LC-MS/MS) | 0,05 | 0,005 | ND, (< 0,005) | n/a |
| Sulfosulfuron                     | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Sulfoxaflor                       | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Tebuconazole                      | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Tebufozozide                      | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |



This certificate is issued to any job or services carried out within the GENERAL TERMS AND CONDITION OF BUSINESS printed overleaf. This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations. The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.



**Commodities International  
Shipping and Survey**



Page

13/13

**CISS GROUP UKRAINE LLC**  
member of CISS GROUP Pte.Ltd. (Singapore)  
5, Odessa Blv., Ovidiopol district,  
Lymanka village, Odessa region, 65037  
inspection@ciiss-group.com

**CERTIFICATE No.: UA01509**

**ORIGINAL**

|                                    |                             |      |       |               |     |
|------------------------------------|-----------------------------|------|-------|---------------|-----|
| Tebufenpyrad                       | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Tecnazene                          | BS EN 15662:2018 (GC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Teflubenzuron                      | BS EN 15662:2018 (LC-MS/MS) | 0,30 | 0,01  | ND, (< 0,01)  | n/a |
| Tefluthrin                         | BS EN 15662:2018 (GC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| TEPP                               | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Tepraloxymid                       | BS EN 15662:2018 (LC-MS/MS) | 0,10 | 0,01  | ND, (< 0,01)  | n/a |
| Terbufos                           | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Terbuthylazine                     | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Tetraconazole                      | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Tetradifon                         | BS EN 15662:2018 (GC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Tetramethrin                       | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Thiabendazole                      | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Thiacloprid                        | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Thiamethoxam                       | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Thifensulfuron-methyl              | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Thiobencarb                        | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Thiodicarb                         | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Thiophanate-methyl                 | BS EN 15662:2018 (LC-MS/MS) | 0,10 | 0,01  | ND, (< 0,01)  | n/a |
| Thiram                             | BS EN 15662:2018 (LC-MS/MS) | 0,10 | 0,01  | ND, (< 0,01)  | n/a |
| Tolclofos-methyl                   | BS EN 15662:2018 (GC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Tolylfluanid                       | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Tralkoxydim                        | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Triadimefon                        | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Triadimenol                        | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Tri-allate                         | BS EN 15662:2018 (LC-MS/MS) | 0,10 | 0,005 | ND, (< 0,005) | n/a |
| Triasulfuron                       | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Triazophos                         | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Tribenuron-methyl<br>(Metometuron) | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Trichlorfon                        | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Tricyclazole                       | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Tridemorph                         | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Trifloxystrobin                    | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Triflumizole                       | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Triflumuron                        | BS EN 15662:2018 (LC-MS/MS) | 0,01 | 0,005 | ND, (< 0,005) | n/a |
| Trifluralin                        | BS EN 15662:2018 (GC-MS/MS) | 0,01 | 0,01  | ND, (< 0,01)  | n/a |
| Triforin                           | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Triticonazole                      | BS EN 15662:2018 (LC-MS/MS) | 0,02 | 0,005 | ND, (< 0,005) | n/a |
| Vinclozolin                        | BS EN 15662:2018 (GC-MS/MS) | 0,02 | 0,01  | ND, (< 0,01)  | n/a |
| Zoxamide                           | BS EN 15662:2018 (LC-MS/MS) | 0,05 | 0,005 | ND, (< 0,005) | n/a |

\* No analyte at a content above the limit of Quantification was detected.

LOQ (Limit of quantification) - is the lowest amount or concentration of analyte in a sample, which can be reliably quantified with an acceptable level of precision and accuracy.

**This certificate is electronically signed and stamped.**

**DATED: 2nd of MARCH, 2023**

**For and on behalf of CISS GROUP Ukraine LLC  
Registered Superintendent and Surveyor Member of FOSFA**



*[Handwritten signature]*

