



**Commodities International
Shipping and Survey**



Page 1/3

CISS GROUP UKRAINE LLC
member of **CISS GROUP Pte.Ltd. (Singapore)**
5, Odessa Blv., Ovidiopol district,
Lymanka village, Odessa region, 65037
inspection@ciiss-group.com

CERTIFICATE No.: UA01725

ORIGINAL

ORIGINAL ANALYSIS CERTIFICATE

In pursuance of an order received from our principal, requesting us to carry out inspection we hereby confirm as follows:

Description of goods:	UKRAINIAN SUNMEAL PELLETS, IN BULK
Vessel:	M/V DIMAIZO
Quantity:	3231,270 MT
BL No. & Date:	NO. 1 DD 17.07.2024
Shipper:	"ODESKA TORGOVA KOMPANIA" LLC UKRAINE, ODESA REGION, ODESA, CHURCH STR.,19 ON BEHALF OF GREEN CAPITAL FZE
Consignee:	TO ORDER
Notify Address:	SOPAZ LTD 11, 28th OCTOBER STREET DALI, INDUSTRIAL AREA 2540 DALI, NICOSIA CYPRUS
Port of loading:	IZMAIL, UKRAINE
Port of discharge:	LARNACA, CYPRUS
Vessel Holds Nos.:	1AND 2

SAMPLING AND QUALITY ANALYSIS RESULTS:

The sampling was performed according to the GAFTA 124 rules at the time of loading. A composite sample of the total consignment jointly sealed by Messrs Baltic Control (seal no. 1322902) and Messrs CISS Group. (seal no. D94944929) was proportionally mixed and submitted for analysis in GAFTA accredited reputable and independent laboratories. The following results were obtained:

Parameter	Method	Result	LOQ
Aflatoxin B1	ISO 16050 (HPLC method)	< 1*	1 ppb
Total aflatoxins (B1, B2, G1, G2)	ISO 16050 (HPLC method)	< 1*	1 ppb
Ochratoxin A, ppb	ISO 15141	< 1*	1 ppb
Zearalenone, ppb (µg/kg)	ISO 17372	< 50*	50 ppb
Deoxynivalenol (vomitoxin DON), ppb (µg/kg)	AGM-12	< 50*	50 ppb
HT-2 toxin, ppb	AGM-13	< 50*	50 ppb
T-2 toxin, ppb	AGM-13	< 50*	50 ppb
Fumonisin B1, ppb	AGM-14	< 100*	100 ppb
Fumonisin B2, ppb	AGM-14	< 100*	





**Commodities International
Shipping and Survey**



Page 2/3

CISS GROUP UKRAINE LLC
member of **CISS GROUP Pte.Ltd. (Singapore)**
5, Odessa Blv., Ovidiopol district,
Lymanka village, Odessa region, 65037
inspection@ciiss-group.com

CERTIFICATE No.: UA01725

ORIGINAL

Parameter	Method	Result	LOQ
Arsenic (As), ppm	AGM-17 (ICP-OES)	< 0.05*	0.05 ppm
Cadmium (Cd), ppm	AGM-17 (ICP-OES)	0.490	0.01 ppm
Mercury (Hg), ppm	AGM-17 (ICP-OES)	< 0.01*	0.01 ppm
Lead (Pb), ppm	AGM-17 (ICP-OES)	< 0.05*	0.05 ppm

Test Description	Method**	Units***	Results
Sum of dioxins (WHO-PCDD/Fs-TEQ)	EN 16215:2020	pg/g	<0,75
Sum of dioxins and dioxin-like PCBs (WHO-PCDD/Fs-PCB-TEQ)	EN 16215:2020	pg/g	<1,25
Sum of PCBs non-dioxin-like	EN 16215:2020	ng/g	<10
2,3,7,8-TCDD	EN 16215:2020	pg/g	<0,02
1,2,3,7,8-PeCDD	EN 16215:2020	pg/g	<0,02
1,2,3,4,7,8-HxCDD	EN 16215:2020	pg/g	<0,005
1,2,3,6,7,8-HxCDD	EN 16215:2020	pg/g	<0,005
1,2,3,7,8,9-HxCDD	EN 16215:2020	pg/g	<0,005
1,2,3,4,6,7,8-HpCDD	EN 16215:2020	pg/g	<0,0005
OCDD	EN 16215:2020	pg/g	<0,00003
2,3,7,8-TCDF	EN 16215:2020	pg/g	<0,002
1,2,3,7,8-PeCDF	EN 16215:2020	pg/g	<0,0006
2,3,4,7,8-PeCDF	EN 16215:2020	pg/g	<0,006
1,2,3,4,7,8-HxCDF	EN 16215:2020	pg/g	<0,005
1,2,3,6,7,8-HxCDF	EN 16215:2020	pg/g	<0,005
2,3,4,6,7,8-HxCDF	EN 16215:2020	pg/g	<0,005
1,2,3,7,8,9-HxCDF	EN 16215:2020	pg/g	<0,005
1,2,3,4,6,7,8-HpCDF	EN 16215:2020	pg/g	<0,0005
1,2,3,4,7,8,9-HpCDF	EN 16215:2020	pg/g	<0,0005
OCDF	EN 16215:2020	pg/g	<0,00003
dioxin-like PCB 77	EN 16215:2020	pg/g	0,00007
dioxin-like PCB 81	EN 16215:2020	pg/g	<0,000075
dioxin-like PCB 126	EN 16215:2020	pg/g	<0,025
dioxin-like PCB 169	EN 16215:2020	pg/g	<0,0075
dioxin-like PCB 105	EN 16215:2020	pg/g	<0,00015
dioxin-like PCB 114	EN 16215:2020	pg/g	<0,00015
dioxin-like PCB 118	EN 16215:2020	pg/g	0,0002
dioxin-like PCB 123	EN 16215:2020	pg/g	<0,00015
dioxin-like PCB 156	EN 16215:2020	pg/g	<0,00015
dioxin-like PCB 157	EN 16215:2020	pg/g	<0,00015
dioxin-like PCB 167	EN 16215:2020	pg/g	<0,00015



This certificate is issued to any job or services carried out within the GENERAL TERMS AND CONDITION OF BUSINESS printed overleaf. This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations. The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.



**Commodities International
Shipping and Survey**



**FOSFA
INTERNATIONAL**

Page 3/3

CISS GROUP UKRAINE LLC
member of **CISS GROUP Pte.Ltd. (Singapore)**
5, Odessa Blv., Ovidiopol district,
Lymanka village, Odessa region, 65037
inspection@ciiss-group.com

CERTIFICATE No.: UA01725

ORIGINAL

dioxin-like PCB 189	EN 16215:2020	pg/g	<0,00015
non-dioxin-like PCB 28	EN 16215:2020	ng/g	<0,05
non-dioxin-like PCB 52	EN 16215:2020	ng/g	<0,05
non-dioxin-like PCB 101	EN 16215:2020	ng/g	<0,05
non-dioxin-like PCB 138	EN 16215:2020	ng/g	<0,05
non-dioxin-like PCB 153	EN 16215:2020	ng/g	<0,05
non-dioxin-like PCB 180	EN 16215:2020	ng/g	<0,05
TEQ (WHO) for PCDD/Fs including LOQ for non-quantified congener, 12% moisture	EN 16215:2020	pg/g	0,082
TEQ (WHO) for dioxin-like PCBs including LOQ for non-quantified congener, 12% moisture	EN 16215:2020	pg/g	0,033
TEQ (WHO) for PCDD/Fs + dioxin- like PCBs including LOQ for non- quantified congener, 12% moisture	EN 16215:2020	pg/g	0,115
Non-dioxin-like PCBs, 12% moisture	EN 16215:2020	ng/g	0,291

*-No analyte at a content above the limit of Quantification was detected

LOQ (Limit of quantification) - is the lowest amount or concentration of analyte in a sample, which can be reliably quantified with an acceptable level of precision and accuracy.

**In accordance with Directive (EU) nr. 2017/771 (for Feed).

***Content of PCDD/Fs and dioxin-like PCBs is recalculated to Toxic Equivalents (TEQ) values excluding non-dioxin-like PCBs.

The results of these analyses are in conformity with the above-mentioned quality/condition specifications.

The results of inspection are valid for the time and place of inspection only.

This certificate is electronically signed and stamped.

DATED: 22nd of JULY, 2024

For and on behalf of CISS GROUP Ukraine LLC
Registered Superintendent and Surveyor Member of GAFTA

