



Commodities International  
Shipping and Survey



CISS GROUP UKRAINE LLC  
member of CISS GROUP Pte.Ltd. (Singapore)  
5, Odessa Blv., Ovidiopol district,  
Lymanka village, Odessa region, 65037  
inspection@ciiss-group.com

Page 1/28

CERTIFICATE No.: SGD00936/2

ORIGINAL

## ANALYSIS CERTIFICATE

In pursuance of an order received from our principal, requesting us to carry out inspection we hereby confirm as follows:

Description of goods: WHEAT, UKRAINE ORIGIN, CROP 2022  
Vessel: PHL1020  
Quantity: 1 035,255 MT  
BL No. & Date: 2 DD 28.02.2023  
Shipper: LLC "SATELLITE AGRO NEW", Ukraine, 65062, Odesa  
ON BEHALF OF VITAL INCORPORATED, UAE, DUBAI, OFFICE  
321, EMARAT ATRIUM BUILDING, AL WASAL AREA  
ON BEHALF OF AGROTRADE SOLUTIONS INC, 16192  
COASTAL HWY, LEWES, COUNTY OF SUSSEX, DE 1995871  
TO ORDER  
Consignee:  
Notify Address: Ameropa Grains SA  
Constanta Municipality, Romania  
Constanta Port Precincts, Berth 54, floor 1,  
County of Constanta, post code 900900  
Registry of Commerce No.: J 13/933/1996  
VAT: RO 8204170  
Port of loading: RENI, UKRAINE  
Port of discharge: CONSTANTA/ROMANIA IN TRANSIT

## SAMPLING AND QUALITY ANALYSIS RESULTS:

Pre-shipment sampling was performed according to the GAFTA 124 rules at the time of loading by CISS GROUP Ukraine LLC as a GAFTA approved superintendent. A composite sample of the total consignment proportionally mixed were submitted for analysis to GAFTA accredited reputable and independent laboratory. The following results were obtained:

| Analysis     | Method           | Actual Result | LOQ      |
|--------------|------------------|---------------|----------|
| HEAVY METALS |                  |               |          |
| Lead         | AGM-17 (ICP-OES) | < 0.05 ppm    | 0.05 ppm |
| Cadmium      | AGM-17 (ICP-OES) | < 0.01 ppm    | 0.01 ppm |
| Mercury      | AGM-17 (ICP-OES) | < 0.01 ppm    | 0.01 ppm |
| Arsenic      | AGM-17 (ICP-OES) | < 0.05 ppm    | 0.05 ppm |



**Commodities International  
Shipping and Survey**



**FOSFA  
INTERNATIONAL**

**CISS GROUP UKRAINE LLC**  
member of CISS GROUP Pte.Ltd. (Singapore)  
5, Odessa Blv., Ovidiopol district,  
Lymanka village, Odessa region, 65037  
inspection@ciiss-group.com

Page 2/28

**CERTIFICATE No.: SGD00936/2**

**ORIGINAL**

| Analysis                          | Method | Actual Result | LOQ    |
|-----------------------------------|--------|---------------|--------|
| Aflatoxins (total B1, B2, G1, G2) | AGM-20 | < 1 ppb       | 1 ppb  |
| Ochratoxin A                      | AGM-20 | < 1 ppb       | 1 ppb  |
| Vomitoxin (DON)                   | AGM-20 | < 50 ppb      | 50 ppb |
| Zearalenone                       | AGM-20 | < 50 ppb      | 50 ppb |

| Name of Pesticide  | Method                      | Max allowed by CODEX, mg/kg | LOQ, mg/kg | Result, mg/kg | Uncertainty (U), mg/kg |
|--------------------|-----------------------------|-----------------------------|------------|---------------|------------------------|
| 2,4-D              | BS EN 15662:2018 (LC-MS/MS) | 2,00                        | 0,01       | ND, (< 0,01)  | n/a                    |
| Aldrin             | BS EN 15662:2018 (GC-MS/MS) | 0,02                        | 0,005      | ND, (< 0,005) | n/a                    |
| Dieldrin           | BS EN 15662:2018 (GC-MS/MS) |                             | 0,01       | ND, (< 0,01)  | n/a                    |
| Acetochlor         | BS EN 15662:2018 (LC-MS/MS) | 0,02                        | 0,01       | ND, (< 0,01)  | n/a                    |
| Aldicarb           | BS EN 15662:2018 (LC-MS/MS) | 0,02                        | 0,005      | ND, (< 0,005) | n/a                    |
| Aldicarb-Sulfone   | BS EN 15662:2018 (LC-MS/MS) |                             | 0,005      | ND, (< 0,005) | n/a                    |
| Aldicarb-Sulfoxide | BS EN 15662:2018 (LC-MS/MS) |                             | 0,005      | ND, (< 0,005) | n/a                    |
| Aminopyralid       | BS EN 15662:2018 (LC-MS/MS) | 0,1                         | 0,005      | ND, (< 0,005) | n/a                    |
| Azoxystrobin       | BS EN 15662:2018 (LC-MS/MS) | 0,2                         | 0,005      | ND, (< 0,005) | n/a                    |
| Bentazone          | BS EN 15662:2018 (LC-MS/MS) | 0,01                        | 0,005      | ND, (< 0,005) | n/a                    |
| Benzovindiflupyr   | BS EN 15662:2018 (GC-MS/MS) | 0,1                         | 0,01       | ND, (< 0,01)  | n/a                    |
| Bicyclopyrone      | BS EN 15662:2018 (LC-MS/MS) | 0,04                        | 0,01       | ND, (< 0,01)  | n/a                    |
| Bifenthrin         | BS EN 15662:2018 (GC-MS/MS) | 0,5                         | 0,01       | ND, (< 0,01)  | n/a                    |
| Bitertanol         | BS EN 15662:2018 (LC-MS/MS) | 0,05                        | 0,01       | ND, (< 0,01)  | n/a                    |
| Bixafen            | BS EN 15662:2018 (LC-MS/MS) | 0,05                        | 0,01       | ND, (< 0,01)  | n/a                    |
| Boscalid           | BS EN 15662:2018 (LC-MS/MS) | 0,5                         | 0,005      | ND, (< 0,005) | n/a                    |
| Bromide ion        | CotOD-045:2022 (GC/MSMS)    | 50                          | 0,01       | ND, (< 0,01)  | n/a                    |
| Carbaryl           | BS EN 15662:2018 (LC-MS/MS) | 2,00                        | 0,01       | ND, (< 0,01)  | n/a                    |



This certificate is issued to any job or services carried out within the GENERAL TERMS AND CONDITION OF BUSINESS printed overleaf. This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations. The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.



**Commodities International  
Shipping and Survey**

**CISS GROUP UKRAINE LLC**  
member of CISS GROUP Pte.Ltd. (Singapore)  
5, Odessa Blv., Ovidiopol district,  
Lymanka village, Odessa region, 65037  
inspection@ciiss-group.com



Page 3/28

**CERTIFICATE No.: SGD00936/2**

**ORIGINAL**

| Name of Pesticide              | Method                      | Max<br>allowed<br>by<br>CODEX,<br>mg/kg | LOQ,<br>mg/kg | Result,<br>mg/kg | Uncertainty<br>(U), mg/kg |
|--------------------------------|-----------------------------|-----------------------------------------|---------------|------------------|---------------------------|
| Carbendazim                    | BS EN 15662:2018 (LC-MS/MS) | 0,05                                    | 0,005         | ND, (< 0,005)    | n/a                       |
| Benomyl                        | BS EN 15662:2018 (LC-MS/MS) |                                         | 0,01          | ND, (< 0,01)     | n/a                       |
| Thiophanate-methyl             | BS EN 15662:2018 (LC-MS/MS) |                                         | 0,01          | ND, (< 0,01)     | n/a                       |
| Chlorantraniliprole            | BS EN 15662:2018 (LC-MS/MS) | 0,02                                    | 0,01          | ND, (< 0,01)     | n/a                       |
| Chlordane, cis                 | BS EN 15662:2018 (GC-MS/MS) | 0,02                                    | 0,01          | ND, (< 0,01)     | n/a                       |
| Chlordane, trans               | BS EN 15662:2018 (GC-MS/MS) |                                         | 0,01          | ND, (< 0,01)     | n/a                       |
| Chlormequat chloride           | CotOD-025:2022 (HPLC/MS/MS) | 2,00                                    | 0,01          | ND, (< 0,01)     | n/a                       |
| Chlorpyrifos                   | BS EN 15662:2018 (LC-MS/MS) | 0,5                                     | 0,005         | 0,033            | ±0.013                    |
| Chlorpyrifos-methyl            | BS EN 15662:2018 (LC-MS/MS) | 3,00                                    | 0,005         | ND, (< 0,005)    | n/a                       |
| Clothianidin                   | BS EN 15662:2018 (LC-MS/MS) | 0,02                                    | 0,005         | ND, (< 0,005)    | n/a                       |
| Cyhalothrin (Gamma and Lambda) | BS EN 15662:2018 (GC-MS/MS) | 0,05                                    | 0,01          | ND, (< 0,01)     | n/a                       |
| Cypermethrin (sum)             | BS EN 15662:2018 (GC-MS/MS) | 2,00                                    | 0,01          | ND, (< 0,01)     | n/a                       |
| Cyproconazole                  | BS EN 15662:2018 (LC-MS/MS) | 0,08                                    | 0,005         | ND, (< 0,005)    | n/a                       |
| Cyprodinil                     | BS EN 15662:2018 (LC-MS/MS) | 0,5                                     | 0,005         | ND, (< 0,005)    | n/a                       |
| DDD, p,p-                      | BS EN 15662:2018 (GC-MS/MS) | 0,1                                     | 0,01          | ND, (< 0,01)     | n/a                       |
| DDE, p,p-                      | BS EN 15662:2018 (GC-MS/MS) |                                         | 0,01          | ND, (< 0,01)     | n/a                       |
| DDT, o,p-                      | BS EN 15662:2018 (GC-MS/MS) |                                         | 0,01          | ND, (< 0,01)     | n/a                       |
| DDT, p,p-                      | BS EN 15662:2018 (GC-MS/MS) |                                         | 0,01          | ND, (< 0,01)     | n/a                       |
| Deltamethrin (sum)             | BS EN 15662:2018 (GC-MS/MS) | 2                                       | 0,01          | ND, (< 0,01)     | n/a                       |
| Dicamba                        | BS EN 15662:2018 (LC-MS/MS) | 2,00                                    | 0,02          | ND, (< 0,02)     | n/a                       |
| Dichlorvos                     | BS EN 15662:2018 (LC-MS/MS) | 7,00                                    | 0,005         | ND, (< 0,005)    | n/a                       |
| Difenoconazole                 | BS EN 15662:2018 (LC-MS/MS) | 0,02                                    | 0,005         | ND, (< 0,005)    | n/a                       |
| Diflubenzuron                  | BS EN 15662:2018 (LC-MS/MS) | 0,05                                    | 0,005         | ND, (< 0,005)    | n/a                       |
| Dimethoate                     | BS EN 15662:2018 (LC-MS/MS) | 0,05                                    | 0,005         | ND, (< 0,005)    | n/a                       |



This certificate is issued to any job or services carried out within the GENERAL TERMS AND CONDITION OF BUSINESS printed overleaf. This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations. The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.



**Commodities International  
Shipping and Survey**

CISS GROUP UKRAINE LLC  
member of CISS GROUP Pte.Ltd. (Singapore)  
5, Odessa Blv., Ovidiopol district,  
Lymanka village, Odessa region, 65037  
inspection@ciiss-group.com



**FOSFA  
INTERNATIONAL**

Page 4/28

**CERTIFICATE No.: SGD00936/2**

**ORIGINAL**

| Name of Pesticide                                   | Method                      | Max<br>allowed<br>by<br>CODEX,<br>mg/kg | LOQ,<br>mg/kg | Result,<br>mg/kg | Uncertainty<br>(U), mg/kg |
|-----------------------------------------------------|-----------------------------|-----------------------------------------|---------------|------------------|---------------------------|
| Disulfoton                                          | BS EN 15662:2018 (LC-MS/MS) | 0,2                                     | 0,005         | ND, (< 0,005)    | n/a                       |
| Disulfoton-sulfone                                  | BS EN 15662:2018 (LC-MS/MS) |                                         | 0,005         | ND, (< 0,005)    | n/a                       |
| Disulfoton-sulfoxide                                | BS EN 15662:2018 (LC-MS/MS) |                                         | 0,005         | ND, (< 0,005)    | n/a                       |
| Demeton-S                                           | BS EN 15662:2018 (LC-MS/MS) |                                         | 0,005         | ND, (< 0,005)    | n/a                       |
| Dithiocarbamates<br>(expressed as CS <sub>2</sub> ) | CotOD-013:2022 (GC/MS/MS)   | 1,00                                    | 0,01          | ND, (< 0,01)     | n/a                       |
| Ethephon                                            | CotOD-024:2022 (HPLC/MS/MS) | 0,5                                     | 0,01          | ND, (< 0,01)     | n/a                       |
| Famoxadone                                          | BS EN 15662:2018 (LC-MS/MS) | 0,1                                     | 0,005         | ND, (< 0,005)    | n/a                       |
| Fenbuconazole                                       | BS EN 15662:2018 (LC-MS/MS) | 0,1                                     | 0,005         | ND, (< 0,005)    | n/a                       |
| Fenitrothion                                        | BS EN 15662:2018 (GC-MS/MS) | 6                                       | 0,01          | ND, (< 0,01)     | n/a                       |
| Fenpropimorph                                       | BS EN 15662:2018 (LC-MS/MS) | 0,07                                    | 0,005         | ND, (< 0,005)    | n/a                       |
| Fenvalerate/Esfenvalerate<br>(RR/SS)                | BS EN 15662:2018 (GC-MS/MS) | 0,05                                    | 0,01          | ND, (< 0,01)     | n/a                       |
| Fenvalerate/Esfenvalerate<br>(RS/SR)                | BS EN 15662:2018 (GC-MS/MS) |                                         | 0,01          | ND, (< 0,01)     | n/a                       |
| Fipronil                                            | BS EN 15662:2018 (LC-MS/MS) | 0,002                                   | 0,002         | ND, (< 0,002)    | n/a                       |
| Fipronil-Sulfone                                    | BS EN 15662:2018 (LC-MS/MS) |                                         | 0,002         | ND, (< 0,002)    | n/a                       |
| Flonicamid                                          | BS EN 15662:2018 (LC-MS/MS) | 0,08                                    | 0,005         | ND, (< 0,005)    | n/a                       |
| Fludioxonil                                         | BS EN 15662:2018 (GC-MS/MS) | 0,05                                    | 0,01          | ND, (< 0,01)     | n/a                       |
| Flumioxazin                                         | BS EN 15662:2018 (LC-MS/MS) | 0,4                                     | 0,005         | ND, (< 0,005)    | n/a                       |
| Fluopyram                                           | BS EN 15662:2018 (LC-MS/MS) | 0,9                                     | 0,01          | ND, (< 0,01)     | n/a                       |
| Flupyradifurone                                     | BS EN 15662:2018 (LC-MS/MS) | 3                                       | 0,01          | ND, (< 0,01)     | n/a                       |
| Flusilazole                                         | BS EN 15662:2018 (LC-MS/MS) | 0,2                                     | 0,005         | ND, (< 0,005)    | n/a                       |
| Flutriafol                                          | BS EN 15662:2018 (LC-MS/MS) | 0,15                                    | 0,005         | ND, (< 0,005)    | n/a                       |
| Fluxapyroxad                                        | BS EN 15662:2018 (LC-MS/MS) | 0,3                                     | 0,01          | ND, (< 0,01)     | n/a                       |
| Glyphosate                                          | CotOD-024:2022 (HPLC/MS/MS) | 30                                      | 0,01          | ND, (< 0,01)     | n/a                       |
| HCH-gamma (Lindane)                                 | BS EN 15662:2018 (GC-MS/MS) | 0,01                                    | 0,01          | ND, (< 0,01)     | n/a                       |



This certificate is issued to any job or services carried out within the GENERAL TERMS AND CONDITION OF BUSINESS printed overleaf. This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations. The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.



**Commodities International  
Shipping and Survey**



CISS GROUP UKRAINE LLC  
member of CISS GROUP Pte.Ltd. (Singapore)  
5, Odessa Blv., Ovidiopol district,  
Lymanka village, Odessa region, 65037  
inspection@ciiss-group.com

Page 5/28

CERTIFICATE No.: SGD00936/2

ORIGINAL

| Name of Pesticide                 | Method                      | Max<br>allowed<br>by<br>CODEX,<br>mg/kg | LOQ,<br>mg/kg | Result,<br>mg/kg | Uncertainty<br>(U), mg/kg |
|-----------------------------------|-----------------------------|-----------------------------------------|---------------|------------------|---------------------------|
| Heptachlor                        | BS EN 15662:2018 (GC-MS/MS) | 0,02                                    | 0,01          | ND, (< 0,01)     | n/a                       |
| Heptachlorepoxid, cis             | BS EN 15662:2018 (GC-MS/MS) |                                         | 0,01          | ND, (< 0,01)     | n/a                       |
| Heptachlorepoxid, trans           | BS EN 15662:2018 (GC-MS/MS) |                                         | 0,01          | ND, (< 0,01)     | n/a                       |
| Hydrogen phosphide<br>(Phosphine) | CotOD-044:2022 (GC/PFPD)    | 0,1                                     | 0,01          | ND, (< 0,01)     | n/a                       |
| Imazalil                          | BS EN 15662:2018 (LC-MS/MS) | 0,01                                    | 0,005         | ND, (< 0,005)    | n/a                       |
| Imazamox                          | BS EN 15662:2018 (LC-MS/MS) | 0,05                                    | 0,01          | ND, (< 0,01)     | n/a                       |
| Imazapic                          | BS EN 15662:2018 (LC-MS/MS) | 0,05                                    | 0,01          | ND, (< 0,01)     | n/a                       |
| Imazapyr                          | BS EN 15662:2018 (LC-MS/MS) | 0,05                                    | 0,01          | ND, (< 0,01)     | n/a                       |
| Imidacloprid                      | BS EN 15662:2018 (LC-MS/MS) | 0,05                                    | 0,005         | ND, (< 0,005)    | n/a                       |
| Iminoctadine (Guazatine)          | BS EN 15662:2018 (LC-MS/MS) | 0,05                                    | 0,01          | ND, (< 0,01)     | n/a                       |
| Isoprazam                         | BS EN 15662:2018 (LC-MS/MS) | 0,03                                    | 0,005         | ND, (< 0,005)    | n/a                       |
| Malathion                         | BS EN 15662:2018 (GC-MS/MS) | 10,00                                   | 0,01          | ND, (< 0,01)     | n/a                       |
| MCPA                              | BS EN 15662:2018 (LC-MS/MS) | 0,2                                     | 0,01          | ND, (< 0,01)     | n/a                       |
| Metalaxyl and Metalaxyl-<br>M     | BS EN 15662:2018 (LC-MS/MS) | 0,05                                    | 0,005         | ND, (< 0,005)    | n/a                       |
| Methiocarb                        | BS EN 15662:2018 (LC-MS/MS) | 0,05                                    | 0,005         | ND, (< 0,005)    | n/a                       |
| Methiocarb-sulfone                | BS EN 15662:2018 (LC-MS/MS) |                                         | 0,005         | ND, (< 0,005)    | n/a                       |
| Methiocarb-sulfoxide              | BS EN 15662:2018 (LC-MS/MS) |                                         | 0,005         | ND, (< 0,005)    | n/a                       |
| Methomyl                          | BS EN 15662:2018 (LC-MS/MS) | 2,00                                    | 0,01          | ND, (< 0,01)     | n/a                       |
| Methoprene                        | BS EN 15662:2018 (GC-MS/MS) | 10                                      | 0,01          | ND, (< 0,01)     | n/a                       |
| Methyl bromide                    | CotOD-045:2022 (GC/MSMS)    | 5                                       | 0,01          | ND, (< 0,01)     | n/a                       |
| Metrafenone                       | BS EN 15662:2018 (LC-MS/MS) | 0,06                                    | 0,005         | ND, (< 0,005)    | n/a                       |
| Oxydemeton-methyl                 | BS EN 15662:2018 (LC-MS/MS) | 0,02                                    | 0,005         | ND, (< 0,005)    | n/a                       |
| Demeton-S-methyl                  | BS EN 15662:2018 (LC-MS/MS) |                                         | 0,005         | ND, (< 0,005)    | n/a                       |
| Demeton-S-Methyl- sulfone         | BS EN 15662:2018 (LC-MS/MS) |                                         | 0,005         | ND, (< 0,005)    | n/a                       |



This certificate is issued to any job or services carried out within the GENERAL TERMS AND CONDITION OF BUSINESS printed overleaf. This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations. The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.



**Commodities International  
Shipping and Survey**

**CISS GROUP UKRAINE LLC**  
member of CISS GROUP Pte.Ltd. (Singapore)  
5, Odessa Blv., Ovidiopol district,  
Lymanka village, Odessa region, 65037  
inspection@ciiss-group.com



Page 6/28

**CERTIFICATE No.: SGD00936/2**

**ORIGINAL**

| Name of Pesticide                  | Method                      | Max<br>allowed<br>by<br>CODEX,<br>mg/kg | LOQ,<br>mg/kg | Result,<br>mg/kg | Uncertainty<br>(U), mg/kg |
|------------------------------------|-----------------------------|-----------------------------------------|---------------|------------------|---------------------------|
| Penthiopyrad                       | BS EN 15662:2018 (LC-MS/MS) | 0,1                                     | 0,01          | ND, (< 0,01)     | n/a                       |
| Permethrin (sum)                   | BS EN 15662:2018 (GC-MS/MS) | 2                                       | 0,02          | ND, (< 0,02)     | n/a                       |
| Picoxystrobin                      | BS EN 15662:2018 (LC-MS/MS) | 0,04                                    | 0,005         | ND, (< 0,005)    | n/a                       |
| Pinoxaden                          | BS EN 15662:2018 (LC-MS/MS) | 0,7                                     | 0,01          | ND, (< 0,01)     | n/a                       |
| Piperonyl-butoxide                 | BS EN 15662:2018 (LC-MS/MS) | 30                                      | 0,005         | ND, (< 0,005)    | n/a                       |
| Pirimicarb                         | BS EN 15662:2018 (LC-MS/MS) | 0,05                                    | 0,005         | ND, (< 0,005)    | n/a                       |
| Pirimicarb, Desmethyl-             | BS EN 15662:2018 (LC-MS/MS) |                                         | 0,01          | ND, (< 0,01)     | n/a                       |
| Pirimicarb,<br>Desmethylformamido- | BS EN 15662:2018 (LC-MS/MS) | 0,05                                    | 0,005         | ND, (< 0,005)    | n/a                       |
| Pirimiphos-methyl                  | BS EN 15662:2018 (LC-MS/MS) |                                         | 0,005         | ND, (< 0,005)    | n/a                       |
| Prochloraz                         | BS EN 15662:2018 (LC-MS/MS) | 2                                       | 0,005         | ND, (< 0,005)    | n/a                       |
| Propiconazole                      | BS EN 15662:2018 (LC-MS/MS) | 0,09                                    | 0,005         | ND, (< 0,005)    | n/a                       |
| Prothioconazole-Desthio            | BS EN 15662:2018 (LC-MS/MS) | 0,1                                     | 0,005         | ND, (< 0,005)    | n/a                       |
| Pyraclostrobin                     | BS EN 15662:2018 (LC-MS/MS) | 0,2                                     | 0,005         | ND, (< 0,005)    | n/a                       |
| Pyrethrins Cinerin I               | BS EN 15662:2018 (GC-MS/MS) | 0,3                                     | 0,01          | ND, (< 0,01)     | n/a                       |
| Pyrethrins Cinerin II              | BS EN 15662:2018 (GC-MS/MS) |                                         | 0,01          | ND, (< 0,01)     | n/a                       |
| Pyrethrins Jasmolin I              | BS EN 15662:2018 (GC-MS/MS) |                                         | 0,01          | ND, (< 0,01)     | n/a                       |
| Pyrethrins Jasmolin II             | BS EN 15662:2018 (GC-MS/MS) |                                         | 0,01          | ND, (< 0,01)     | n/a                       |
| Pyrethrins Pyrethrin I             | BS EN 15662:2018 (GC-MS/MS) |                                         | 0,01          | ND, (< 0,01)     | n/a                       |
| Pyrethrins Pyrethrin II            | BS EN 15662:2018 (GC-MS/MS) |                                         | 0,01          | ND, (< 0,01)     | n/a                       |
| Quinoxifen                         | BS EN 15662:2018 (LC-MS/MS) | 0,01                                    | 0,005         | ND, (< 0,005)    | n/a                       |
| Quintozene                         | BS EN 15662:2018 (GC-MS/MS) | 0,01                                    | 0,01          | ND, (< 0,01)     | n/a                       |
| Saflufenacil                       | BS EN 15662:2018 (LC-MS/MS) | 0,7                                     | 0,01          | ND, (< 0,01)     | n/a                       |
| Sedaxane                           | BS EN 15662:2018 (LC-MS/MS) | 0,01                                    | 0,01          | ND, (< 0,01)     | n/a                       |
| Spinosyn A                         | BS EN 15662:2018 (LC-MS/MS) | 1                                       | 0,005         | ND, (< 0,005)    | n/a                       |
| Spinosyn D                         | BS EN 15662:2018 (LC-MS/MS) |                                         | 0,005         | ND, (< 0,005)    | n/a                       |



**Commodities International  
Shipping and Survey**



**CISS GROUP UKRAINE LLC**  
member of CISS GROUP Pte.Ltd. (Singapore)  
5, Odessa Blv., Ovidiopol district,  
Lymanka village, Odessa region, 65037  
inspection@ciiss-group.com

Page 7/28

**CERTIFICATE No.: SGD00936/2**

**ORIGINAL**

| Name of Pesticide | Method                      | Max allowed by CODEX, mg/kg | LOQ, mg/kg | Result, mg/kg | Uncertainty (U), mg/kg |
|-------------------|-----------------------------|-----------------------------|------------|---------------|------------------------|
| Sulfoxaflor       | BS EN 15662:2018 (LC-MS/MS) | 0,2                         | 0,01       | ND, (< 0,01)  | n/a                    |
| Tebuconazole      | BS EN 15662:2018 (LC-MS/MS) | 0,15                        | 0,005      | ND, (< 0,005) | n/a                    |
| Thiacloprid       | BS EN 15662:2018 (LC-MS/MS) | 0,1                         | 0,005      | ND, (< 0,005) | n/a                    |
| Triadimefon       | BS EN 15662:2018 (LC-MS/MS) | 0,2                         | 0,005      | ND, (< 0,005) | n/a                    |
| Triadimenol       | BS EN 15662:2018 (LC-MS/MS) | 0,2                         | 0,005      | ND, (< 0,005) | n/a                    |
| Thiamethoxam      | BS EN 15662:2018 (LC-MS/MS) | 0,05                        | 0,005      | 0,007         | ±0.002                 |
| Trifloxystrobin   | BS EN 15662:2018 (LC-MS/MS) | 0,2                         | 0,005      | ND, (< 0,005) | n/a                    |
| Trinexapac-ethyl  | BS EN 15662:2018 (LC-MS/MS) | 3,00                        | 0,01       | ND, (< 0,01)  | n/a                    |

| Name of Pesticide        | Method                      | Max allowed for wheat by EU Reg. 396/2005, mg/kg | LOQ, mg/kg | Result, mg/kg | Uncertainty (U), mg/kg |
|--------------------------|-----------------------------|--------------------------------------------------|------------|---------------|------------------------|
| 2,4,5-T                  | BS EN 15662:2018 (LC-MS/MS) | 0,01                                             | 0,01       | ND, (< 0,01)  | n/a                    |
| 2,4,5-T-Methylester      | BS EN 15662:2018 (GC-MS/MS) |                                                  | 0,01       | ND, (< 0,01)  | n/a                    |
| 2,4-D                    | BS EN 15662:2018 (LC-MS/MS) | 2,00                                             | 0,01       | ND, (< 0,01)  | n/a                    |
| 2,4-D 2-ethylhexyl ester | BS EN 15662:2018 (GC-MS/MS) |                                                  | 0,01       | ND, (< 0,01)  | n/a                    |
| 2,4-D Butylester         | BS EN 15662:2018 (GC-MS/MS) |                                                  | 0,01       | ND, (< 0,01)  | n/a                    |
| 2,4-D-ethyl ester        | BS EN 15662:2018 (GC-MS/MS) |                                                  | 0,01       | ND, (< 0,01)  | n/a                    |
| 2,4-D-iso-butyl ester    | BS EN 15662:2018 (GC-MS/MS) |                                                  | 0,01       | ND, (< 0,01)  | n/a                    |
| 2,4-D-Methylester        | BS EN 15662:2018 (GC-MS/MS) |                                                  | 0,01       | ND, (< 0,01)  | n/a                    |
| 2,4-DB                   | BS EN 15662:2018 (LC-MS/MS) | 0,05                                             | 0,01       | ND, (< 0,01)  | n/a                    |
| 2,4-DB-Methylester       | BS EN 15662:2018 (GC-MS/MS) |                                                  | 0,01       | ND, (< 0,01)  | n/a                    |
| Abamectin B1a            | BS EN 15662:2018 (LC-MS/MS) | 0,01                                             | 0,01       | ND, (< 0,01)  | n/a                    |
| Abamectin B1b            | BS EN 15662:2018 (LC-MS/MS) |                                                  | 0,01       | ND, (< 0,01)  | n/a                    |
| Acephate                 | BS EN 15662:2018 (LC-MS/MS) | 0,01                                             | 0,01       | ND, (< 0,01)  | n/a                    |
| Acetamiprid              | BS EN 15662:2018 (LC-MS/MS) | 0,1                                              | 0,01       | ND, (< 0,005) | n/a                    |



This certificate is issued to any job or services carried out within the GENERAL TERMS AND CONDITION OF BUSINESS printed overleaf. This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations. The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.



**Commodities International  
Shipping and Survey**



**CISS GROUP UKRAINE LLC**  
member of CISS GROUP Pte.Ltd. (Singapore)  
5, Odessa Blv., Ovidiopol district,  
Lymanka village, Odessa region, 65037  
inspection@ciiss-group.com

Page 8/28

**CERTIFICATE No.: SGD00936/2**

**ORIGINAL**

| Name of Pesticide    | Method                      | Max<br>allowed for<br>wheat by<br>EU Reg.<br>396/2005,<br>mg/kg | LOQ,<br>mg/kg | Result, mg/kg | Unce<br>rtain<br>ty<br>(U),<br>mg/k<br>g |
|----------------------|-----------------------------|-----------------------------------------------------------------|---------------|---------------|------------------------------------------|
| Acetochlor           | BS EN 15662:2018 (GC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                                      |
| Acibenzolar-S-methyl | BS EN 15662:2018 (LC-MS/MS) | 0,05                                                            | 0,01          | ND, (< 0,01)  | n/a                                      |
| Aclonifen            | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                                      |
| Acrinathrin          | BS EN 15662:2018 (GC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                                      |
| Alachlor             | BS EN 15662:2018 (GC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                                      |
| Aldicarb             | BS EN 15662:2018 (LC-MS/MS) | 0,02                                                            | 0,01          | ND, (< 0,005) | n/a                                      |
| Aldicarb-Sulfone     | BS EN 15662:2018 (LC-MS/MS) |                                                                 | 0,01          | ND, (< 0,005) | n/a                                      |
| Aldicarb-Sulfoxide   | BS EN 15662:2018 (LC-MS/MS) |                                                                 | 0,01          | ND, (< 0,005) | n/a                                      |
| Aldrin               | BS EN 15662:2018 (GC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                                      |
| Dieldrin             | BS EN 15662:2018 (GC-MS/MS) |                                                                 | 0,01          | ND, (< 0,01)  | n/a                                      |
| Ametoctradin         | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                                      |
| Amidosulfuron        | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                                      |
| Aminopyralid         | BS EN 15662:2018 (LC-MS/MS) | 0,1                                                             | 0,01          | ND, (< 0,005) | n/a                                      |
| Amisulbrom           | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                                      |
| Amitraz              | BS EN 15662:2018 (LC-MS/MS) | 0,05                                                            | 0,01          | ND, (< 0,01)  | n/a                                      |
| Dimethylanilin, 2,4- | BS EN 15662:2018 (LC-MS/MS) |                                                                 | 0,01          | ND, (< 0,005) | n/a                                      |
| Anthraquinone        | BS EN 15662:2018 (GC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                                      |
| Aramite              | BS EN 15662:2018 (GC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                                      |
| Asulam               | BS EN 15662:2018 (LC-MS/MS) | 0,05                                                            | 0,01          | ND, (< 0,005) | n/a                                      |
| Atrazine             | BS EN 15662:2018 (LC-MS/MS) | 0,05                                                            | 0,01          | ND, (< 0,005) | n/a                                      |
| Azimsulfuron         | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                                      |
| Azinphos-ethyl       | BS EN 15662:2018 (LC-MS/MS) | 0,05                                                            | 0,01          | ND, (< 0,005) | n/a                                      |
| Azinphos-methyl      | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                                      |
| Azoxystrobin         | BS EN 15662:2018 (LC-MS/MS) | 0,5                                                             | 0,01          | ND, (< 0,005) | n/a                                      |



This certificate is issued to any job or services carried out within the GENERAL TERMS AND CONDITION OF BUSINESS printed overleaf. This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations. The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.



**Commodities International  
Shipping and Survey**



**FOSFA  
INTERNATIONAL**

**CISS GROUP UKRAINE LLC**  
member of CISS GROUP Pte.Ltd. (Singapore)  
5, Odessa Blv., Ovidiopol district,  
Lymanka village, Odessa region, 65037  
inspection@ciiss-group.com

Page 9/28

**CERTIFICATE No.: SGD00936/2**

**ORIGINAL**

| Name of Pesticide         | Method                      | Max<br>allowed for<br>wheat by<br>EU Reg.<br>396/2005,<br>mg/kg | LOQ,<br>mg/kg | Result, mg/kg | Uncertainty<br>(U),<br>mg/kg |
|---------------------------|-----------------------------|-----------------------------------------------------------------|---------------|---------------|------------------------------|
| Barban                    | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                          |
| Beflubutamid              | BS EN 15662:2018 (LC-MS/MS) | 0,05                                                            | 0,01          | ND, (< 0,005) | n/a                          |
| Benalaxyl and Benalaxyl-M | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                          |
| Benfluralin               | BS EN 15662:2018 (GC-MS/MS) | 0,02                                                            | 0,01          | ND, (< 0,01)  | n/a                          |
| Bensulfuron-Methyl        | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                          |
| Bentazone                 | BS EN 15662:2018 (LC-MS/MS) | 0,1                                                             | 0,01          | ND, (< 0,005) | n/a                          |
| Bentazone, 6-Hydroxy      | BS EN 15662:2018 (LC-MS/MS) |                                                                 | 0,01          | ND, (< 0,005) | n/a                          |
| Bentazone, 8-Hydroxy      | BS EN 15662:2018 (LC-MS/MS) |                                                                 | 0,01          | ND, (< 0,005) | n/a                          |
| Benthiavalicarb-Isopropyl | BS EN 15662:2018 (LC-MS/MS) | 0,02                                                            | 0,01          | ND, (< 0,005) | n/a                          |
| Benzovindiflupyr          | BS EN 15662:2018 (GC-MS/MS) | 0,1                                                             | 0,01          | ND, (< 0,01)  | n/a                          |
| Bicyclopyrone             | BS EN 15662:2018 (LC-MS/MS) | 0,04                                                            | 0,01          | ND, (< 0,01)  | n/a                          |
| Bifenazate                | BS EN 15662:2018 (LC-MS/MS) | 0,02                                                            | 0,01          | ND, (< 0,005) | n/a                          |
| Bifenox                   | BS EN 15662:2018 (GC-MS/MS) | 0,02                                                            | 0,01          | ND, (< 0,01)  | n/a                          |
| Bifenthrin                | BS EN 15662:2018 (GC-MS/MS) | 0,5                                                             | 0,01          | ND, (< 0,01)  | n/a                          |
| Biphenyl                  | BS EN 15662:2018 (GC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                          |
| Bispyribac                | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                          |
| Bitertanol                | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                          |
| Bixafen                   | BS EN 15662:2018 (LC-MS/MS) | 0,05                                                            | 0,01          | ND, (< 0,01)  | n/a                          |
| Boscalid                  | BS EN 15662:2018 (LC-MS/MS) | 0,8                                                             | 0,01          | ND, (< 0,005) | n/a                          |
| Bromadiolone              | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                          |
| Bromophos-ethyl           | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                          |
| Bromopropylate            | BS EN 15662:2018 (GC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                          |
| Bromoxynil                | BS EN 15662:2018 (LC-MS/MS) | 0,05                                                            | 0,01          | ND, (< 0,01)  | n/a                          |
| Bromuconazole             | BS EN 15662:2018 (LC-MS/MS) | 0,2                                                             | 0,01          | ND, (< 0,01)  | n/a                          |



This certificate is issued to any job or services carried out within the GENERAL TERMS AND CONDITION OF BUSINESS printed overleaf. This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations. The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.



**Commodities International  
Shipping and Survey**



**CISS GROUP UKRAINE LLC**  
member of CISS GROUP Pte.Ltd. (Singapore)  
5, Odessa Blv., Ovidiopol district,  
Lymanka village, Odessa region, 65037  
inspection@ciiss-group.com

Page 10/28

**CERTIFICATE No.: SGD00936/2**

**ORIGINAL**

| Name of Pesticide     | Method                      | Max allowed for wheat by EU Reg. 396/2005, mg/kg | LOQ, mg/kg | Result, mg/kg | Uncertainty (U), mg/kg |
|-----------------------|-----------------------------|--------------------------------------------------|------------|---------------|------------------------|
| Bupirimate            | BS EN 15662:2018 (LC-MS/MS) | 0,01                                             | 0,01       | ND, (< 0,005) | n/a                    |
| Buprofezin            | BS EN 15662:2018 (LC-MS/MS) | 0,01                                             | 0,01       | ND, (< 0,005) | n/a                    |
| Butralin              | BS EN 15662:2018 (GC-MS/MS) | 0,01                                             | 0,01       | ND, (< 0,01)  | n/a                    |
| Butylate              | BS EN 15662:2018 (LC-MS/MS) | 0,01                                             | 0,01       | ND, (< 0,005) | n/a                    |
| Cadusafos             | BS EN 15662:2018 (LC-MS/MS) | 0,01                                             | 0,01       | ND, (< 0,005) | n/a                    |
| Captafol              | BS EN 15662:2018 (LC-MS/MS) | 0,02                                             | 0,01       | ND, (< 0,01)  | n/a                    |
| Captan                | BS EN 15662:2018 (GC-MS/MS) | 0,07                                             | 0,01       | ND, (< 0,01)  | n/a                    |
| Tetrahydrophthalimide | BS EN 15662:2018 (GC-MS/MS) |                                                  | 0,01       | ND, (< 0,01)  | n/a                    |
| Carbaryl              | BS EN 15662:2018 (LC-MS/MS) | 0,5                                              | 0,01       | ND, (< 0,01)  | n/a                    |
| Carbendazim           | BS EN 15662:2018 (LC-MS/MS) | 0,1                                              | 0,01       | ND, (< 0,005) | n/a                    |
| Benomyl               | BS EN 15662:2018 (LC-MS/MS) |                                                  | 0,01       | ND, (< 0,01)  | n/a                    |
| Carbetamide           | BS EN 15662:2018 (LC-MS/MS) | 0,01                                             | 0,01       | ND, (< 0,005) | n/a                    |
| Carbofuran            | BS EN 15662:2018 (LC-MS/MS) | 0,01                                             | 0,01       | ND, (< 0,005) | n/a                    |
| Carbofuran, 3-hydroxy | BS EN 15662:2018 (LC-MS/MS) |                                                  | 0,01       | ND, (< 0,005) | n/a                    |
| Carbosulfan           | BS EN 15662:2018 (LC-MS/MS) |                                                  | 0,01       | ND, (< 0,01)  | n/a                    |
| Benfuracarb           | BS EN 15662:2018 (LC-MS/MS) |                                                  | 0,01       | ND, (< 0,01)  | n/a                    |
| Furathiocarb          | BS EN 15662:2018 (LC-MS/MS) |                                                  | 0,01       | ND, (< 0,005) | n/a                    |
| Carboxin              | BS EN 15662:2018 (LC-MS/MS) | 0,03                                             | 0,01       | ND, (< 0,005) | n/a                    |
| Oxycarboxin           | BS EN 15662:2018 (LC-MS/MS) | 0,01                                             | 0,01       | ND, (< 0,01)  | n/a                    |
| Carfentrazone-ethyl   | BS EN 15662:2018 (LC-MS/MS) | 0,05                                             | 0,01       | ND, (< 0,005) | n/a                    |
| Chlorantraniliprole   | BS EN 15662:2018 (LC-MS/MS) | 0,02                                             | 0,01       | ND, (< 0,01)  | n/a                    |
| Chlorbenside          | BS EN 15662:2018 (GC-MS/MS) | 0,01                                             | 0,01       | ND, (< 0,01)  | n/a                    |
| Chlorbufam            | BS EN 15662:2018 (LC-MS/MS) | 0,01                                             | 0,01       | ND, (< 0,005) | n/a                    |
| Chlordane, cis        | BS EN 15662:2018 (GC-MS/MS) | 0,01                                             | 0,01       | ND, (< 0,01)  | n/a                    |
| Chlordane, trans      | BS EN 15662:2018 (GC-MS/MS) |                                                  | 0,01       | ND, (< 0,01)  | n/a                    |



**Commodities International  
Shipping and Survey**



**CISS GROUP UKRAINE LLC**  
member of CISS GROUP Pte.Ltd. (Singapore)  
5, Odessa Blv., Ovidiopol district,  
Lymanka village, Odessa region, 65037  
inspection@ciiss-group.com

Page 11/28

**CERTIFICATE No.: SGD00936/2**

**ORIGINAL**

| Name of Pesticide    | Method                      | Max<br>allowed for<br>wheat by<br>EU Reg.<br>396/2005,<br>mg/kg | LOQ,<br>mg/kg | Result, mg/kg | Uncertainty<br>(U),<br>mg/kg |
|----------------------|-----------------------------|-----------------------------------------------------------------|---------------|---------------|------------------------------|
| Chlordecone          | BS EN 15662:2018 (GC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                          |
| Chlorfenapyr         | BS EN 15662:2018 (GC-MS/MS) | 0,02                                                            | 0,01          | ND, (< 0,01)  | n/a                          |
| Chlorfenson          | BS EN 15662:2018 (GC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                          |
| Chlorfenvinphos      | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                          |
| Chloridazon          | BS EN 15662:2018 (LC-MS/MS) | 0,1                                                             | 0,01          | ND, (< 0,005) | n/a                          |
| Chlormequat chloride | CotOD-025:2022 (HPLC/MS/MS) | 7,00                                                            | 0,01          | ND, (< 0,01)  | n/a                          |
| Chlorobenzilate      | BS EN 15662:2018 (GC-MS/MS) | 0,02                                                            | 0,01          | ND, (< 0,01)  | n/a                          |
| Chlorothalonil       | BS EN 15662:2018 (GC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                          |
| Chlorotoluron        | BS EN 15662:2018 (LC-MS/MS) | 0,1                                                             | 0,01          | ND, (< 0,005) | n/a                          |
| Chloroxuron          | BS EN 15662:2018 (LC-MS/MS) | 0,02                                                            | 0,01          | ND, (< 0,005) | n/a                          |
| Chlorpropham         | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                          |
| Chlorpyrifos         | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                          |
| Chlorpyrifos-methyl  | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                          |
| Chlorsulfuron        | BS EN 15662:2018 (LC-MS/MS) | 0,1                                                             | 0,01          | ND, (< 0,005) | n/a                          |
| Chlorthal-dimethyl   | BS EN 15662:2018 (GC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                          |
| Chlorthiamid         | BS EN 15662:2018 (GC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                          |
| Chlozolate           | BS EN 15662:2018 (GC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                          |
| Chromafenozide       | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                          |
| Cinidon Ethyl        | BS EN 15662:2018 (LC-MS/MS) | 0,05                                                            | 0,01          | ND, (< 0,005) | n/a                          |
| Clodinafop           | BS EN 15662:2018 (LC-MS/MS) | 0,02                                                            | 0,01          | ND, (< 0,005) | n/a                          |
| Clofentezine         | BS EN 15662:2018 (LC-MS/MS) | 0,02                                                            | 0,01          | ND, (< 0,005) | n/a                          |
| Clomazone            | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                          |
| Clopyralid           | BS EN 15662:2018 (LC-MS/MS) | 3,00                                                            | 0,01          | ND, (< 0,01)  | n/a                          |
| Clothianidin         | BS EN 15662:2018 (LC-MS/MS) | 0,02                                                            | 0,01          | ND, (< 0,005) | n/a                          |
| Coumaphos            | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                          |



**Commodities International  
Shipping and Survey**



**CISS GROUP UKRAINE LLC**  
member of CISS GROUP Pte.Ltd. (Singapore)  
5, Odessa Blv., Ovidiopol district,  
Lymanka village, Odessa region, 65037  
inspection@ciiss-group.com

Page 12/28

**CERTIFICATE No.: SGD00936/2**

**ORIGINAL**

| Name of Pesticide                 | Method                      | Max<br>allowed for<br>wheat by<br>EU Reg.<br>396/2005,<br>mg/kg | LOQ,<br>mg/kg | Result, mg/kg | Uncer-<br>tain<br>ty<br>(U),<br>mg/kg |
|-----------------------------------|-----------------------------|-----------------------------------------------------------------|---------------|---------------|---------------------------------------|
| Cyantraniliprole                  | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                                   |
| Cyazofamid                        | BS EN 15662:2018 (LC-MS/MS) | 0,02                                                            | 0,01          | ND, (< 0,01)  | n/a                                   |
| Cyclanilide                       | BS EN 15662:2018 (LC-MS/MS) | 0,05                                                            | 0,01          | ND, (< 0,01)  | n/a                                   |
| Cyclaniliprole                    | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                                   |
| Cycloxydim                        | BS EN 15662:2018 (LC-MS/MS) | 0,05                                                            | 0,01          | ND, (< 0,01)  | n/a                                   |
| Cyflufenamid                      | BS EN 15662:2018 (LC-MS/MS) | 0,04                                                            | 0,01          | ND, (< 0,01)  | n/a                                   |
| Cyfluthrin (sum)                  | BS EN 15662:2018 (GC-MS/MS) | 0,04                                                            | 0,01          | ND, (< 0,01)  | n/a                                   |
| Cyhalofop-Butyl                   | BS EN 15662:2018 (GC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                                   |
| Cyhalothrin (Gamma and<br>Lambda) | BS EN 15662:2018 (GC-MS/MS) | 0,05                                                            | 0,01          | ND, (< 0,01)  | n/a                                   |
| Cymoxanil                         | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                                   |
| Cypermethrin (sum)                | BS EN 15662:2018 (GC-MS/MS) | 2,00                                                            | 0,01          | ND, (< 0,01)  | n/a                                   |
| Cyproconazole                     | BS EN 15662:2018 (LC-MS/MS) | 0,1                                                             | 0,01          | ND, (< 0,005) | n/a                                   |
| Cyprodinil                        | BS EN 15662:2018 (LC-MS/MS) | 0,5                                                             | 0,01          | ND, (< 0,005) | n/a                                   |
| Cyromazine                        | BS EN 15662:2018 (LC-MS/MS) | 0,05                                                            | 0,01          | ND, (< 0,01)  | n/a                                   |
| Daminozide                        | BS EN 15662:2018 (LC-MS/MS) | 0,06                                                            | 0,01          | ND, (< 0,01)  | n/a                                   |
| DDD, p,p-                         | BS EN 15662:2018 (GC-MS/MS) | 0,05                                                            | 0,01          | ND, (< 0,01)  | n/a                                   |
| DDE, p,p-                         | BS EN 15662:2018 (GC-MS/MS) |                                                                 | 0,01          | ND, (< 0,01)  | n/a                                   |
| DDT, o,p-                         | BS EN 15662:2018 (GC-MS/MS) |                                                                 | 0,01          | ND, (< 0,01)  | n/a                                   |
| DDT, p,p-                         | BS EN 15662:2018 (GC-MS/MS) |                                                                 | 0,01          | ND, (< 0,01)  | n/a                                   |
| Deltamethrin (sum)                | BS EN 15662:2018 (GC-MS/MS) | 1,00                                                            | 0,01          | ND, (< 0,01)  | n/a                                   |
| Demeton-S-Methyl-sulfone          | BS EN 15662:2018 (LC-MS/MS) | 0,02                                                            | 0,01          | ND, (< 0,005) | n/a                                   |
| Oxydemeton-methyl                 | BS EN 15662:2018 (LC-MS/MS) |                                                                 | 0,01          | ND, (< 0,005) | n/a                                   |
| Desmedipham                       | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                                   |
| Di-Allate                         | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                                   |



**Commodities International  
Shipping and Survey**



**FOSFA  
INTERNATIONAL**

CISS GROUP UKRAINE LLC  
member of CISS GROUP Pte.Ltd. (Singapore)  
5, Odessa Blv., Ovidiopol district,  
Lymanka village, Odessa region, 65037  
inspection@ciiss-group.com

Page 13/28

CERTIFICATE No.: SGD00936/2

ORIGINAL

| Name of Pesticide                          | Method                      | Max<br>allowed<br>for wheat<br>by EU<br>Reg.<br>396/2005,<br>mg/kg | LOQ,<br>mg/kg | Result, mg/kg | Uncer-<br>tain<br>ty (U),<br>mg/k<br>g |
|--------------------------------------------|-----------------------------|--------------------------------------------------------------------|---------------|---------------|----------------------------------------|
| Diazinon                                   | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                               | 0,01          | ND, (< 0,005) | n/a                                    |
| Dicamba                                    | BS EN 15662:2018 (LC-MS/MS) | 2,00                                                               | 0,02          | ND, (< 0,02)  | n/a                                    |
| Dichlobenil                                | BS EN 15662:2018 (GC-MS/MS) | 0,01                                                               | 0,01          | ND, (< 0,01)  | n/a                                    |
| Dichlorprop and Dichlorprop-<br>P (2,4-DP) | BS EN 15662:2018 (LC-MS/MS) | 0,1                                                                | 0,01          | ND, (< 0,01)  | n/a                                    |
| Dichlorvos                                 | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                               | 0,01          | ND, (< 0,005) | n/a                                    |
| Diclofop                                   | BS EN 15662:2018 (LC-MS/MS) | 0,02                                                               | 0,01          | ND, (< 0,01)  | n/a                                    |
| Diclofop-methyl                            | BS EN 15662:2018 (LC-MS/MS) |                                                                    | 0,01          | ND, (< 0,005) | n/a                                    |
| Dicloran                                   | BS EN 15662:2018 (GC-MS/MS) | 0,02                                                               | 0,01          | ND, (< 0,01)  | n/a                                    |
| Dicofol                                    | BS EN 15662:2018 (GC-MS/MS) | 0,02                                                               | 0,01          | ND, (< 0,01)  | n/a                                    |
| Diethofencarb                              | BS EN 15662:2018 (GC-MS/MS) | 0,01                                                               | 0,01          | ND, (< 0,01)  | n/a                                    |
| Difenoconazole                             | BS EN 15662:2018 (LC-MS/MS) | 0,1                                                                | 0,01          | ND, (< 0,005) | n/a                                    |
| Diflubenzuron                              | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                               | 0,01          | ND, (< 0,005) | n/a                                    |
| Diflufenican                               | BS EN 15662:2018 (LC-MS/MS) | 0,02                                                               | 0,01          | ND, (< 0,005) | n/a                                    |
| Dimethachlor                               | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                               | 0,01          | ND, (< 0,005) | n/a                                    |
| Dimethenamid and<br>Dimethenamid-P         | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                               | 0,01          | ND, (< 0,005) | n/a                                    |
| Dimethipin                                 | BS EN 15662:2018 (GC-MS/MS) | 0,05                                                               | 0,01          | ND, (< 0,01)  | n/a                                    |
| Dimethoate                                 | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                               | 0,01          | ND, (< 0,005) | n/a                                    |
| Dimethomorph                               | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                               | 0,01          | ND, (< 0,005) | n/a                                    |
| Dimethylnaphthalene, 1,4-                  | BS EN 15662:2018 (GC-MS/MS) | 0,01                                                               | 0,01          | ND, (< 0,01)  | n/a                                    |
| Dimoxystrobin                              | BS EN 15662:2018 (LC-MS/MS) | 0,08                                                               | 0,01          | ND, (< 0,005) | n/a                                    |
| Diniconazole                               | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                               | 0,01          | ND, (< 0,005) | n/a                                    |
| Dinocap                                    | BS EN 15662:2018 (LC-MS/MS) | 0,05                                                               | 0,01          | ND, (< 0,01)  | n/a                                    |





**Commodities International  
Shipping and Survey**



CISS GROUP UKRAINE LLC  
member of CISS GROUP Pte.Ltd. (Singapore)  
5, Odessa Blv., Ovidiopol district,  
Lymanka village, Odessa region, 65037  
inspection@ciiss-group.com

Page 14/28

CERTIFICATE No.: SGD00936/2

ORIGINAL

| Name of Pesticide      | Method                      | Max<br>allowed for<br>wheat by<br>EU Reg.<br>396/2005,<br>mg/kg | LOQ,<br>mg/kg | Result, mg/kg | Unce<br>rtain<br>ty<br>(U),<br>mg/k<br>g |
|------------------------|-----------------------------|-----------------------------------------------------------------|---------------|---------------|------------------------------------------|
| Dinoseb                | BS EN 15662:2018 (LC-MS/MS) | 0,02                                                            | 0,01          | ND, (< 0,01)  | n/a                                      |
| Binapacryl             | BS EN 15662:2018 (LC-MS/MS) |                                                                 | 0,01          | ND, (< 0,005) | n/a                                      |
| Dinotefuran            | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                                      |
| Dioxathion             | BS EN 15662:2018 (GC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                                      |
| Diphenylamine          | BS EN 15662:2018 (LC-MS/MS) | 0,05                                                            | 0,01          | ND, (< 0,01)  | n/a                                      |
| Diquat                 | CotOD-025:2022 (HPLC/MS/MS) | 0,02                                                            | 0,01          | ND, (< 0,01)  | n/a                                      |
| Disulfoton             | BS EN 15662:2018 (LC-MS/MS) | 0,02                                                            | 0,01          | ND, (< 0,005) | n/a                                      |
| Disulfoton-sulfone     | BS EN 15662:2018 (LC-MS/MS) |                                                                 | 0,01          | ND, (< 0,005) | n/a                                      |
| Disulfoton-sulfoxide   | BS EN 15662:2018 (LC-MS/MS) |                                                                 | 0,01          | ND, (< 0,005) | n/a                                      |
| Diuron                 | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                                      |
| DNOC                   | BS EN 15662:2018 (LC-MS/MS) | 0,02                                                            | 0,01          | ND, (< 0,01)  | n/a                                      |
| Dodemorph              | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                                      |
| Dodine                 | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                                      |
| Emamectin B1a          | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                                      |
| Endosulfan-alpha       | BS EN 15662:2018 (GC-MS/MS) | 0,05                                                            | 0,01          | ND, (< 0,01)  | n/a                                      |
| Endosulfan-beta        | BS EN 15662:2018 (GC-MS/MS) |                                                                 | 0,01          | ND, (< 0,01)  | n/a                                      |
| Endosulfansulfate      | BS EN 15662:2018 (GC-MS/MS) |                                                                 | 0,01          | ND, (< 0,01)  | n/a                                      |
| Endrin                 | BS EN 15662:2018 (GC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                                      |
| Epoxiconazole          | BS EN 15662:2018 (LC-MS/MS) | 0,6                                                             | 0,01          | ND, (< 0,005) | n/a                                      |
| EPTC                   | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                                      |
| Ethalfuralin           | BS EN 15662:2018 (GC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                                      |
| Ethametsulfuron-methyl | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                                      |
| Ethephon               | CotOD-024:2022 (HPLC/MS/MS) | 1,00                                                            | 0,01          | ND, (< 0,01)  | n/a                                      |
| Ethion                 | BS EN 15662:2018 (GC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                                      |
| Ethirimol              | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                                      |



**Commodities International  
Shipping and Survey**



**CISS GROUP UKRAINE LLC**  
member of CISS GROUP Pte.Ltd. (Singapore)  
5, Odessa Blv., Ovidiopol district,  
Lymanka village, Odessa region, 65037  
inspection@ciiss-group.com

Page 15/28

**CERTIFICATE No.: SGD00936/2**

**ORIGINAL**

| Name of Pesticide              | Method                      | Max<br>allowed for<br>wheat by<br>EU Reg.<br>396/2005,<br>mg/kg | LOQ,<br>mg/kg | Result, mg/kg | Uncer-<br>tain-<br>ty (U),<br>mg/kg |
|--------------------------------|-----------------------------|-----------------------------------------------------------------|---------------|---------------|-------------------------------------|
| Ethoprophos                    | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                                 |
| Ethoxyquin                     | BS EN 15662:2018 (GC-MS/MS) | 0,05                                                            | 0,01          | ND, (< 0,01)  | n/a                                 |
| Ethoxysulfuron                 | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                                 |
| Etofenprox                     | BS EN 15662:2018 (GC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                                 |
| Etoazole                       | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                                 |
| Etridiazole                    | BS EN 15662:2018 (GC-MS/MS) | 0,05                                                            | 0,01          | ND, (< 0,01)  | n/a                                 |
| Famoxadone                     | BS EN 15662:2018 (GC-MS/MS) | 0,1                                                             | 0,01          | ND, (< 0,005) | n/a                                 |
| Fenamidone                     | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                                 |
| Fenamiphos                     | BS EN 15662:2018 (LC-MS/MS) | 0,02                                                            | 0,01          | ND, (< 0,005) | n/a                                 |
| Fenamiphos-sulfone             | BS EN 15662:2018 (LC-MS/MS) |                                                                 | 0,01          | ND, (< 0,005) | n/a                                 |
| Fenamiphos-Sulfoxide           | BS EN 15662:2018 (LC-MS/MS) |                                                                 | 0,01          | ND, (< 0,01)  | n/a                                 |
| Fenarimol                      | BS EN 15662:2018 (LC-MS/MS) | 0,02                                                            | 0,01          | ND, (< 0,005) | n/a                                 |
| Fenazaquin                     | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                                 |
| Fenbuconazole                  | BS EN 15662:2018 (LC-MS/MS) | 0,1                                                             | 0,01          | ND, (< 0,005) | n/a                                 |
| Fenbutatin oxide               | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                                 |
| Fenchlorphos                   | BS EN 15662:2018 (GC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                                 |
| Fenchlorphos-oxon              | BS EN 15662:2018 (LC-MS/MS) |                                                                 | 0,01          | ND, (< 0,005) | n/a                                 |
| Fenhexamid                     | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                                 |
| Fenitrothion                   | BS EN 15662:2018 (GC-MS/MS) | 0,05                                                            | 0,01          | ND, (< 0,01)  | n/a                                 |
| Fenoxaprop and<br>Fenoxaprop-P | BS EN 15662:2018 (LC-MS/MS) | 0,1                                                             | 0,01          | ND, (< 0,01)  | n/a                                 |
| Fenoxycarb                     | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                                 |
| Fenpicoxamid                   | BS EN 15662:2018 (LC-MS/MS) | 0,6                                                             | 0,01          | ND, (< 0,005) | n/a                                 |
| Fenpropathrin                  | BS EN 15662:2018 (GC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                                 |
| Fenpropidin                    | BS EN 15662:2018 (LC-MS/MS) | 0,1                                                             | 0,01          | ND, (< 0,005) | n/a                                 |



**Commodities International  
Shipping and Survey**



**CISS GROUP UKRAINE LLC**  
member of CISS GROUP Pte.Ltd. (Singapore)  
5, Odessa Blv., Ovidiopol district,  
Lymanka village, Odessa region, 65037  
inspection@ciiss-group.com

Page 16/28

**CERTIFICATE No.: SGD00936/2**

**ORIGINAL**

| Name of Pesticide                        | Method                      | Max<br>allowed for<br>wheat by<br>EU Reg.<br>396/2005,<br>mg/kg | LOQ,<br>mg/kg | Result, mg/kg | Unce<br>rtain<br>ty<br>(U),<br>mg/k<br>g |
|------------------------------------------|-----------------------------|-----------------------------------------------------------------|---------------|---------------|------------------------------------------|
| Fenpropimorph                            | BS EN 15662:2018 (LC-MS/MS) | 0,15                                                            | 0,01          | ND, (< 0,005) | n/a                                      |
| Fenpyrazamine                            | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                                      |
| Fenpyroximate                            | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                                      |
| Fenthion                                 | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                                      |
| Fenthion-Oxonsulfone                     | BS EN 15662:2018 (LC-MS/MS) |                                                                 | 0,01          | ND, (< 0,005) | n/a                                      |
| Fenthion-Oxonsulfoxide                   | BS EN 15662:2018 (LC-MS/MS) |                                                                 | 0,01          | ND, (< 0,005) | n/a                                      |
| Fenthion-Sulfone                         | BS EN 15662:2018 (LC-MS/MS) |                                                                 | 0,01          | ND, (< 0,01)  | n/a                                      |
| Fenthion-Sulfoxide                       | BS EN 15662:2018 (GC-MS/MS) |                                                                 | 0,01          | ND, (< 0,01)  | n/a                                      |
| Fentin                                   | BS EN 15662:2018 (LC-MS/MS) | 0,02                                                            | 0,01          | ND, (< 0,01)  | n/a                                      |
| Fenvalerate/Esfenvalerate<br>(RR/SS)     | BS EN 15662:2018 (GC-MS/MS) | 0,2                                                             | 0,01          | ND, (< 0,01)  | n/a                                      |
| Fenvalerate/Esfenvalerate<br>(RS/SR)     | BS EN 15662:2018 (GC-MS/MS) |                                                                 | 0,01          | ND, (< 0,01)  | n/a                                      |
| Fipronil                                 | BS EN 15662:2018 (LC-MS/MS) | 0,005                                                           | 0,01          | ND, (< 0,002) | n/a                                      |
| Fipronil-Sulfone                         | BS EN 15662:2018 (LC-MS/MS) |                                                                 | 0,01          | ND, (< 0,002) | n/a                                      |
| Flazasulfuron                            | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                                      |
| Flonicamid                               | BS EN 15662:2018 (LC-MS/MS) | 2,00                                                            | 0,01          | ND, (< 0,005) | n/a                                      |
| Flonicamid metabolite TFNA               | BS EN 15662:2018 (LC-MS/MS) |                                                                 | 0,01          | ND, (< 0,005) | n/a                                      |
| Flonicamid-metabolite<br>TFNG            | BS EN 15662:2018 (LC-MS/MS) |                                                                 | 0,01          | ND, (< 0,01)  | n/a                                      |
| Florasulam                               | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                                      |
| Florpyrauxifen-benzyl                    | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                                      |
| Fluazifop and Fluazifop-P                | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                                      |
| Fluazifop-butyl and<br>Fluazifop-P-butyl | BS EN 15662:2018 (LC-MS/MS) |                                                                 | 0,01          | ND, (< 0,005) | n/a                                      |
| Fluazinam                                | BS EN 15662:2018 (LC-MS/MS) | 0,02                                                            | 0,01          | ND, (< 0,01)  | n/a                                      |
| Flubendiamide                            | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                                      |
| Flucycloxuron                            | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                                      |



**Commodities International  
Shipping and Survey**



**FOSFA  
INTERNATIONAL**

**CISS GROUP UKRAINE LLC**  
member of CISS GROUP Pte.Ltd. (Singapore)  
5, Odessa Blv., Ovidiopol district,  
Lymanka village, Odessa region, 65037  
inspection@ciiss-group.com

Page 17/28

**CERTIFICATE No.: SGD00936/2**

**ORIGINAL**

| Name of Pesticide     | Method                      | Max<br>allowed for<br>wheat by<br>EU Reg.<br>396/2005,<br>mg/kg | LOQ,<br>mg/kg | Result, mg/kg | Unce-<br>rtain<br>ty<br>(U),<br>mg/k<br>g |
|-----------------------|-----------------------------|-----------------------------------------------------------------|---------------|---------------|-------------------------------------------|
| Flucythrinate         | BS EN 15662:2018 (GC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                                       |
| Fludioxonil           | BS EN 15662:2018 (GC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                                       |
| Flufenacet            | BS EN 15662:2018 (LC-MS/MS) | 0,1                                                             | 0,01          | ND, (< 0,005) | n/a                                       |
| Flufenoxuron          | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                                       |
| Flumetralin           | BS EN 15662:2018 (GC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                                       |
| Flumioxazin           | BS EN 15662:2018 (LC-MS/MS) | 0,02                                                            | 0,01          | ND, (< 0,005) | n/a                                       |
| Fluometuron           | BS EN 15662:2018 (LC-MS/MS) | 0,005                                                           | 0,01          | ND, (< 0,005) | n/a                                       |
| Flupicolide           | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                                       |
| Flupyram              | BS EN 15662:2018 (LC-MS/MS) | 0,9                                                             | 0,01          | ND, (< 0,01)  | n/a                                       |
| Fluoxastrobin         | BS EN 15662:2018 (LC-MS/MS) | 0,03                                                            | 0,01          | ND, (< 0,01)  | n/a                                       |
| Flupyradifurone       | BS EN 15662:2018 (LC-MS/MS) | 1,00                                                            | 0,01          | ND, (< 0,01)  | n/a                                       |
| Flupyrsulfuron-methyl | BS EN 15662:2018 (LC-MS/MS) | 0,02                                                            | 0,01          | ND, (< 0,01)  | n/a                                       |
| Fluquinconazole       | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                                       |
| Flurochloridone       | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                                       |
| Fluroxypyr            | BS EN 15662:2018 (LC-MS/MS) | 0,1                                                             | 0,01          | ND, (< 0,01)  | n/a                                       |
| Flurprimidol          | BS EN 15662:2018 (LC-MS/MS) | 0,02                                                            | 0,01          | ND, (< 0,005) | n/a                                       |
| Flurtamone            | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                                       |
| Flusilazole           | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                                       |
| Flutianil             | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                                       |
| Flutolanil            | BS EN 15662:2018 (GC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                                       |
| Flutriafol            | BS EN 15662:2018 (LC-MS/MS) | 0,15                                                            | 0,01          | ND, (< 0,005) | n/a                                       |
| Fluvalinate, tau-     | BS EN 15662:2018 (GC-MS/MS) | 0,05                                                            | 0,01          | ND, (< 0,01)  | n/a                                       |
| Fluxapyroxad          | BS EN 15662:2018 (LC-MS/MS) | 0,4                                                             | 0,01          | ND, (< 0,01)  | n/a                                       |
| Folpet                | BS EN 15662:2018 (LC-MS/MS) | 0,4                                                             | 0,01          | ND, (< 0,01)  | n/a                                       |
| Phtalimide            | BS EN 15662:2018 (GC-MS/MS) |                                                                 | 0,01          | ND, (< 0,01)  | n/a                                       |



**Commodities International  
Shipping and Survey**



**CISS GROUP UKRAINE LLC**  
member of CISS GROUP Pte.Ltd. (Singapore)  
5, Odessa Blv., Ovidiopol district,  
Lymanka village, Odessa region, 65037  
inspection@ciiss-group.com

Page 18/28

**CERTIFICATE No.: SGD00936/2**

**ORIGINAL**

| Name of Pesticide                       | Method                      | Max<br>allowed for<br>wheat by<br>EU Reg.<br>396/2005,<br>mg/kg | LOQ,<br>mg/kg | Result, mg/kg | Uncer-<br>tain-<br>ty (U),<br>mg/kg |
|-----------------------------------------|-----------------------------|-----------------------------------------------------------------|---------------|---------------|-------------------------------------|
| Fomesafen                               | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                                 |
| Foramsulfuron                           | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                                 |
| Forchlorfenuron                         | BS EN 15662:2018 (LC-MS/MS) | 0,02                                                            | 0,01          | ND, (< 0,01)  | n/a                                 |
| Formetanate                             | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                                 |
| Formothion                              | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                                 |
| Fosetyl-Al                              | CotOD-024:2022 (HPLC/MS/MS) | 150,00                                                          | 0,2           | ND, (< 0,2)   | n/a                                 |
| Fosthiazate                             | BS EN 15662:2018 (LC-MS/MS) | 0,02                                                            | 0,01          | ND, (< 0,005) | n/a                                 |
| Fuberidazole                            | BS EN 15662:2018 (LC-MS/MS) | 0,05                                                            | 0,01          | ND, (< 0,005) | n/a                                 |
| Glufosinate-ammonium                    | CotOD-024:2022 (HPLC/MS/MS) | 0,03                                                            | 0,01          | ND, (< 0,01)  | n/a                                 |
| Glufosinate, N-acetyl                   | CotOD-024:2022 (HPLC/MS/MS) |                                                                 | 0,01          | ND, (< 0,01)  | n/a                                 |
| 3-(Methylphosphinico)propionic (MPP)    | CotOD-024:2022 (HPLC/MS/MS) |                                                                 | 0,01          | ND, (< 0,01)  | n/a                                 |
| Glyphosate                              | CotOD-024:2022 (HPLC/MS/MS) | 10,00                                                           | 0,01          | ND, (< 0,01)  | n/a                                 |
| Halauxifen                              | BS EN 15662:2018 (LC-MS/MS) | 0,02                                                            | 0,01          | ND, (< 0,005) | n/a                                 |
| Halauxifen-methyl                       | BS EN 15662:2018 (LC-MS/MS) |                                                                 | 0,01          | ND, (< 0,005) | n/a                                 |
| Halosulfuron-Methyl                     | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                                 |
| Haloxypop                               | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                                 |
| Haloxypop-2-ethoxyethyl                 | BS EN 15662:2018 (LC-MS/MS) |                                                                 | 0,01          | ND, (< 0,005) | n/a                                 |
| Haloxypop-Methyl and Haloxypop-p-Methyl | BS EN 15662:2018 (LC-MS/MS) |                                                                 | 0,01          | ND, (< 0,005) | n/a                                 |
| HCH-alpha                               | BS EN 15662:2018 (GC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                                 |
| HCH-beta                                | BS EN 15662:2018 (GC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                                 |
| HCH-gamma (Lindane)                     | BS EN 15662:2018 (GC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                                 |
| Heptachlor                              | BS EN 15662:2018 (GC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                                 |
| Heptachlorepoxid, cis                   | BS EN 15662:2018 (GC-MS/MS) |                                                                 | 0,01          | ND, (< 0,01)  | n/a                                 |
| Heptachlorepoxid, trans                 | BS EN 15662:2018 (GC-MS/MS) |                                                                 | 0,01          | ND, (< 0,01)  | n/a                                 |



This certificate is issued to any job or services carried out within the GENERAL TERMS AND CONDITION OF BUSINESS printed overleaf. This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations. The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.



**Commodities International  
Shipping and Survey**



CISS GROUP UKRAINE LLC  
member of CISS GROUP Pte.Ltd. (Singapore)  
5, Odessa Blv., Ovidiopol district,  
Lymanka village, Odessa region, 65037  
inspection@ciiss-group.com

Page 19/28

CERTIFICATE No.: SGD00936/2

ORIGINAL

| Name of Pesticide       | Method                      | Max<br>allowed for<br>wheat by<br>EU Reg.<br>396/2005,<br>mg/kg | LOQ,<br>mg/kg | Result, mg/kg | Unce<br>rtain<br>ty<br>(U),<br>mg/k<br>g |
|-------------------------|-----------------------------|-----------------------------------------------------------------|---------------|---------------|------------------------------------------|
| Hexachlorobenzene (HCB) | BS EN 15662:2018 (GC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                                      |
| Hexaconazole            | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                                      |
| Hexythiazox             | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                                      |
| Imazalil                | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                                      |
| Imazamox                | BS EN 15662:2018 (LC-MS/MS) | 0,05                                                            | 0,01          | ND, (< 0,005) | n/a                                      |
| Imazapic                | BS EN 15662:2018 (LC-MS/MS) | 0,05                                                            | 0,01          | ND, (< 0,01)  | n/a                                      |
| Imazapyr                | BS EN 15662:2018 (LC-MS/MS) | 0,05                                                            | 0,01          | ND, (< 0,005) | n/a                                      |
| Imazaquin               | BS EN 15662:2018 (LC-MS/MS) | 0,05                                                            | 0,01          | ND, (< 0,01)  | n/a                                      |
| Imazosulfuron           | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                                      |
| Imidacloprid            | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                                      |
| Indoxacarb              | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                                      |
| Iodosulfuron-methyl     | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                                      |
| Ioxynil                 | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                                      |
| Ipconazole              | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                                      |
| Iprodione               | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                                      |
| Iprovalicarb            | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                                      |
| Isofetamid              | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                                      |
| Isoprothiolane          | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                                      |
| Isoproturon             | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                                      |
| Isopyrazam              | BS EN 15662:2018 (LC-MS/MS) | 0,2                                                             | 0,01          | ND, (< 0,005) | n/a                                      |
| Isoxaben                | BS EN 15662:2018 (LC-MS/MS) | 0,1                                                             | 0,01          | ND, (< 0,005) | n/a                                      |
| Isoxaflutole            | BS EN 15662:2018 (LC-MS/MS) | 0,02                                                            | 0,01          | ND, (< 0,01)  | n/a                                      |
| Kresoxim-methyl         | BS EN 15662:2018 (GC-MS/MS) | 0,08                                                            | 0,01          | ND, (< 0,01)  | n/a                                      |
| Lactofen                | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                                      |





**Commodities International  
Shipping and Survey**



**FOSFA  
INTERNATIONAL**

CISS GROUP UKRAINE LLC  
member of CISS GROUP Pte.Ltd. (Singapore)  
5, Odessa Blv., Ovidiopol district,  
Lymanka village, Odessa region, 65037  
inspection@ciiss-group.com

Page 20/28

CERTIFICATE No.: SGD00936/2

ORIGINAL

| Name of Pesticide         | Method                      | Max<br>allowed<br>for wheat<br>by EU<br>Reg.<br>396/2005,<br>mg/kg | LOQ,<br>mg/kg | Result, mg/kg | Unce<br>rtain<br>ty<br>(U),<br>mg/k<br>g |
|---------------------------|-----------------------------|--------------------------------------------------------------------|---------------|---------------|------------------------------------------|
| Lenacil                   | BS EN 15662:2018 (LC-MS/MS) | 0,1                                                                | 0,01          | ND, (< 0,005) | n/a                                      |
| Linuron                   | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                               | 0,01          | ND, (< 0,005) | n/a                                      |
| Lufenuron                 | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                               | 0,01          | ND, (< 0,005) | n/a                                      |
| Mandestrobin              | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                               | 0,01          | ND, (< 0,005) | n/a                                      |
| Malaoxon                  | BS EN 15662:2018 (GC-MS/MS) | 8,00                                                               | 0,01          | ND, (< 0,01)  | n/a                                      |
| Malathion                 | BS EN 15662:2018 (GC-MS/MS) |                                                                    | 0,01          | ND, (< 0,01)  | n/a                                      |
| Mandipropamid             | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                               | 0,01          | ND, (< 0,005) | n/a                                      |
| MCPA                      | BS EN 15662:2018 (LC-MS/MS) | 0,2                                                                | 0,01          | ND, (< 0,01)  | n/a                                      |
| MCPA, 1-butyl ester       | BS EN 15662:2018 (GC-MS/MS) |                                                                    | 0,01          | ND, (< 0,01)  | n/a                                      |
| MCPA, 2-Ethylhexyl-       | BS EN 15662:2018 (GC-MS/MS) |                                                                    | 0,01          | ND, (< 0,01)  | n/a                                      |
| MCPA, Butylolyl-          | BS EN 15662:2018 (GC-MS/MS) |                                                                    | 0,01          | ND, (< 0,01)  | n/a                                      |
| MCPA, ethyl ester         | BS EN 15662:2018 (GC-MS/MS) |                                                                    | 0,01          | ND, (< 0,01)  | n/a                                      |
| MCPA, methyl ester        | BS EN 15662:2018 (GC-MS/MS) |                                                                    | 0,01          | ND, (< 0,01)  | n/a                                      |
| MCPA, thioethyl-          | BS EN 15662:2018 (GC-MS/MS) |                                                                    | 0,01          | ND, (< 0,01)  | n/a                                      |
| Mecarbam                  | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                               | 0,01          | ND, (< 0,005) | n/a                                      |
| Mecoprop (MCP)            | BS EN 15662:2018 (LC-MS/MS) | 0,05                                                               | 0,05          | ND, (< 0,05)  | n/a                                      |
| Mefentrifluconazole       | BS EN 15662:2018 (LC-MS/MS) | 0,05                                                               | 0,01          | ND, (< 0,005) | n/a                                      |
| Mepanipyrim               | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                               | 0,01          | ND, (< 0,005) | n/a                                      |
| Mepiquat                  | CotOD-025:2022 (HPLC/MS/MS) | 3,00                                                               | 0,01          | ND, (< 0,01)  | n/a                                      |
| Mepronil                  | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                               | 0,01          | ND, (< 0,005) | n/a                                      |
| Mesosulfuron-methyl       | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                               | 0,01          | ND, (< 0,005) | n/a                                      |
| Mesotrione                | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                               | 0,01          | ND, (< 0,005) | n/a                                      |
| Metaflumizone             | BS EN 15662:2018 (LC-MS/MS) | 0,02                                                               | 0,01          | ND, (< 0,005) | n/a                                      |
| Metalaxyl and Metalaxyl-M | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                               | 0,01          | ND, (< 0,005) | n/a                                      |



This certificate is issued to any job or services carried out within the GENERAL TERMS AND CONDITION OF BUSINESS printed overleaf. This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations. The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.



**Commodities International  
Shipping and Survey**



**CISS GROUP UKRAINE LLC**  
member of CISS GROUP Pte.Ltd. (Singapore)  
5, Odessa Blv., Ovidiopol district,  
Lymanka village, Odessa region, 65037  
inspection@ciiss-group.com

Page 21/28

**CERTIFICATE No.: SGD00936/2**

**ORIGINAL**

| Name of Pesticide             | Method                      | Max<br>allowed for<br>wheat by<br>EU Reg.<br>396/2005,<br>mg/kg | LOQ,<br>mg/kg | Result, mg/kg | Uncertainty<br>(U),<br>mg/kg |
|-------------------------------|-----------------------------|-----------------------------------------------------------------|---------------|---------------|------------------------------|
| Metamitron                    | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                          |
| Metazachlor                   | BS EN 15662:2018 (LC-MS/MS) | 0,02                                                            | 0,01          | ND, (< 0,005) | n/a                          |
| Metconazole                   | BS EN 15662:2018 (LC-MS/MS) | 0,15                                                            | 0,01          | ND, (< 0,005) | n/a                          |
| Methabenzthiazuron            | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                          |
| Methacrifos                   | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                          |
| Methamidophos                 | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                          |
| Methidathion                  | BS EN 15662:2018 (LC-MS/MS) | 0,02                                                            | 0,01          | ND, (< 0,01)  | n/a                          |
| Methiocarb                    | BS EN 15662:2018 (LC-MS/MS) | 0,03                                                            | 0,01          | ND, (< 0,005) | n/a                          |
| Methiocarb-sulfone            | BS EN 15662:2018 (LC-MS/MS) |                                                                 | 0,01          | ND, (< 0,005) | n/a                          |
| Methiocarb-sulfoxide          | BS EN 15662:2018 (LC-MS/MS) |                                                                 | 0,01          | ND, (< 0,005) | n/a                          |
| Methomyl                      | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                          |
| Methoprene                    | BS EN 15662:2018 (GC-MS/MS) | 5,00                                                            | 0,01          | ND, (< 0,01)  | n/a                          |
| Methoxychlor                  | BS EN 15662:2018 (GC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                          |
| Methoxyfenozide               | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                          |
| Metolachlor and Metolachlor-S | BS EN 15662:2018 (LC-MS/MS) | 0,05                                                            | 0,01          | ND, (< 0,005) | n/a                          |
| Metosulam                     | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                          |
| Metrafenone                   | BS EN 15662:2018 (LC-MS/MS) | 0,07                                                            | 0,01          | ND, (< 0,005) | n/a                          |
| Metribuzin                    | BS EN 15662:2018 (LC-MS/MS) | 0,1                                                             | 0,01          | ND, (< 0,01)  | n/a                          |
| Metsulfuron-methyl            | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                          |
| Mevinphos                     | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                          |
| Milbemectin-A3                | BS EN 15662:2018 (LC-MS/MS) | 0,02                                                            | 0,01          | ND, (< 0,01)  | n/a                          |
| Milbemectin-A4                | BS EN 15662:2018 (LC-MS/MS) |                                                                 | 0,01          | ND, (< 0,01)  | n/a                          |
| Molinate                      | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                          |
| Monocrotophos                 | BS EN 15662:2018 (LC-MS/MS) | 0,02                                                            | 0,01          | ND, (< 0,005) | n/a                          |
| Monolinuron                   | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                          |



This certificate is issued to any job or services carried out within the GENERAL TERMS AND CONDITION OF BUSINESS printed overleaf. This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations. The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.



**Commodities International  
Shipping and Survey**



**CISS GROUP UKRAINE LLC**  
member of CISS GROUP Pte.Ltd. (Singapore)  
5, Odessa Blv., Ovidiopol district,  
Lymanka village, Odessa region, 65037  
inspection@ciiss-group.com

Page 22/28

**CERTIFICATE No.: SGD00936/2**

**ORIGINAL**

| Name of Pesticide | Method                      | Max<br>allowed for<br>wheat by<br>EU Reg.<br>396/2005,<br>mg/kg | LOQ,<br>mg/kg | Result, mg/kg | Uncertainty<br>(U),<br>mg/kg |
|-------------------|-----------------------------|-----------------------------------------------------------------|---------------|---------------|------------------------------|
| Monuron           | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                          |
| Myclobutanil      | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                          |
| Napropamide       | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                          |
| Nicosulfuron      | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                          |
| Nitrofen          | BS EN 15662:2018 (GC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                          |
| Novaluron         | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                          |
| Omethoate         | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                          |
| Orthosulfamuron   | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                          |
| Oryzalin          | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                          |
| Oxadiazyl         | BS EN 15662:2018 (GC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                          |
| Oxadiazon         | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                          |
| Oxadixyl          | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                          |
| Oxamyl            | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                          |
| Oxasulfuron       | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                          |
| Oxathiapiprolin   | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                          |
| Oxyfluorfen       | BS EN 15662:2018 (LC-MS/MS) | 0,05                                                            | 0,01          | ND, (< 0,01)  | n/a                          |
| Paclobutrazol     | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                          |
| Paraoxon-methyl   | BS EN 15662:2018 (GC-MS/MS) | 0,02                                                            | 0,01          | ND, (< 0,01)  | n/a                          |
| Parathion-methyl  | BS EN 15662:2018 (GC-MS/MS) |                                                                 | 0,01          | ND, (< 0,01)  | n/a                          |
| Paraquat          | CotOD-025:2022 (HPLC/MS/MS) | 0,02                                                            | 0,01          | ND, (< 0,01)  | n/a                          |
| Parathion         | BS EN 15662:2018 (GC-MS/MS) | 0,05                                                            | 0,01          | ND, (< 0,01)  | n/a                          |
| Penconazole       | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                          |
| Pencycuron        | BS EN 15662:2018 (LC-MS/MS) | 0,02                                                            | 0,01          | ND, (< 0,005) | n/a                          |
| Pendimethalin     | BS EN 15662:2018 (LC-MS/MS) | 0,05                                                            | 0,01          | ND, (< 0,005) | n/a                          |
| Penflufen         | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                          |



This certificate is issued to any job or services carried out within the GENERAL TERMS AND CONDITION OF BUSINESS printed overleaf. This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations. The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.



**Commodities International  
Shipping and Survey**



**CISS GROUP UKRAINE LLC**  
member of CISS GROUP Pte.Ltd. (Singapore)  
5, Odessa Blv., Ovidiopol district,  
Lymanka village, Odessa region, 65037  
inspection@ciiss-group.com

Page 23/28

**CERTIFICATE No.: SGD00936/2**

**ORIGINAL**

| Name of Pesticide     | Method                      | Max<br>allowed for<br>wheat by<br>EU Reg.<br>396/2005,<br>mg/kg | LOQ,<br>mg/kg | Result, mg/kg | Unce<br>rtain<br>ty<br>(U),<br>mg/k<br>g |
|-----------------------|-----------------------------|-----------------------------------------------------------------|---------------|---------------|------------------------------------------|
| Penoxsulam            | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                                      |
| Penthiopyrad          | BS EN 15662:2018 (LC-MS/MS) | 0,1                                                             | 0,01          | ND, (< 0,01)  | n/a                                      |
| Permethrin (sum)      | BS EN 15662:2018 (GC-MS/MS) | 0,05                                                            | 0,02          | ND, (< 0,02)  | n/a                                      |
| Perthane              | BS EN 15662:2018 (GC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                                      |
| Pethoxamid            | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                                      |
| Phenmedipham          | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                                      |
| Phenothrin            | BS EN 15662:2018 (GC-MS/MS) | 0,05                                                            | 0,01          | ND, (< 0,01)  | n/a                                      |
| Phenthoate            | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                                      |
| Phenylphenol, 2-      | BS EN 15662:2018 (GC-MS/MS) | 0,02                                                            | 0,01          | ND, (< 0,01)  | n/a                                      |
| Phorate               | BS EN 15662:2018 (GC-MS/MS) | 0,02                                                            | 0,01          | ND, (< 0,01)  | n/a                                      |
| Phorate-Oxonsulfone   | BS EN 15662:2018 (LC-MS/MS) |                                                                 | 0,01          | ND, (< 0,005) | n/a                                      |
| Phorate-Oxonsulfoxide | BS EN 15662:2018 (LC-MS/MS) |                                                                 | 0,01          | ND, (< 0,005) | n/a                                      |
| Phorate-sulfone       | BS EN 15662:2018 (LC-MS/MS) |                                                                 | 0,01          | ND, (< 0,005) | n/a                                      |
| Phorate-sulfoxide     | BS EN 15662:2018 (LC-MS/MS) |                                                                 | 0,01          | ND, (< 0,005) | n/a                                      |
| Phosalone             | BS EN 15662:2018 (GC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                                      |
| Phosmet               | BS EN 15662:2018 (GC-MS/MS) | 0,05                                                            | 0,01          | ND, (< 0,01)  | n/a                                      |
| Phosmet oxon          | BS EN 15662:2018 (LC-MS/MS) |                                                                 | 0,01          | ND, (< 0,005) | n/a                                      |
| Phosphamidon          | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                                      |
| Phoxim                | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                                      |
| Picloram              | BS EN 15662:2018 (LC-MS/MS) | 0,2                                                             | 0,01          | ND, (< 0,01)  | n/a                                      |
| Picolinafen           | BS EN 15662:2018 (LC-MS/MS) | 0,05                                                            | 0,01          | ND, (< 0,005) | n/a                                      |
| Picoxystrobin         | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                                      |
| Pinoxaden             | BS EN 15662:2018 (LC-MS/MS) | 1,00                                                            | 0,01          | ND, (< 0,01)  | n/a                                      |
| Pirimicarb            | BS EN 15662:2018 (LC-MS/MS) | 0,05                                                            | 0,01          | ND, (< 0,005) | n/a                                      |
| Pirimiphos-methyl     | BS EN 15662:2018 (LC-MS/MS) | 5,00                                                            | 0,01          | ND, (< 0,005) | n/a                                      |



This certificate is issued to any job or services carried out within the GENERAL TERMS AND CONDITION OF BUSINESS printed overleaf. This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations. The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.



**Commodities International  
Shipping and Survey**



**CISS GROUP UKRAINE LLC**  
member of CISS GROUP Pte.Ltd. (Singapore)  
5, Odessa Blv., Ovidiopol district,  
Lymanka village, Odessa region, 65037  
inspection@ciiss-group.com

Page 24/28

**CERTIFICATE No.: SGD00936/2**

**ORIGINAL**

| Name of Pesticide                     | Method                      | Max<br>allowed<br>for wheat<br>by EU<br>Reg.<br>396/2005,<br>mg/kg | LOQ,<br>mg/kg | Result, mg/kg | Unce<br>rtain<br>ty<br>(U),<br>mg/k<br>g |
|---------------------------------------|-----------------------------|--------------------------------------------------------------------|---------------|---------------|------------------------------------------|
| Prochloraz                            | BS EN 15662:2018 (LC-MS/MS) | 0,2                                                                | 0,01          | ND, (< 0,005) | n/a                                      |
| Prochloraz metabolite<br>BTS44595     | BS EN 15662:2018 (LC-MS/MS) |                                                                    | 0,01          | ND, (< 0,01)  | n/a                                      |
| Prochloraz metabolite<br>BTS44596     | BS EN 15662:2018 (LC-MS/MS) |                                                                    | 0,01          | ND, (< 0,005) | n/a                                      |
| Procymidone                           | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                               | 0,01          | ND, (< 0,01)  | n/a                                      |
| Profenofos                            | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                               | 0,01          | ND, (< 0,005) | n/a                                      |
| Profoxydim                            | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                               | 0,01          | ND, (< 0,005) | n/a                                      |
| Propachlor                            | BS EN 15662:2018 (LC-MS/MS) | 0,02                                                               | 0,01          | ND, (< 0,005) | n/a                                      |
| Propachlor oxalamic acid              | BS EN 15662:2018 (LC-MS/MS) |                                                                    | 0,01          | ND, (< 0,01)  | n/a                                      |
| Propamocarb                           | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                               | 0,01          | ND, (< 0,005) | n/a                                      |
| Propanil                              | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                               | 0,01          | ND, (< 0,005) | n/a                                      |
| Propargite                            | BS EN 15662:2018 (GC-MS/MS) | 0,01                                                               | 0,01          | ND, (< 0,01)  | n/a                                      |
| Propham                               | BS EN 15662:2018 (GC-MS/MS) | 0,01                                                               | 0,01          | ND, (< 0,01)  | n/a                                      |
| Propiconazole                         | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                               | 0,01          | ND, (< 0,005) | n/a                                      |
| Propisochlor                          | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                               | 0,01          | ND, (< 0,01)  | n/a                                      |
| Propoxur                              | BS EN 15662:2018 (LC-MS/MS) | 0,05                                                               | 0,01          | ND, (< 0,005) | n/a                                      |
| Propoxycarbazone                      | BS EN 15662:2018 (LC-MS/MS) | 0,02                                                               | 0,01          | ND, (< 0,005) | n/a                                      |
| Propoxycarbazone-2-<br>hydroxypropoxy | BS EN 15662:2018 (LC-MS/MS) |                                                                    | 0,01          | ND, (< 0,01)  | n/a                                      |
| Propyzamide (Pronamide)               | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                               | 0,01          | ND, (< 0,005) | n/a                                      |
| Proquinazid                           | BS EN 15662:2018 (LC-MS/MS) | 0,02                                                               | 0,01          | ND, (< 0,005) | n/a                                      |
| Prosulfocarb                          | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                               | 0,01          | ND, (< 0,005) | n/a                                      |
| Prosulfuron                           | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                               | 0,01          | ND, (< 0,005) | n/a                                      |
| Prothioconazole-Desthio               | BS EN 15662:2018 (LC-MS/MS) | 0,1                                                                | 0,01          | ND, (< 0,005) | n/a                                      |
| Pymetrozine                           | BS EN 15662:2018 (LC-MS/MS) | 0,05                                                               | 0,01          | ND, (< 0,01)  | n/a                                      |



**Commodities International  
Shipping and Survey**

**CISS GROUP UKRAINE LLC**  
member of CISS GROUP Pte.Ltd. (Singapore)  
5, Odessa Blv., Ovidiopol district,  
Lymanka village, Odessa region, 65037  
inspection@ciiss-group.com



Page 25/28

**CERTIFICATE No.: SGD00936/2**

**ORIGINAL**

| Name of Pesticide              | Method                      | Max<br>allowed for<br>wheat by<br>EU Reg.<br>396/2005,<br>mg/kg | LOQ,<br>mg/kg | Result, mg/kg | Uncertainty<br>(U),<br>mg/kg |
|--------------------------------|-----------------------------|-----------------------------------------------------------------|---------------|---------------|------------------------------|
| Pyraclostrobin                 | BS EN 15662:2018 (LC-MS/MS) | 0,2                                                             | 0,01          | ND, (< 0,005) | n/a                          |
| Pyraflufen-Ethyl               | BS EN 15662:2018 (GC-MS/MS) | 0,02                                                            | 0,01          | ND, (< 0,01)  | n/a                          |
| Pyrasulfotole                  | BS EN 15662:2018 (LC-MS/MS) | 0,02                                                            | 0,01          | ND, (< 0,005) | n/a                          |
| Pyrazophos                     | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                          |
| Pyrethrins Pyrethrin I         | BS EN 15662:2018 (GC-MS/MS) | 3,00                                                            | 0,01          | ND, (< 0,01)  | n/a                          |
| Pyrethrins Pyrethrin II        | BS EN 15662:2018 (GC-MS/MS) |                                                                 | 0,01          | ND, (< 0,01)  | n/a                          |
| Pyridaben                      | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                          |
| Pyridalyl                      | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                          |
| Pyridate                       | BS EN 15662:2018 (LC-MS/MS) | 0,05                                                            | 0,01          | ND, (< 0,01)  | n/a                          |
| Pyridate metabolit (Pyridafol) | BS EN 15662:2018 (LC-MS/MS) |                                                                 | 0,01          | ND, (< 0,005) | n/a                          |
| Pyrimethanil                   | BS EN 15662:2018 (LC-MS/MS) | 0,05                                                            | 0,01          | ND, (< 0,01)  | n/a                          |
| Pyriofenone                    | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,005) | n/a                          |
| Pyriproxyfen                   | BS EN 15662:2018 (LC-MS/MS) | 0,05                                                            | 0,01          | ND, (< 0,005) | n/a                          |
| Pyroxsulam                     | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                          |
| Quinalphos                     | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                          |
| Quinclorac                     | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                          |
| Quinmerac                      | BS EN 15662:2018 (LC-MS/MS) | 0,1                                                             | 0,01          | ND, (< 0,01)  | n/a                          |
| Quinoclamine                   | BS EN 15662:2018 (LC-MS/MS) | 0,02                                                            | 0,01          | ND, (< 0,01)  | n/a                          |
| Quinoxifen                     | BS EN 15662:2018 (LC-MS/MS) | 0,02                                                            | 0,01          | ND, (< 0,005) | n/a                          |
| Quintozene                     | BS EN 15662:2018 (GC-MS/MS) | 0,02                                                            | 0,01          | ND, (< 0,01)  | n/a                          |
| Pentachloroaniline             | BS EN 15662:2018 (GC-MS/MS) |                                                                 | 0,01          | ND, (< 0,01)  | n/a                          |
| Quizalofop and Quizalofop-P    | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                            | 0,01          | ND, (< 0,01)  | n/a                          |
| Quizalofop-ethyl               | BS EN 15662:2018 (LC-MS/MS) |                                                                 | 0,01          | ND, (< 0,005) | n/a                          |
| Propaquizafop                  | BS EN 15662:2018 (LC-MS/MS) |                                                                 | 0,01          | ND, (< 0,005) | n/a                          |



**Commodities International  
Shipping and Survey**

CISS GROUP UKRAINE LLC  
member of CISS GROUP Pte.Ltd. (Singapore)  
5, Odessa Blv., Ovidiopol district,  
Lymanka village, Odessa region, 65037  
inspection@ciiss-group.com



**FOSFA  
INTERNATIONAL**

Page 26/28

**CERTIFICATE No.: SGD00936/2**

**ORIGINAL**

| Name of Pesticide            | Method                      | Max<br>allowed<br>for wheat<br>by EU<br>Reg.<br>396/2005,<br>mg/kg | LOQ,<br>mg/kg | Result, mg/kg | Unce<br>rtain<br>ty<br>(U),<br>mg/k<br>g |
|------------------------------|-----------------------------|--------------------------------------------------------------------|---------------|---------------|------------------------------------------|
| Resmethrin and Bioresmethrin | BS EN 15662:2018 (GC-MS/MS) | 0,02                                                               | 0,01          | ND, (< 0,01)  | n/a                                      |
| Rimsulfuron                  | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                               | 0,01          | ND, (< 0,005) | n/a                                      |
| Rotenone                     | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                               | 0,01          | ND, (< 0,005) | n/a                                      |
| Saflufenacil                 | BS EN 15662:2018 (LC-MS/MS) | 0,03                                                               | 0,01          | ND, (< 0,01)  | n/a                                      |
| Sedaxane                     | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                               | 0,01          | ND, (< 0,01)  | n/a                                      |
| Sethoxydim                   | BS EN 15662:2018 (LC-MS/MS) | 0,1                                                                | 0,01          | ND, (< 0,005) | n/a                                      |
| Clethodim                    | BS EN 15662:2018 (LC-MS/MS) |                                                                    | 0,01          | ND, (< 0,005) | n/a                                      |
| Silthiofam                   | BS EN 15662:2018 (GC-MS/MS) | 0,01                                                               | 0,01          | ND, (< 0,01)  | n/a                                      |
| Simazine                     | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                               | 0,01          | ND, (< 0,005) | n/a                                      |
| Spinetoram J                 | BS EN 15662:2018 (LC-MS/MS) | 0,02                                                               | 0,01          | ND, (< 0,005) | n/a                                      |
| Spinetoram L                 | BS EN 15662:2018 (LC-MS/MS) |                                                                    | 0,01          | ND, (< 0,005) | n/a                                      |
| Spinosyn A                   | BS EN 15662:2018 (LC-MS/MS) | 2,00                                                               | 0,01          | ND, (< 0,005) | n/a                                      |
| Spinosyn D                   | BS EN 15662:2018 (LC-MS/MS) |                                                                    | 0,01          | ND, (< 0,005) | n/a                                      |
| Spirodiclofen                | BS EN 15662:2018 (LC-MS/MS) | 0,02                                                               | 0,01          | ND, (< 0,01)  | n/a                                      |
| Spiromesifen                 | BS EN 15662:2018 (LC-MS/MS) | 0,02                                                               | 0,01          | ND, (< 0,005) | n/a                                      |
| Spirotetramat                | BS EN 15662:2018 (LC-MS/MS) | 0,02                                                               | 0,01          | ND, (< 0,01)  | n/a                                      |
| Spiroxamine (sum)            | BS EN 15662:2018 (LC-MS/MS) | 0,05                                                               | 0,01          | ND, (< 0,005) | n/a                                      |
| Sulcotrione                  | BS EN 15662:2018 (LC-MS/MS) | 0,02                                                               | 0,01          | ND, (< 0,005) | n/a                                      |
| Sulfosulfuron                | BS EN 15662:2018 (LC-MS/MS) | 0,02                                                               | 0,01          | ND, (< 0,005) | n/a                                      |
| Sulfoxaflor                  | BS EN 15662:2018 (LC-MS/MS) | 0,2                                                                | 0,01          | ND, (< 0,01)  | n/a                                      |
| Tebuconazole                 | BS EN 15662:2018 (LC-MS/MS) | 0,3                                                                | 0,01          | ND, (< 0,005) | n/a                                      |
| Tebufenozide                 | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                               | 0,01          | ND, (< 0,005) | n/a                                      |
| Tebufenpyrad                 | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                               | 0,01          | ND, (< 0,005) | n/a                                      |
| Tecnazene                    | BS EN 15662:2018 (GC-MS/MS) | 0,01                                                               | 0,01          | ND, (< 0,01)  | n/a                                      |



**Commodities International  
Shipping and Survey**



**CISS GROUP UKRAINE LLC**  
member of CISS GROUP Pte.Ltd. (Singapore)  
5, Odessa Blv., Ovidiopol district,  
Lymanka village, Odessa region, 65037  
inspection@ciiss-group.com

Page 27/28

**CERTIFICATE No.: SGD00936/2**

**ORIGINAL**

| Name of Pesticide     | Method                      | Max<br>allowed<br>for wheat<br>by EU<br>Reg.<br>396/2005,<br>mg/kg | LOQ,<br>mg/kg | Result, mg/kg | Uncer-<br>tain-<br>ty<br>(U),<br>mg/kg |
|-----------------------|-----------------------------|--------------------------------------------------------------------|---------------|---------------|----------------------------------------|
| Teflubenzuron         | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                               | 0,01          | ND, (< 0,01)  | n/a                                    |
| Tefluthrin            | BS EN 15662:2018 (GC-MS/MS) | 0,02                                                               | 0,01          | ND, (< 0,01)  | n/a                                    |
| Tembotrione           | BS EN 15662:2018 (LC-MS/MS) | 0,02                                                               | 0,01          | ND, (< 0,01)  | n/a                                    |
| TEPP                  | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                               | 0,01          | ND, (< 0,005) | n/a                                    |
| Tepraloxymid          | BS EN 15662:2018 (LC-MS/MS) | 0,1                                                                | 0,01          | ND, (< 0,005) | n/a                                    |
| Terbufos              | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                               | 0,01          | ND, (< 0,005) | n/a                                    |
| Terbutylazine         | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                               | 0,01          | ND, (< 0,005) | n/a                                    |
| Tetraconazole         | BS EN 15662:2018 (LC-MS/MS) | 0,1                                                                | 0,01          | ND, (< 0,005) | n/a                                    |
| Tetradifon            | BS EN 15662:2018 (GC-MS/MS) | 0,01                                                               | 0,01          | ND, (< 0,01)  | n/a                                    |
| Thiabendazole         | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                               | 0,01          | ND, (< 0,005) | n/a                                    |
| Thiacloprid           | BS EN 15662:2018 (LC-MS/MS) | 0,1                                                                | 0,01          | ND, (< 0,005) | n/a                                    |
| Thiamethoxam          | BS EN 15662:2018 (LC-MS/MS) | 0,05                                                               | 0,01          | 0,007         | ±0.0<br>02                             |
| Thifensulfuron-methyl | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                               | 0,01          | ND, (< 0,005) | n/a                                    |
| Thiobencarb           | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                               | 0,01          | ND, (< 0,005) | n/a                                    |
| Thiodicarb            | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                               | 0,01          | ND, (< 0,005) | n/a                                    |
| Thiophanate-methyl    | BS EN 15662:2018 (LC-MS/MS) | 0,05                                                               | 0,01          | ND, (< 0,01)  | n/a                                    |
| Thiram                | BS EN 15662:2018 (LC-MS/MS) | 0,1                                                                | 0,01          | ND, (< 0,01)  | n/a                                    |
| Tolclofos-methyl      | BS EN 15662:2018 (GC-MS/MS) | 0,01                                                               | 0,01          | ND, (< 0,01)  | n/a                                    |
| Tolyfluanid           | BS EN 15662:2018 (LC-MS/MS) | 0,05                                                               | 0,01          | ND, (< 0,01)  | n/a                                    |
| DMST                  | BS EN 15662:2018 (LC-MS/MS) |                                                                    | 0,01          | ND, (< 0,005) | n/a                                    |
| Tralkoxydim           | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                               | 0,01          | ND, (< 0,005) | n/a                                    |
| Triadimefon           | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                               | 0,01          | ND, (< 0,005) | n/a                                    |
| Triadimenol           | BS EN 15662:2018 (LC-MS/MS) | 0,1                                                                | 0,01          | ND, (< 0,005) | n/a                                    |
| Tri-allate            | BS EN 15662:2018 (LC-MS/MS) | 0,1                                                                | 0,01          | ND, (< 0,005) | n/a                                    |
| Triasulfuron          | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                               | 0,01          | ND, (< 0,005) | n/a                                    |

This certificate is issued to any job or services carried out within the GENERAL TERMS AND CONDITION OF BUSINESS printed overleaf. This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations. The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.



Commodities International  
Shipping and Survey



FOSFA  
INTERNATIONAL

CISS GROUP UKRAINE LLC  
member of CISS GROUP Pte.Ltd. (Singapore)  
5, Odessa Blv., Ovidiopol district,  
Lymanka village, Odessa region, 65037  
inspection@ciiss-group.com

Page 28/28

CERTIFICATE No.: SGD00936/2

ORIGINAL

| Name of Pesticide                  | Method                      | Max<br>allowed<br>for wheat<br>by EU<br>Reg.<br>396/2005,<br>mg/kg | LOQ,<br>mg/kg | Result, mg/kg | Uncertainty<br>(U),<br>mg/kg |
|------------------------------------|-----------------------------|--------------------------------------------------------------------|---------------|---------------|------------------------------|
| Triazophos                         | BS EN 15662:2018 (LC-MS/MS) | 0,02                                                               | 0,01          | ND, (< 0,005) | n/a                          |
| Tribenuron-methyl<br>(Metometuron) | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                               | 0,01          | ND, (< 0,01)  | n/a                          |
| Trichlorfon                        | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                               | 0,01          | ND, (< 0,005) | n/a                          |
| Tricyclazole                       | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                               | 0,01          | ND, (< 0,01)  | n/a                          |
| Tridemorph                         | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                               | 0,01          | ND, (< 0,01)  | n/a                          |
| Trifloxystrobin                    | BS EN 15662:2018 (LC-MS/MS) | 0,3                                                                | 0,01          | ND, (< 0,005) | n/a                          |
| Triflumizole                       | BS EN 15662:2018 (LC-MS/MS) | 0,02                                                               | 0,01          | ND, (< 0,005) | n/a                          |
| Triflururon                        | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                               | 0,01          | ND, (< 0,005) | n/a                          |
| Trifluralin                        | BS EN 15662:2018 (GC-MS/MS) | 0,01                                                               | 0,01          | ND, (< 0,01)  | n/a                          |
| Triflurosulfuron                   | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                               | 0,01          | ND, (< 0,01)  | n/a                          |
| Triforin                           | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                               | 0,01          | ND, (< 0,01)  | n/a                          |
| Triticonazole                      | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                               | 0,01          | ND, (< 0,005) | n/a                          |
| Tritosulfuron                      | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                               | 0,01          | ND, (< 0,005) | n/a                          |
| Vinclozolin                        | BS EN 15662:2018 (GC-MS/MS) | 0,01                                                               | 0,01          | ND, (< 0,01)  | n/a                          |
| Warfarin                           | BS EN 15662:2018 (LC-MS/MS) | 0,01                                                               | 0,01          | ND, (< 0,005) | n/a                          |
| Zoxamide                           | BS EN 15662:2018 (LC-MS/MS) | 0,02                                                               | 0,01          | ND, (< 0,005) | n/a                          |

The results of inspection are valid for the time and place of inspection only.

Dated: 28 of FEBRUARY, 2023

For and on behalf of CISS GROUP Ukraine LLC

Registered Superintendent and Surveyor Member of GAFTA



This certificate is issued for the services carried out within the GENERAL TERMS AND CONDITION OF BUSINESS printed overleaf. This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations. The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.